

Postfix

Source: <http://linux.derkeiler.com/Mailing-Lists/Debian/2004-09/3724.html>

From: Alejandro Matos (amatos_at_gmail.com)

Date: 09/30/04

Date: Thu, 30 Sep 2004 04:23:03 +0300
To: debian-user <debian-user@lists.debian.org>

Hi there!

I have a website using Coppermine (photo galery) and it has an ecard function.

Everytime i want to send an ecard my user gets an email:

>N 1 MAILER-DAEMON@ale Thu Sep 30 03:35 110/4368 Undelivered Mail
Returned to Sender

I opened and i get this:

Message 1:

>From MAILER-DAEMON Thu Sep 30 02:33:41 2004
X-Original-To: alejandro@alex.no-ip.biz
Date: Thu, 30 Sep 2004 02:33:41 +0300 (EEST)
From: MAILER-DAEMON@alex.no-ip.biz (Mail Delivery System)
Subject: Undelivered Mail Returned to Sender
To: alejandro@alex.no-ip.biz
MIME-Version: 1.0
Content-Type: multipart/report; report-type=delivery-status;
 boundary="26A729FDB3.1096500821/localhost.localdomain"
Content-Transfer-Encoding: 8bit

This is a MIME-encapsulated message.

--26A729FDB3.1096500821/localhost.localdomain
Content-Description: Notification
Content-Type: text/plain

This is the Postfix program at host localhost.localdomain.

I'm sorry to have to inform you that your message could not be
be delivered to one or more recipients. It's attached below.

For further assistance, please send mail to <postmaster>

If you do so, please include this problem report. You can

Debian-User: Postfix

delete your own text from the attached returned message.

The Postfix program

<unknown>: No recipients specified

--26A729FDB3.1096500821/localhost.localdomain

Content-Description: Delivery report

Content-Type: message/delivery-status

Reporting-MTA: dns; localhost.localdomain

X-Postfix-Queue-ID: 26A729FDB3

X-Postfix-Sender: rfc822; alejandro@alex.no-ip.biz

Arrival-Date: Thu, 30 Sep 2004 02:33:41 +0300 (EEST)

/* Look this: "rfc822" Don't know where comes from. I do specified the "to"!!! */

Final-Recipient: rfc822; unknown

Action: failed

Status: 5.0.0

Diagnostic-Code: X-Postfix; No recipients specified

--26A729FDB3.1096500821/localhost.localdomain

Content-Description: Undelivered Message

Content-Type: message/rfc822

Content-Transfer-Encoding: 8bit

Received: by localhost.localdomain (Postfix, from userid 65534)

id 26A729FDB3; Thu, 30 Sep 2004 02:33:41 +0300 (EEST)

To: xxxxxx@myy.helia.fi

Subject: Una postal de Fernando para ti

From: Fernando <xxxxxxx@terra.es>

MIME-Version: 1.0

Content-type: text/html; charset=iso-8859-1

Content-transfer-encoding: 8bit

Date: Wed, 29 Sep 2004 23:33:41 UT

X-Priority: 3 (Normal)

X-MSMail-Priority: Normal

X-Mailer: Coppermine Photo Gallery

Importance: Normal

Message-Id: <20040929233341.26A729FDB3@localhost.localdomain>

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">

<html dir="ltr">

<head>

<title>Una postal de Fernando para ti</title>

<meta http-equiv="content-type" content="text/html; charset=iso-8859-1" />

</head>

<body bgcolor="#FFFFFF" text="#0F5475" link="#0F5475" vlink="#0F5475" alink="#0F5475">

Postfix

```
<br />
<p align="center"><a
href="http://alex.no-ip.biz/displaycard.php?data=YTo2OntzOjI6InJuIjtzOjk6IkFsZWphbmRybyI7czoyOiJzbiI7czo4
la imagen no se ve correctamente, pulsa en este enlace</b></a></p>
<table border="0" cellspacing="0" cellpadding="1" align="center">
  <tr>
    <td bgcolor="#000000">
      <table border="0" cellspacing="0" cellpadding="10" bgcolor="#ffffff">
        <tr>
          <td valign="top">
            <br />
          </td>
          <td valign="top" width="200" height="250">
            <div align="right"></div>
            <br />
            <b><font face="arial" color="#000000" size="4">otra
prueba</font></b>
            <br />
            <br />
            <font face="arial" color="#000000" size="2">llego?</font>
            <br />
            <br />
            <font face="arial" color="#000000" size="2">Fernando</font>
            (<a href="mailto:xxxxx@terra.es";><font face="arial" color="#000000"
size="2">xxxx@terra.es</font></a>)
          </td>
        </tr>
      </table>
    </td>
  </tr>
</table>
<p align="center"><a href="http://alex.no-ip.biz/";><b>¡Pulsa aquí para
ver más imágenes!</b></a></p>
</body>
</html>Sent by Fernando from IP xxxxx at miércoles,
septiembre,29,2004 11:33 [GMT]
```

—26A729FDB3.1096500821/localhost.localdomain—

You can try to send an ecard from
<http://alex.no-ip.biz/thumbnails.php?album=41> just select the picture
and try to send the ecard...

Thanks in advance

Alejandro