

Re: .xsession problem

Source: <http://linux.derkeiler.com/Mailing-Lists/Debian/2005-09/1973.html>

From: Bill Marcum (*bmarcum_at_iglou.com*)

Date: 09/16/05

Date: Thu, 15 Sep 2005 21:57:29 -0400

To: debian-user@lists.debian.org

> On 9/10/05, Jim Seymour <bluejay@speedfactory.net> wrote:
> >
> > *Hi All,*
> >
> > *Running Debian Etch on an AMD Athalon box with all the current updates.*
> > *I have tried to no avail to get a .xsession file to launch pland (Plan*
> > *Daemon) when I log into my box. The file is executable and*
> > *allow-user-xsession is set in /etc/X11/Xsession.options. The contents of*
> > *the .xsession are:*
> >
> > *exec pland (I have tried it with and without exec)*
> >
> > *Any ideas where I have gone wrong? I thought I followed the Debian*
> > *Reference.*
> >
> > *TIA,*
> >
> > *Jim Seymour*

If you use gnome, try this in your .xsession:

```
pland &  
exec gnome-session
```

If you use kde, change "exec gnome-session" to "exec startkde".

--

Never tell a lie unless it is absolutely convenient.

--

To UNSUBSCRIBE, email to debian-user-REQUEST@lists.debian.org
with a subject of "unsubscribe". Trouble? Contact listmaster@lists.debian.org