

RE: fedora-list Digest, Vol 12, Issue 203

Source: <http://linux.derkeiler.com/Mailing-Lists/Fedora/2005-02/3574.html>

From: Dean F Owensby (*dfowensby_at_netscape.net*)

Date: 02/13/05

Date: Sat, 12 Feb 2005 20:29:53 -0500

To: fedora-list@redhat.com

fedora-list-request@redhat.com wrote:

- > Send fedora-list mailing list submissions to
- > fedora-list@redhat.com
- >
- > To subscribe or unsubscribe via the World Wide Web, visit
- > <http://www.redhat.com/mailman/listinfo/fedora-list>
- > or, via email, send a message with subject or body 'help' to
- > fedora-list-request@redhat.com
- >
- > You can reach the person managing the list at
- > fedora-list-owner@redhat.com
- >
- > When replying, please edit your Subject line so it is more specific
- > than "Re: Contents of fedora-list digest..."
- >
- >
- > Today's Topics:
- >
- > 1. Re: installing Xine (Johnathan Bailes)
- > 2. Re: 'Kitchen'-Timer Applet (Thomas Zehetbauer)
- > 3. RE: installing Xine (Jeff Guilfoyle)
- > 4. LVM, resize /, & FC3 defaults (Gordon Ewasiuk)
- > 5. Re: xorg external monitor display problem (Ow Mun Heng)
- > 6. multisession cd's, k3b errors (zoe@purdue.edu)
- > 7. Re: Latest OpenOffice.org calc broken in last update
- > (massimiliano)
- > 8. Re: Latest OpenOffice.org calc broken in last update
- > (David Fletcher)
- > 9. *** glibc detected *** malloc(): memory corruption:
- > 0x09d9a8a8 *** (Clinton Parham)
- > 10. Re: Copy files over ssh (Andrew Robinson)
- > 11. Re: Kernel crash (Chethiya Ranaweera)
- > 12. Re: multisession cd's, k3b errors (Bob Chiodini)
- > 13. Re: Kernel crash (Bob Chiodini)
- > 14. Re: LVM, resize /, & FC3 defaults (Remi Collet)
- > 15. Re: LVM, resize /, & FC3 defaults (Johnathan Bailes)

> 16. Updating Fedora 3 non-internet (Mark Sargent)

>

>

>-----

>

>Message: 1

>Date: Sat, 12 Feb 2005 09:29:39 -0500

>From: Johnathan Bailes <johnathan.bailes@gmail.com>

>Subject: Re: installing Xine

>To: JBuck814366460@aol.com, For users of Fedora Core releases

> <fedora-list@redhat.com>

>Message-ID: <4f9fb17805021206296dfe687b@mail.gmail.com>

>Content-Type: text/plain; charset=US-ASCII

>

>On Sat, 12 Feb 2005 04:49:27 -0800, Jared Buck <JBuck814366460@aol.com> wrote:

>>

>> Get yourself a copy of GCC (which is the standard compiler for Linux).

>> Without a compiler, your programs won't compile worth a d**n.

>>

>> Pick up a copy here <http://gcc.gnu.org/>. I'm not sure exactly where the

>> binaries for GCC are in this site, but they're around somewhere. Try

>> checking the CVS repository for the site.

>>

>> Jared

>>

>

>Uh, you could also use yum I believe as well to get gcc and other

>stuff but it might be worth the trip back to the old install discs and

>the Install programs app to get all the Development stuff at once.

>

>Isn't there an option to install all those bits at one time. Not sure

>since I never install linux without a compiler.

>

>Every system should have a compiler.

>

>

>

>-----

>

>Message: 2

>Date: Sat, 12 Feb 2005 15:39:07 +0100

>From: Thomas Zehetbauer <thomasz@hostmaster.org>

>Subject: Re: 'Kitchen'-Timer Applet

>To: fedora-list@redhat.com

>Message-ID: <1108219148.14229.7.camel@hostmaster.org>

>Content-Type: text/plain; charset="us-ascii"

>

>On Sat, 2005-02-12 at 09:23 -0500, Johnathan Bailes wrote:

>> Have no idea why the timer app would do that. Have you tried firing

>> the command associated to the application in a terminal? Can you send

>> output?

>
>Yes, I have tried running it from the command line, it just died with no
>output. Running with -h did not show up anything beyond the standard
>gtk/gnome/oaf flogs either. I have put a strace at
><http://www.hostmaster.org/~thomasz/timer-applet>
>
>Tom
>
>--
>Thomas Zehetbauer (TZ251)
>PGP encrypted mail preferred - KeyID 96FFCB89
>finger thomasz@hostmaster.org for key
>
>lotus notes: it's not just a mail program,
>it's a complete denial of service attack in one box!
>
>
>
>----- next part -----
>A non-text attachment was scrubbed...
>Name: not available
>Type: application/pgp-signature
>Size: 481 bytes
>Desc: This is a digitally signed message part
>Url : <https://www.redhat.com/archives/fedora-list/attachments/20050212/ea946b4e/attachment.bin>
>
>-----
>
>Message: 3
>Date: Sat, 12 Feb 2005 08:42:15 -0600
>From: "Jeff Guilfoyle" <jeff@guilfoyle.net>
>Subject: RE: installing Xine
>To: "Johnathan Bailes" <johnathan.bailes@gmail.com>, "For users of
>Fedora Core releases" <fedora-list@redhat.com>,
><JBuck814366460@aol.com>
>Message-ID: <0MKyxe-1CzyTH3m3W-0001pR@mrelay.perfora.net>
>Content-Type: text/plain; charset="us-ascii"
>
>> Uh, you could also use yum I believe as well to get gcc and
>> other stuff but it might be worth the trip back to the old
>> install discs and the Install programs app to get all the
>> Development stuff at once.
>
>Just run 'up2date gcc' and it will install the latest gcc as well as any
>dependant packages. 'Course, it will have to download them, which can take
>a while, so make sure you aren't using one of the mirrors located on another
>continent.
>
>> Every system should have a compiler.
>
>Hmm... Not so sure about that one... I've found on my 'production' systems

>it's much safer to not allow programmers to make changes to code and compile
>on that box! But for a general purpose box with a
>reasonably-technically-savvy user it's tough to get by without a compiler
>(and the kernel-source as well!).

>

>--jeff

>

>

>

>-----

>

>Message: 4

>Date: Sat, 12 Feb 2005 08:56:07 -0500 (EST)

>From: Gordon Ewasiuk <gewasiuk@irides.com>

>Subject: LVM, resize /, & FC3 defaults

>To: fedora-list@redhat.com

>Message-ID: <Pine.LNX.4.61.0502120849070.5921@gatecrasher.dyndns.org>

>Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

>

>Hi Fedora List,

>

>Ran into a problem with LVM and FC3. I can work around the problem but

>was curious if anyone here has experienced the roadblock I hit.

>

>I installed FC3 in a testbed. I accepted the default partition scheme

>which defaulted to LVM use on a single drive.

>

>A few weeks later, I went to resize the LVM partition. First I had resize

>the ext3 filesystem with resize2fs. I couldn't do a resize operation on a

>mounted / partition. Not a problem. I boot from Rescue CD...

>

>which can't see LVM partitions?

>

>I understand the technical problems about a generic rescue CD detecting

>the infinite number of possible LVM combinations and configurations. That

>led me to wonder about the wisdom of having LVM as the default during

>installation of FC3.

>

>Comments please?

>

>

>

>-----

>

>Message: 5

>Date: Sat, 12 Feb 2005 22:06:36 +0800

>From: Ow Mun Heng <Ow.Mun.Heng@wdc.com>

>Subject: Re: xorg external monitor display problem

>To: For users of Fedora Core releases <fedora-list@redhat.com>

>Message-ID: <1107913994.8535.3.camel@neuromancer.home.net>

>Content-Type: text/plain

>
>On Sat, 2004-12-11 at 01:34, David Mackintosh wrote:
>> On Thu, Dec 09, 2004 at 09:21:51AM -0500, David Mackintosh wrote:
>>
>
>> As the response from xorg says, consult your "radeon" man page for
>> the equivalent commands in FC2.
>>
>> In my case it doesn't entirely solve my problem, as the resulting
>> screen has both the left and right sides "wrapped", and no amount of
>> screen resizing will fix that (shrinking the screen shrinks
>> everything, including both wrapped edges). I'll have to play with a
>> modeline probably to get this to work right. Either that or just buy
>> a modern monitor.
>
>I've got a D600 too at that resolution as well and I see the same
>problem you are noticing on a CRT/Projector. I've plugged it into a
>external LCD and it works well enough.
>
>--
>Ow Mun Heng
>Gentoo/Linux on DELL D600 1.4Ghz
>98% Microsoft(tm) Free!!
>Neuromancer 09:50:11 up 7:59, 3 users,
>load average: 0.39, 1.23, 1.21
>
>
>
>-----
>
>Message: 6
>Date: Sat, 12 Feb 2005 09:52:36 -0500
>From: zoe@purdue.edu
>Subject: multisession cd's, k3b errors
>To: fedora-list@redhat.com
>Message-ID: <1108219956.420e1834c8b6f@webmail.purdue.edu>
>Content-Type: text/plain; charset=ISO-8859-1
>
>Hey again,
>
>a couple quick questions...
>
>1. Is FC3 capable of reading multisession cd's? I don't have a flashdrive, so
>instead I carry a cd-r around with me and burn sessions to it whenever I need
>to. The draw back is that I have to copy everything from the current session
>and include it with whatever new files I burn to any additional sessions. I
>know that Mac OS X will mount each session as a different volume and display
>them all on the desktop, so it seems like this should be possible somehow in
>linux too.
>
>2. Twice now I have used k3b to burn a data DVD which, despite a seemingly

>flawless burn (no errors or warnings), will not mount under FC3 (they are
>recognized as blank media, and the CD/DVD creator window opens) but will mount
>under windows. Has anyone else experienced this? I've toyed with the mount
>command and have had no luck. Any idea what might cause this or how it might
>be avoided in the future?

>
>3. I like the ability to customize key commands in Gnome (I think the control
>panel is called 'customize keyboard shortcuts' or something), although I feel
>like the list is maybe incomplete. That is I would rather have the option of
>opening an xterm window than opening the default email client or the web
>browser. Is there some way to add actions to the list?

>
>thanks,
>-zoe

>
>
>
>
>
>
>
>
>-----

>
>Message: 7
>Date: Sat, 12 Feb 2005 16:12:03 +0100
>From: massimiliano <m.brogliato@email.it>
>Subject: Re: Latest OpenOffice.org calc broken in last update
>To: For users of Fedora Core releases <fedora-list@redhat.com>
>Message-ID: <200502121612.32976.m.brogliato@email.it>
>Content-Type: Text/Plain; charset="iso-8859-15"

>
>-----BEGIN PGP SIGNED MESSAGE-----
>Hash: SHA1

>
>Alle 07:04, martedì 08 febbraio 2005, Gustavo Seabra ha scritto:
>> Hi,
>>
>> Usually, when I want to apply a formula down in a column, I just have to
>....
>> has anyone else noticed this on any other system / version of OO.o? Or
>> was only the *fedora* version that broke?
>
>I also have the same problem.

>
>Hi.
>Massimiliano.
>---
> O corridore, che vieni da Eliopoli,
> non ho commesso iniquita'.
> O splendente, che vieni dalle sorgenti del Nilo,
> non ho rubato.
> O faccia tremenda, che vieni da Rosetau,

> *non ho ucciso.*
> *O spezzatore di ossa, che vieni da Eracleopoli,*
> *non ho detto falsa testimonianza.*
> *O malvagio, che vieni da Busiri,*
> *non ho desiderato la roba d'altri.*
> *O vedente, che vieni dal macello,*
> *non ho fornicato con la donna d'altri.*
> *O comandante, che vieni da Nu,*
> *non ho bestemmiato.*
> *Ma ho dato pane agli affamati,*
> *acqua agli assetati,*
> *vestiti agli ignudi.*
>
> *(Invocazione ai quarantadue dei*
> *della corte di Osiride*
> *Libro dei morti, capt. CXXV*
> *Egitto 1500 a.C.)*
>
>-----BEGIN PGP SIGNATURE-----
>Version: GnuPG v1.2.1 (GNU/Linux)
>
>iD8DBQFCDhzW4m6xgUJQ9VcRAp8SAKCZQ7SaZ7G2Y4Qc0ZE55OtyIwYBgCcC52E
>Y4uyNvlauczFq4UMIfEovX4=
>=Zzzy
>-----END PGP SIGNATURE-----
>
>
>
> --
> *Email.it, the professional e-mail, gratis per te: <http://www.email.it/f>*
>
> *Sponsor:*
> *Manuali.net ti REGALA decine di corsi, da Dreamweaver a Photoshop, da WindowsXP ad Office.*
> ** Non devi far altro che cliccare e... scaricare!*
> *Clicca qui: <http://adv.email.it/cgi-bin/foclick.cgi?mid'35&d -2>*
>
>
>
>-----
>
>Message: 8
>Date: Sat, 12 Feb 2005 15:18:25 +0000
>From: David Fletcher <fm_maillists@ntlworld.com>
>Subject: Re: Latest OpenOffice.org calc broken in last update
>To: For users of Fedora Core releases <fedora-list@redhat.com>
>Message-ID: <200502121518.25807.fm_maillists@ntlworld.com>
>Content-Type: text/plain; charset="iso-8859-15"
>
>On Saturday 12 Feb 2005 15:12, massimiliano wrote:
>> Alle 07:04, martedì 08 febbraio 2005, Gustavo Seabra ha scritto:
>>> Hi,

>>>
>>> *Usually, when I want to apply a formula down in a column, I just have to*
>>
>>
>>
>>> *has anyone else noticed this on any other system / version of OO.o? Or*
>>> *was only the *fedora* version that broke?*
>>
>> *I also have the same problem.*

>>
>
> *OpenOffice upgraded on up2date last night. I think it's fixed now (at least*
> *the problems I was having with cutting/pasting cells have been fixed).*

> *Dave F*

>
>
>
>
>
>
>-----
>
> *Message: 9*

> *Date: Sat, 12 Feb 2005 10:25:23 -0500*

> *From: "Clinton Parham" <redparham@hotmail.com>*

> *Subject: *** glibc detected *** malloc(): memory corruption:*

> *0x09d9a8a8 ****

> *To: fedora-list@redhat.com*

> *Message-ID: <BAY104-F406D589A19A96B6ADE9EBBB680@phx.gbl>*

> *Content-Type: text/plain; format=flowed*

>
> *Hello,*

>
> *I'm having a problem running X when logged in as a regular user. I see the*
> *"Fedora Core" screen but loading halts after "The Panel" icon shows. I have*
> *included the contents of /var/log/Xorg.0.log below.*

>
> *If I log in as root and run startx I don't have a problem.*

>
> *Suggestions anyone? Please keep explanations simple because I'm still*
> *learning :)*

>
> *Thanks!*

>-----
> *X Protocol Version 11, Revision 0, Release 6.8.1*

> *Build Operating System: Linux 2.4.21-14.ELsmp i686 [ELF]*

> *Current Operating System: Linux localhost.localdomain 2.6.10-1.760_FC3 #1*

> *Wed Feb 2 00:14:23 EST 2005 i686*

> *Build Date: 20 October 2004*

> *Build Host: tweety.build.redhat.com*

>
> *Before reporting problems, check <http://wiki.X.Org>*
> *to make sure that you have the latest version.*
> *Module Loader present*
> *OS Kernel: Linux version 2.6.10-1.760_FC3 (bhcompile@bugs.build.redhat.com)*
> *(gcc version 3.4.2 20041017 (Red Hat 3.4.2-6.fc3)) #1 Wed Feb 2 00:14:23 EST*
> *2005*
> *Markers: (--) probed, (**) from config file, (==) default setting,*
> *(++) from command line, (!!) notice, (II) informational,*
> *(WW) warning, (EE) error, (NI) not implemented, (??) unknown.*
> *(==) Log file: "/var/log/Xorg.0.log", Time: Wed Feb 9 19:24:10 2005*
> *(==) Using config file: "/etc/X11/xorg.conf"*
> *Could not init font path element /usr/X11R6/lib/X11/fonts/Speedo/, removing*
> *from list!*
> **** glibc detected *** malloc(): memory corruption: 0x09d9a8a8 ****
> */etc/X11/xinit/xinitrc-common: line 45: 4413 Aborted*
> *xmodmap "\$sysmodmap"*
> *Agent pid 4427*
> *SESSION_MANAGER=local/localhost.localdomain:/tmp/.ICE-unix/4408*
>
>

> *Is your PC infected? Get a FREE online computer virus scan from McAfee®*
> *Security. <http://clinic.mcafee.com/clinic/ibuy/campaign.asp?cid=3963>*
>
>
>

>
> *Message: 10*
> *Date: Sat, 12 Feb 2005 09:28:50 -0600*
> *From: Andrew Robinson <awrobinson@cox.net>*
> *Subject: Re: Copy files over ssh*
> *To: For users of Fedora Core releases <fedora-list@redhat.com>*
> *Message-ID: <420E20B2.9040903@cox.net>*
> *Content-Type: text/plain; charset=ISO-8859-1; format=flowed*
>
> *Matt Florido wrote:*
>> *Arthur Pemberton wrote:*
>>> *is the best way to get a file from a machine that I've sshed to, to a*
>>> *the machine that I am sshing from? I would think there's some way*
>>> *better than ftping.*
>>>
>>
>> *man scp*
>> *scp - secure copy (remote file copy program)*
>>
>> *scp <source> <destination>*
>>
>> *Example:*
>> *scp local.file user@remote:/home/user*

>> *scp user@remote:/path/to/file /path/to/local*

>

>*There is also sftp if you prefer the ftp style of transferring files over*

>*the cp style. If I know exactly what I want to transfer, I use scp.*

>*Otherwise I use sftp.*

>

>*Andrew Robinson*

>

>

>

>-----

>

>*Message: 11*

>*Date: Sat, 12 Feb 2005 15:43:37 +0000*

>*From: "Chethiya Ranaweera" <ckranaweera@hotmail.com>*

>*Subject: Re: Kernel crash*

>*To: fedora-list@redhat.com*

>*Message-ID: <BAY102-F17A3A302B0242AC104A641BF680@phx.gbl>*

>*Content-Type: text/plain; format=flowed*

>

>

>

>>*From: Bob Chiodini <rchiodin@bellsouth.net>*

>>*Reply-To: For users of Fedora Core releases <fedora-list@redhat.com>*

>>*To: Fedora Core <fedora-list@redhat.com>*

>>*Subject: Re: Kernel crash*

>>*Date: Sat, 12 Feb 2005 08:40:15 -0500*

>>

>>*On Sat, 2005-02-12 at 05:24 +0000, Chethiya Ranaweera wrote:*

>>

>>>>

>>> *Hey guys,*

>>> *I followed your instructions and made some improvements. But my luck ran*

>>>*out*

>>> *and landed on some other problems. Ok let me explain.*

>>> *Like said above I turned off kudzu and rebooted in runlevel 3. Then the*

>>> *system got stuck on cups. So I booted my old kernel and turned off cups*

>>>*also*

>>> *and rebooted with the new kernel on runlevel 3. This time it booted*

>>>*without*

>>> *any problem and gave me the login screen. But now I can not use my*

>>>*mouse or*

>>> *keyboard. The lights do not show up when I tried to move the mouse or*

>>>*type*

>>> *in. Maybe because I turned off kudzu before. So I can get to login*

>>>*screen*

>>> *w/o any problem and that's just it.... Now what should I do?*

>>>

>>>

>>*Chethiya,*

>>

>>How about a complete description of your system, motherboard, disk,
>>graphics card, memory, etc. Excuse me if you already did, I did not see
>>it.
>>
>>Are you up to date with the latest packages. You're not running rawhide
>>are you?
>>
>>In the mean time you can try adding noapic to the kernel command line,
>>try booting a uniprocessor kernel (if it's a SMP box).
>>
>>Bob...
>>
>>--
>Bob,
>My system is up2date with the latest packages. And here is a description of
>the system:
>
>AMD Athlon 1.4 MHz
>MSI Mother board/ Nvidia nforce2 chipset
>512 MB DDR Ram
>Geforce Fx 5200 Video card
>160 GD Seagate HD
>Netgear NIC
>LCD Monitor
>
>
>
>
>-----
>
>Message: 12
>Date: Sat, 12 Feb 2005 10:52:19 -0500
>From: Bob Chiodini <rchiodin@bellsouth.net>
>Subject: Re: multisession cd's, k3b errors
>To: Fedora Core <fedora-list@redhat.com>
>Message-ID: <1108223539.25230.35.camel@littlenail.homelinux.net>
>Content-Type: text/plain
>
>On Sat, 2005-02-12 at 09:52 -0500, zoe@purdue.edu wrote:
>
>> 2. Twice now I have used k3b to burn a data DVD which, despite a seemingly
>> flawless burn (no errors or warnings), will not mount under FC3 (they are
>> recognized as blank media, and the CD/DVD creator window opens) but will mount
>> under windows. Has anyone else experienced this? I've toyed with the mount
>> command and have had no luck. Any idea what might cause this or how it might
>> be avoided in the future?
>>
>
>Zoe,
>
>This page may help:

>
>http://www.troubleshooters.com/linux/coasterless_dvd.htm
>
>*It's not about k3b, but DVD burning with growisofs, which, I think k3b*
>*front-ends. The --dvd-compat option might be the key.*
>
>*Bob...*
>
>
>
>-----
>
>*Message: 13*
>*Date: Sat, 12 Feb 2005 11:06:43 -0500*
>*From: Bob Chiodini <rchiodin@bellsouth.net>*
>*Subject: Re: Kernel crash*
>*To: Fedora Core <fedora-list@redhat.com>*
>*Message-ID: <1108224403.25230.44.camel@littlenail.homelinux.net>*
>*Content-Type: text/plain*
>
>*On Sat, 2005-02-12 at 15:43 +0000, Chethiya Ranaweera wrote:*
>>
>> *>From: Bob Chiodini <rchiodin@bellsouth.net>*
>> *>Reply-To: For users of Fedora Core releases <fedora-list@redhat.com>*
>> *>To: Fedora Core <fedora-list@redhat.com>*
>> *>Subject: Re: Kernel crash*
>> *>Date: Sat, 12 Feb 2005 08:40:15 -0500*
>> >
>> *>On Sat, 2005-02-12 at 05:24 +0000, Chethiya Ranaweera wrote:*
>> >
>> > >
>> > *Hey guys,*
>> > *I followed your instructions and made some improvements. But my luck ran*
>> *>out*
>> > *and landed on some other problems. Ok let me explain.*
>> > *Like said above I turned off kudzu and rebooted in runlevel 3. Then the*
>> > *system got stuck on cups. So I booted my old kernel and turned off cups*
>> *>also*
>> > *and rebooted with the new kernel on runlevel 3. This time it booted*
>> *>without*
>> > *any problem and gave me the login screen. But now I can not use my*
>> *>mouse or*
>> > *keyboard. The lights do not show up when I tried to move the mouse or*
>> *>type*
>> > *in. Maybe because I turned off kudzu before. So I can get to login*
>> *>screen*
>> > *w/o any problem and that's just it.... Now what should I do?*
>> > >
>> > >
>> *>Chethiya,*
>> >

>> >How about a complete description of your system, motherboard, disk,
>> >graphics card, memory, etc. Excuse me if you already did, I did not see
>> >it.
>> >
>> >Are you up to date with the latest packages. You're not running rawhide
>> >are you?
>> >
>> >In the mean time you can try adding noapic to the kernel command line,
>> >try booting a uniprocessor kernel (if it's a SMP box).
>> >
>> >Bob...
>> >
>> >--
>> >Bob,
>> >My system is up2date with the latest packages. And here is a description of
>> >the system:
>> >
>> >AMD Athlon 1.4 MHz
>> >MSI Mother board/ Nvidia nforce2 chipset
>> >512 MB DDR Ram
>> >Geforce Fx 5200 Video card
>> >160 GD Seagate HD
>> >Netgear NIC
>> >LCD Monitor
>> >
>> >
>> >I don't see anything out of the ordinary. Did you try the noapic
>> >option? Also make sure your BIOS is at the latest revision and you are
>> >not overclocking (too much).
>> >
>> >Are there any errors during boot (dmesg| more) or look
>> >in /var/log/messages.
>> >
>> >If you have a USB keyboard and/or mouse, unplug any other USB devices.
>> >
>> >Bob...
>> >
>> >
>> >
>> >-----
>> >
>> >Message: 14
>> >Date: Sat, 12 Feb 2005 17:17:28 +0100
>> >From: Remi Collet <liste@famillecollet.com>
>> >Subject: Re: LVM, resize /, & FC3 defaults
>> >To: For users of Fedora Core releases <fedora-list@redhat.com>
>> >Message-ID: <420E2C18.7080405@famillecollet.com>
>> >Content-Type: text/plain; charset=ISO-8859-1; format=flowed
>> >
>> >Gordon Ewasiuk a écrit :
>> >A few weeks later, I went to resize the LVM partition. First I had

>> *resize the ext3 filesystem with resize2fs. I couldn't do a resize
>> operation on a mounted / partition. Not a problem. I boot from Rescue
>> CD...*
>
>*You can resize a mounted partition on FC3 using ext2online.
>It's one of the FC3 improvement.*
>
>*Works fine for me.*
>
>*Remi.*
>
>
>
>-----
>
>*Message: 15*
>*Date: Sat, 12 Feb 2005 11:40:08 -0500*
>*From: Johnathan Bailes <johnathan.bailes@gmail.com>*
>*Subject: Re: LVM, resize /, & FC3 defaults*
>*To: For users of Fedora Core releases <fedora-list@redhat.com>*
>*Message-ID: <1108226408.9548.1.camel@localhost.localdomain>*
>*Content-Type: text/plain; charset=ISO-8859-1*
>
>*On Sat, 2005-02-12 at 17:17 +0100, Remi Collet wrote:*
>> *Gordon Ewasiuk a écrit :*
>> > *A few weeks later, I went to resize the LVM partition. First I had
>> > resize the ext3 filesystem with resize2fs. I couldn't do a resize
>> > operation on a mounted / partition. Not a problem. I boot from Rescue
>> > CD...*
>>
>> *You can resize a mounted partition on FC3 using ext2online.
>> It's one of the FC3 improvement.*
>>
>> *Works fine for me.*
>>
>
>*Wow. I am sure this was covered all over the place and I just missed
>but that is just very neat.*
>
>
>--
>*"UNIX was not designed to stop you from doing stupid things, because
>that would also stop you from doing clever things." - Doug Gwyn*
>
>
>-----
>
>*Message: 16*
>*Date: Sun, 13 Feb 2005 01:57:42 +0900*
>*From: Mark Sargent <powderkeg@snow.email.ne.jp>*

Fedora: RE: fedora-list Digest, Vol 12, Issue 203

>Subject: Updating Fedora 3 non-internet
>To: For users of Fedora Core releases <fedora-list@redhat.com>
>Message-ID: <420E3586.3040005@snow.email.ne.jp>
>Content-Type: text/plain; charset=ISO-8859-1; format=flowed
>
>Hi All,
>
>how do I do this.? I can access the net via my Fedora2 box, but, don't
>>want the Fedora3 box doing such, but wish to update. So, do I download
>all updates(can I distinguish b4hand from old and latest updates) to a
>Folder, burn to a CD and point YUM, on the new box, to the CD.?
>Thoughts/ideas, thanx. Cheers.

>Mark Sargent.

>-----
>--
>fedora-list mailing list
>fedora-list@redhat.com
><http://www.redhat.com/mailman/listinfo/fedora-list>

>End of fedora-list Digest, Vol 12, Issue 203

>*****

--
Dean F Owensby -
Norfolk, Virginia USA -
.110346 -
Unix, Linux, Solaris, Mac, and Windows!
Access4Less.Net
Dial-Up internet for \$5.95 a month!
Why pay 10 dollars or more? Get it now!
your links suck. unsubscribe me.

Switch to Netscape Internet Service.
As low as \$9.95 a month -- Sign up today at <http://isp.netscape.com/register>
Netscape. Just the Net You Need.
New! Netscape Toolbar for Internet Explorer
Search from anywhere on the Web and block those annoying pop-ups.
Download now at <http://channels.netscape.com/ns/search/install.jsp>

--
fedora-list mailing list
fedora-list@redhat.com
To unsubscribe: <http://www.redhat.com/mailman/listinfo/fedora-list>