

## Re: Starting a service at bootup

---

*Source:* <http://linux.derkeiler.com/Mailing-Lists/Fedora/2006-01/msg04991.html>

---

- *From:* "Aaron Konstam" <[akonstam@xxxxxxxxxxx](mailto:akonstam@xxxxxxxxxxx)>
  - *Date:* Tue, 31 Jan 2006 05:40:35 -0600 (CST)
- 

> Anne Wilson wrote:

>> I have installed popfile, which has a startup script in /etc/init.d. At  
>> the moment when I boot up I can start popfile running with 'service  
>> popfile start'.

>>

>> I want this to be an automatic startup but I've got a total blank on how  
>> to achieve this. Could someone please prompt me? Thanks

>

> If the initscript has been written to support chkconfig, then:

>

> # chkconfig popfile on

>

> should do the trick.

>

> Try:

>

> # chkconfig popfile --list

>

> to see the startup status for each runlevel.

>

However, for this to work you need to add a special header to the file in /etc/init.d specifying at what run levels and in what order you want the script to run. Look at other files in this directory to see examples of the header lines you need to add.

--

Aaron Konstam  
Professor Emeritus, Computer Science  
Trinity University  
San Antonio, Texas  
210-999-7484

--

fedora-list mailing list  
[fedora-list@xxxxxxxxxxx](mailto:fedora-list@xxxxxxxxxxx)  
To unsubscribe: <https://www.redhat.com/mailman/listinfo/fedora-list>

- *Follow-Ups:*
  - ◆ *Re: Starting a service at bootup*
    - ◇ *From:* Mikkel L. Ellertson
  - ◆ *Re: Starting a service at bootup*
    - ◇ *From:* Anne Wilson
  
- *References:*
  - ◆ *Starting a service at bootup*
    - ◇ *From:* Anne Wilson
  - ◆ *Re: Starting a service at bootup*
    - ◇ *From:* Paul Howarth
  
- Prev by Date: *Re: can't install vlc via yum*
- Next by Date: *Re: can't install vlc via yum*
- Previous by thread: *Re: Starting a service at bootup*
- Next by thread: *Re: Starting a service at bootup*
- Index(es):
  - ◆ *Date*
  - ◆ *Thread*