

Re: Font paths

Source: <http://linux.derkeiler.com/Mailing-Lists/Fedora/2006-11/msg06792.html>

- *From:* Anne Wilson <cannewilson@xxxxxxxxxxxxxx>
 - *Date:* Thu, 30 Nov 2006 13:48:58 +0000
-

On Thursday 30 November 2006 13:11, François Patte wrote:

Anne Wilson a écrit :

Following the instructions in <http://wiki.services.openoffice.org/wiki/Font-FAQ> I am trying to add fonts to be globally available. I have created a folder and put my new fonts there. It then says I should create a text file called /usr/share/X11/fonts/local.conf, with the new folder added in the format

```
<dir> /usr/share/X11/fonts/NewFonts </dir>
```

However, when I run 'fc-cache /usr/share/X11/fonts/NewFonts' I get the error

Fontconfig error: "local.conf", line 2: junk after document element

I don't understand why they describe such a complicated method! I just add directories in:
/usr/share/fonts/default/

then went into these directories and perform successively:

```
ttmkfdir (if fonts are true type)
mkfontdir
fc-cache
```

then run `chkfontpath --add $PWD`

And that's all.

I tried this method, Francois, and the new fonts were available to kword. However, they are not available to openoffice. I don't know why it should be so, but perhaps that's why they advocate their particular method.

Anne

Re: Font paths

Attachment: **pgpHbwQIXdIXt.pgp**

Description: PGP signature

--

fedora-list mailing list

fedora-list@xxxxxxxxxx

To unsubscribe: <https://www.redhat.com/mailman/listinfo/fedora-list>