

Re: Procmail Regex

Source: <http://linux.derkeiler.com/Mailing-Lists/Fedora/2007-05/msg01101.html>

- *From:* Anne Wilson <cannewilson@xxxxxxxxxxxxxxxx>
 - *Date:* Fri, 11 May 2007 10:15:10 +0100
-

On Friday 11 May 2007, Linux Geeks wrote:

Hi All,

Right now I have a global account which reside in my ISP's server, and I twice a day get all my emails using fetchmail + cron and delivered them to each mailbox using procmail.

Right now I'm using an abundant rules to check against 'To' and 'Received' header from incoming mails as shown below

```
=====
:0
* ^To: .+a@domain\.com
! a@xxxxxxxxxxx

:0
* ^Received: .+a@domain\.com
! a@xxxxxxxxxxx

=====
```

This rule is very inefficient. As I create new user, I have to add two additional rule entry. Is there any regex alternative to my problem ?

Try

```
:0
* (^To|^Received): .+a@domain\.com
! a@xxxxxxxxxxx
```

Re: Procmail Regex

Anne

Attachment: *pgpHCbyhWV3qh.pgp*

Description: PGP signature

—

fedora-list mailing list

fedora-list@xxxxxxxxxx

To unsubscribe: <https://www.redhat.com/mailman/listinfo/fedora-list>