

## Re: LABEL's

---

*Source:* <http://linux.derkeiler.com/Mailing-Lists/Fedora/2007-08/msg04847.html>

---

- *From:* Tim <[ignored\\_mailbox@xxxxxxxxxxxxx](mailto:ignored_mailbox@xxxxxxxxxxxxx)>
  - *Date:* Fri, 31 Aug 2007 17:59:39 +0930
- 

On Thu, 2007-08-30 at 17:25 -0600, Karl Larsen wrote:

I was talked into using LABEL's because they make it easy to add new partitions and such. I have a bunch now and they work fine.

Alas, now that I am making 2 hard drives with the exact same F7 on them LABEL is causing me all kinds of problems. Even the F7 Rescue complained :-)

Well, I do recall pointing out to you that duplicate labels will be a problem. The fix required is to change one of them. I would relabel your \*new\* partitions, that leaves your previously set up system still working.

So all my LABEL's are going to disappear.

That's throwing out the baby with the bathwater.

If you're mounting via labels, you need to ensure drive partitions have unique labels. If you've ended up with a duplicate, you only have to mount the drive without using the labels (you're not removing the labels, just not making use of them).

—  
[tim@bigblack ~]\$ uname -ipr  
2.6.22.4-65.fc7 i686 i386

Using FC 4, 5, 6 & 7, plus CentOS 5. Today, it's FC7.

Don't send private replies to my address, the mailbox is ignored. I read messages from the public lists.

—  
fedora-list mailing list

Re: LABEL's

fedora-list@xxxxxxxxxx

To unsubscribe: <https://www.redhat.com/mailman/listinfo/fedora-list>