

# Re: fedora-list Digest, Vol 46, Issue 104

---

*Source:* <http://linux.derkeiler.com/Mailing-Lists/Fedora/2007-12/msg01573.html>

---

- *From:* rambod kamaei <[rambodkamaei@xxxxxxxx](mailto:rambodkamaei@xxxxxxxx)>
  - *Date:* Tue, 11 Dec 2007 06:36:18 -0800 (PST)
- 

i have config file

fedora-list-request@xxxxxxxx wrote: Send fedora-list mailing list submissions to  
fedora-list@xxxxxxxx

To subscribe or unsubscribe via the World Wide Web, visit  
<https://www.redhat.com/mailman/listinfo/fedora-list>  
or, via email, send a message with subject or body 'help' to  
fedora-list-request@xxxxxxxx

You can reach the person managing the list at  
fedora-list-owner@xxxxxxxx

When replying, please edit your Subject line so it is more specific  
than "Re: Contents of fedora-list digest..."

Today's Topics:

1. Re: Possible Rooktit (was Re: It Works fine) (Karl Larsen)
2. NVidia on Compaq presario and video output (Martin Marques)
3. Re: GRUB boot loader failed in RAID 0 (Barry Yu)
4. test [please ignore] (Dean S. Messing)
5. Re: It Works fine... System lockups with F8 and Firefox (Steve Searle)
6. server can't probe the monitor (but this isn't the real problem)] (Steve Strong)
7. Re: cannot connect to digital camera via USB (Nataraj)
8. test [please ignore] (Dean S. Messing)
9. Re: server can't probe the monitor (but this isn't the real problem)] (Steve Searle)
10. Re: server can't probe the monitor (but this isn't the real problem)] (Rick Stevens)
11. list subject (Yves Dorfsman)
12. Can we rsync the packages ? (Yves Dorfsman)
13. Re: list subject (Martin Marques)
14. Re: F8 Network Woe (Rick Stevens)
15. Re: list subject (Mike)
16. Re: It Works fine... System lockups with F8 and Firefox

(Karl Larsen)

17. Re: for those with audio problems.. (Rick Stevens)

---

Message: 1

Date: Mon, 10 Dec 2007 16:52:20 -0700

From: Karl Larsen

Subject: Re: Possible Rooktit (was Re: It Works fine)

To: For users of Fedora

Message-ID: <475DD134.30109@xxxxxxxxxxxx>

Content-Type: text/plain; charset=ISO-8859-15; format=flowed

Karl Larsen wrote:

Steven Stern wrote:

Karl Larsen wrote:

Jeff Krebs wrote:

\* Karl Larsen (k5di@xxxxxxxxxxxx) wrote:

After so many problems  
seen day after day it is nice I  
think to  
hear about a success.

F8 was installed from a  
DVD and came right up  
with a video problem  
cuzz I have a Nvidia video  
card. Fixed in 5 minutes  
with Nvidia  
binary. Then audio  
problems and found pulse  
audio the problem. I  
was told to yum remove and  
I did and audio is fine again.

I have had all the updates  
and they appear to be real  
Updates!  
So today December 10 2007  
my F8 is working just fine. I  
have just  
one problem. I

Re: fedora-list Digest, Vol 46, Issue 104

I will mark this down on my calendar, and ensure that it's engraved in stone to pass down to historians. Such a feat was certainly unthinkable :)

seem to have a rootkit somewhere in the /home/karl/ directories. I have RTK and this afternoon I plan to find the thing, or discover I have no rootkit but rather another kind of problem.

Karl

How do you know that you have a root kit?

Jeff Krebs

I really do not know Jeff. But often, while using Firefox I get an attack that puts a cross hatch screen on and removes the keyboard and mouse, and puts a single tone out the audio channels and only a hard reset will clear it.

This is how I think a rootkit would work and so I got rkhunter and right now I am trying to get it to check /home but have not found out how to do this :-)

Karl

The rootkits I've seen are very quiet. They survive by NOT doing noticeable things. They quietly install servers or bots in obscure corners of the system in hidden directories. What you have sounds more like a cat playing in the wires under the desk. (I have personal experience with that, too).

What does chkrootkit show?

I don't have chkrootkit but what I have is hard to get working as I wanted to check /home. I can't seem to make that work. It did check /usr and found some "warning" but the FAQ says they do not mean anything.

My cat stays out of my office, most of the time.

Karl

I yummed chkrootkit and ran it and it found no rootkit so it is not the problem.

So onward to other causes.

Karl

--

Karl F. Larsen, AKA K5DI  
Linux User  
#450462 <http://counter.li.org>.  
GPG DF28 8F18 94F8 D5C6 9E44 163F 7FD1 3D06 C325 DA40

---

Message: 2  
Date: Mon, 10 Dec 2007 20:59:35 -0300  
From: Martin Marques  
Subject: NVidia on Compaq presario and video output  
To: For users of Fedora  
Message-ID: <475DD2E7.4040603@xxxxxxxxxxxxxxxxxxxxxx>  
Content-Type: text/plain; charset=UTF-8; format=flowed

A few months ago I had the unfortunacy of not being able to work with my Notebook and a projector which was connected to the video output.

The thing was that, or I had the LCD screen to see, or the I had to see on the screen of the projector.

How can I make my NVidia card work with both? Do I have to configure a dual head.

I'm on F7 with livna nvidia drivers.

---

Message: 3  
Date: Mon, 10 Dec 2007 16:21:21 -0800 (PST)  
From: Barry Yu  
Subject: Re: GRUB boot loader failed in RAID 0  
To: For users of Fedora  
Message-ID: <362729.99429.qm@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>  
Content-Type: text/plain; charset="iso-8859-1"

Thanks for your advice telling me what exactly had happened.

Rick Stevens wrote:

On Mon, 2007-12-10 at 09:35 -0800, Barry Yu wrote:

I've suffering GRUB boot loader failed to boot up frequently in a system running raid 0 with Intel Matrix storage manager ICH900 chip, the "/" partition is installed in /dev/mapper/isw\_cghfbiafhf\_cts\_home10, and the GRUB boot loader is installed in /dev/mapper/isw\_cghfbiafhf\_cts (MBR), when the system failed to boot, I can only see the "GRUB" is displayed on left upper screen and stayed there without further advancing progress. I boot up to rescue mode with installation DVD and issued commands as follow;

```
chroot /mnt/sysimage
grub-install /dev/mapper/isw_cghfbiafhf_cts
```

And I see this message;  
/dev/mapper/isw\_cghfbiafhf\_cts\_home10 does not have any corresponding BIOS drive.  
(Obviously GRUB was looking for something in /dev/mapper/isw\_cghfbiafhf\_cts\_home10 wher the / partition is)  
How can I restore the GRUB boot loader?  
I will reply 10 hours later if any one needs further input from me.

Grub can't do software RAID...that's an OS thing. Your /boot partition MUST be on a either a hardware RAID or a single drive.

You can use a software RAID1 for /boot, but that's only because both drives' content will be identical and you're cheating by only using one of the pair. Just make sure you don't write anything to /boot in grub...the software RAID1 must be functional before any writes occur or you will make the RAID1 unmountable as the drives will diverge in content.

---

– Rick Stevens, Principal Engineer rstevens@xxxxxxxxxxxx –  
– CDN Systems, Internap, Inc. <http://www.internap.com> –  
– –  
– LOOK OUT!!! BEHIND YOU!!! –

---

– –  
fedora-list mailing list  
fedora-list@xxxxxxxxxxxx  
To unsubscribe: <https://www.redhat.com/mailman/listinfo/fedora-list>

----- next part -----  
An HTML attachment was scrubbed...  
URL: <https://www.redhat.com/archives/fedora-list/attachments/20071210/f2442a43/attachment.html>

---

Message: 4  
Date: Mon, 10 Dec 2007 16:27:12 -0800 (PST)  
From: "Dean S. Messing"  
Subject: test [please ignore]  
To:  
Message-ID: <[20071211002712.33E0679@axon](mailto:20071211002712.33E0679@axon)>

test [please ignore]

---

Message: 5  
Date: Tue, 11 Dec 2007 00:31:44 +0000  
From: Steve Searle  
Subject: Re: It Works fine... System lockups with F8 and Firefox  
To: For users of Fedora  
Message-ID: <[20071211003143.GA14519@xxxxxxxxxxxxxxxxxxxxxxxxxxxx](mailto:20071211003143.GA14519@xxxxxxxxxxxxxxxxxxxxxxxxxxxx)>  
Content-Type: text/plain; charset="us-ascii"

Around 11:28pm on Monday, December 10, 2007 (UK time), Karl Larsen scrawled:

Thanks for the Subject change!

But why didn't you do it?

It could be xorg or it could be a lot of things. But will plan to continue to trace it down. It is quite a drag.

Is this the machine you run a proprietry video driver on?

Steve

---

A: Because it messes up the order in which people normally read text.

Q: Why is top-posting a bad thing?

00:29:52 up 72 days, 11:26, 1 user, load average: 0.01, 0.06, 0.05

----- next part -----

A non-text attachment was scrubbed...

Name: not available

Type: application/pgp-signature

Size: 189 bytes

Desc: not available

Url : <https://www.redhat.com/archives/fedora-list/attachments/20071211/fe04aecc/attachment.bin>

-----

Message: 6

Date: Mon, 10 Dec 2007 18:36:32 -0600 (CST)

From: "Steve Strong"

Subject: server can't probe the monitor (but this isn't the real problem)]

To: fedora-list@xxxxxxxxxxx

Message-ID: <44441.216.159.98.230.1197333392.squirrel@xxxxxxxxxxx>

Content-Type: text/plain; charset=iso-8859-1

so, i can't use the GUI tool to change the firewall.

can someone give me an iptables command line to allow access to port 53  
(so my clients can see their dns server) -- both tcp and udp

thanks!!!

steve

---

Steve Strong

Math an Computer Science

Washington High School

2205 Forest Dr. SE

Cedar Rapids, IA 52402

-----

Message: 7

Re: fedora-list Digest, Vol 46, Issue 104

Date: Mon, 10 Dec 2007 16:39:43 -0800  
From: Nataraj  
Subject: Re: cannot connect to digital camera via USB  
To: For users of Fedora  
Message-ID: <1197333583.5479.16.camel@xxxxxxxxxxxxxxxxxxxx>  
Content-Type: text/plain

On Sat, 2007-12-01 at 14:28 -0700, Kevin Kempter wrote:

Hi Llist;

I just bought a new Nikon D300 digital SLR – it uses a 4G compact flash card. I'm running Fedora 7 & KDE. When I plug it I get the dialog asking me what to do, I select 'open in new window' and a new konqueror window opens pointed to 'system:/media/camera' but no files show up. Then I get a pop-up dialog that says :

"Could not read file Could not claim the USB device"

dmesg shows this:

```
bridge-wlan0: enabling the bridge
bridge-wlan0: up
sky2 eth0: enabling interface
ADDRCONF(NETDEV_UP): eth0: link is not ready
bridge-eth0: enabling the bridge
bridge-eth0: up
[drm] Initialized drm 1.1.0 20060810
[drm] Initialized i915 1.6.0 20060119 on minor 0
wlan0: Initial auth_alg=0
wlan0: authenticate with AP 00:14:6c:1a:97:32
wlan0: RX authentication from 00:14:6c:1a:97:32 (alg=0 transaction=2 status=0)
wlan0: authenticated
wlan0: associate with AP 00:14:6c:1a:97:32
wlan0: authentication frame received from 00:14:6c:1a:97:32, but not in
authenticate state – ignored
wlan0: RX AssocResp from 00:14:6c:1a:97:32 (capab=0x421 status=0 aid=1)
wlan0: associated
wlan0: switched to short barker preamble (BSSID=00:14:6c:1a:97:32)
ADDRCONF(NETDEV_CHANGE): wlan0: link becomes ready
wlan0: no IPv6 routers present
usb 5-3: new high speed USB device using ehci_hcd and address 6
usb 5-3: configuration #1 chosen from 1 choice
VMBlock warning: DentryOpRevalidate: invalid args from kernel
VMBlock warning: DentryOpRevalidate: invalid args from kernel
VMBlock warning: DentryOpRevalidate: invalid args from kernel
VMBlock warning: DentryOpRevalidate: invalid args from kernel
```

I'm not sure how to go about debugging this or even what device name I would

Re: fedora-list Digest, Vol 46, Issue 104

use to try a manual mount command. Any thoughts?

Also, would a compact flash reader be a better solution with Linux – my old camera used SD cards and in general SD readers worked fine with my Linux machines.

Thanks in advance ...

Hi Kevin,

See this posting. I think you are seeing the problem that the device is not writeable by non-root users.

<https://www.redhat.com/archives/fedora-list/2007-December/msg01421.html>

Nataraj

---

Message: 8  
Date: Mon, 10 Dec 2007 16:40:44 -0800 (PST)  
From: "Dean S. Messing"  
Subject: test [please ignore]  
To:  
Message-ID: <20071211004044.189848F4001@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>

test [please ignore]

---

Message: 9  
Date: Tue, 11 Dec 2007 00:43:36 +0000  
From: Steve Searle  
Subject: Re: server can't probe the monitor (but this isn't the real problem)]  
To: strong@xxxxxxxx, For users of Fedora  
Message-ID: <20071211004336.GB14519@xxxxxxxxxxxxxxxxxxxxxxxx>  
Content-Type: text/plain; charset="us-ascii"

Around 12:36am on Tuesday, December 11, 2007 (UK time), Steve Strong scrawled:

so, i can't use the GUI tool to change the firewall.

can someone give me an iptables command line to allow access to port 53  
(so my clients can see their dns server) -- both tcp and udp

Add these to /etc/sysconfig/iptables (before the -j REJECT line)

```
-A RH-Firewall-1-INPUT -m state --state NEW -m tcp -p tcp --dport 53 -j ACCEPT
-A RH-Firewall-1-INPUT -m state --state NEW -m udp -p udp --dport 53 -j ACCEPT
```

Steve

--

A: Because it messes up the order in which people normally read text.

Q: Why is top-posting a bad thing?

00:42:19 up 72 days, 11:38, 1 user, load average: 0.06, 0.04, 0.05

----- next part -----

A non-text attachment was scrubbed...

Name: not available

Type: application/pgp-signature

Size: 189 bytes

Desc: not available

Url : <https://www.redhat.com/archives/fedora-list/attachments/20071211/de1c300f/attachment.bin>

-----  
Message: 10

Date: Mon, 10 Dec 2007 17:08:43 -0800

From: Rick Stevens

Subject: Re: server can't probe the monitor (but this isn't the real  
problem)]

To: strong@xxxxxxxxxx, For users of Fedora

Message-ID: <1197335323.1714.9.camel@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>

Content-Type: text/plain

On Mon, 2007-12-10 at 18:36 -0600, Steve Strong wrote:

so, i can't use the GUI tool to change the firewall.

can someone give me an iptables command line to allow access to port 53  
(so my clients can see their dns server) -- both tcp and udp

```
iptables -A INPUT -p tcp --dport 53 -j ACCEPT
iptables -A INPUT -p udp --dport 53 -j ACCEPT
```

Make sure you insert those before the -j DROP or -j REJECT rule.

---

– Rick Stevens, Principal Engineer rstevens@xxxxxxxxxxxx –  
– CDN Systems, Internap, Inc. <http://www.internap.com> –  
– –  
– Life: That which happens while you search for the remote control. –

---

---

Message: 11  
Date: Mon, 10 Dec 2007 18:13:53 -0700 (MST)  
From: Yves Dorfsman  
Subject: list subject  
To: fedora-list@xxxxxxxxxxxx  
Message-ID:

Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

Hi,

I wonder if any of the list admin is listening here.

Would it be possible to have something like "[fedora-list]" added automatically at the begining of the subject for messages on this list ?

Most other lists I follow have this feature and it help a lot when trying to go through a lot of messages.

Thanks.

Yves.

-----  
Yves Dorfsman yves@xxxxxxxxxxxx  
<http://www.SollerS.ca>

---

Message: 12  
Date: Mon, 10 Dec 2007 18:18:28 -0700 (MST)  
From: Yves Dorfsman  
Subject: Can we rsync the packages ?  
To: fedora-list@xxxxxxxxxxxx  
Message-ID:

Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

I have downloaded the DVD iso image, and copied it to a filesystem that I export over NFS, so I can now build my machines with FC8 using kickstart over NFS.

Now I would like to upgrade my Packages directory with the newer versions, as well as get the extra packages. Is there a way to do that with rsync ? Is one of the fedora project server (or a mirror) running an rsync daemon ?

What's the alternative for doing this ?

Thanks.

Yves.

-----  
Yves Dorfsman yves@xxxxxxxxxx  
<http://www.SollerS.ca>

-----  
Message: 13  
Date: Mon, 10 Dec 2007 22:23:01 -0300  
From: Martin Marques  
Subject: Re: list subject  
To: For users of Fedora  
Message-ID: <475DE675.9030509@xxxxxxxxxxxxxxxxxxxxxxxx>  
Content-Type: text/plain; charset=ISO-8859-1; format=flowed

Yves Dorfsman escribió:

Hi,

I wonder if any of the list admin is listening here.

Would it be possible to have something like "[fedora-list]" added automatically at the begining of the subject for messages on this list ?

Most other lists I follow have this feature and it help a lot when trying to go through a lot of messages.

Use a filter, like the ones that come with most email clients, or just use procmail.

Message: 14  
Date: Mon, 10 Dec 2007 17:23:52 -0800  
From: Rick Stevens  
Subject: Re: F8 Network Woe  
To: For users of Fedora  
Message-ID: <1197336232.1714.20.camel@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>  
Content-Type: text/plain

On Mon, 2007-12-10 at 16:17 +0000, Jonathan Allen wrote:

On Mon, Dec 10, 2007 at 04:50:13PM +0100, Antonio M asked:

```
# service network start  
Bringing up loopback interface: [ OK ]  
Bringing up interface eth0: [FAILED]  
Error, some other host already uses address 192.168.1.6
```

did you try to start the machine disconnected from your network???

No, the network was and is still attached to the network.

Have you rebooted/power cycled the box? Looking at the network scripts, that message comes from an arping poke and that's pretty definitive.

Try changing the IP address in /etc/sysconfig/network-scripts/ifcfg-eth0 to something fairly high (say 192.168.1.200) and see if it'll come up via "service network restart". If it does, then try pinging 192.168.1.6 and see if something really does have that address. It may be that the address was handed out by a DHCP server on your network.

If that is indeed the case, find the DHCP server and see what its address pool is. You should choose a fixed IP that's outside that pool or this will happen again.

You could resort to having eth0 use DHCP by deleting the "IPADDRESS=" and "NETMASK=" lines in the file above and changing the "BOOTPROTO=" line to "BOOTPROTO=dhcp". The normal network stuff handles DHCP just fine. Example /etc/sysconfig/network-scripts/ifcfg-eth0 for DHCP:

```
DEVICE=eth0  
BOOTPROTO=dhcp  
ONBOOT=yes  
TYPE=Ethernet  
USERCTL=no  
PEERDNS=yes  
IPV6INIT=no
```

---

– Rick Stevens, Principal Engineer rstevens@xxxxxxxxxxxxx –  
– CDN Systems, Internap, Inc. <http://www.internap.com> –  
– –  
– This message printed using recycled bandwidth –

---

---

Message: 15  
Date: Mon, 10 Dec 2007 18:28:18 -0700 (MST)  
From: Mike  
Subject: Re: list subject  
To: For users of Fedora  
Message-ID:  
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

On Mon, 10 Dec 2007, Yves Dorfsman wrote:

Hi,

I wonder if any of the list admin is listening here.

Would it be possible to have something like "[fedora-list]" added automatically at the begining of the subject for messages on this list ?

Most other lists I follow have this feature and it help a lot when trying to

=== message truncated ===

Best Regards,

Rambod Kamaei (PhD)  
CCIE, CCNP, Linux Expert.  
Tel: +98 21 22643500 to 9  
Cell: +98 912 2185672

---

Be a better friend, newshound, and know-it-all with Yahoo! Mobile. Try it now.---  
fedora-list mailing list  
fedora-list@xxxxxxxxxxxxx  
To unsubscribe: <https://www.redhat.com/mailman/listinfo/fedora-list>