

2.6.0-test9-mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Source: <http://linux.derkeiler.com/Mailing-Lists/Kernel/2003-11/0305.html>

From: Gabor MICSKO (gmicsko_at_szintezis.hu)

Date: 11/03/03

To: LKML <linux-kernel@vger.kernel.org>

Date: 03 Nov 2003 20:30:21 +0100

Hi!

I've got the following messages with 2.6.0-test9-mm1 (with exec-shield).
Vanilla 2.6.0-test9 seems ok.

```
sunshine:/home/trey# lspci
```

```
00:00.0 Host bridge: Intel Corp. 82845G/GL [Brookdale-G] Chipset Host  
Bridge (rev 02)
```

```
00:01.0 PCI bridge: Intel Corp. 82845G/GL [Brookdale-G] Chipset AGP  
Bridge (rev 02)
```

```
00:1d.0 USB Controller: Intel Corp. 82801DB USB (Hub #1) (rev 02)
```

```
00:1d.1 USB Controller: Intel Corp. 82801DB USB (Hub #2) (rev 02)
```

```
00:1d.2 USB Controller: Intel Corp. 82801DB USB (Hub #3) (rev 02)
```

```
00:1d.7 USB Controller: Intel Corp. 82801DB USB EHCI Controller (rev 02)
```

```
00:1e.0 PCI bridge: Intel Corp. 82801BA/CA/DB PCI Bridge (rev 82)
```

```
00:1f.0 ISA bridge: Intel Corp. 82801DB ISA Bridge (LPC) (rev 02)
```

```
00:1f.1 IDE interface: Intel Corp. 82801DB ICH4 IDE (rev 02)
```

```
00:1f.3 SMBus: Intel Corp. 82801DB SMBus (rev 02)
```

```
00:1f.5 Multimedia audio controller: Intel Corp. 82801DB AC'97 Audio  
(rev 02)
```

```
01:00.0 VGA compatible controller: nVidia Corporation NV11 [GeForce2  
MX/MX 400] (rev b2)
```

```
02:02.0 Ethernet controller: Intel Corp. 82557/8/9 [Ethernet Pro 100]  
(rev 05)
```

```
02:03.0 Multimedia video controller: Brooktree Corporation Bt878 Video  
Capture (rev 11)
```

```
02:03.1 Multimedia controller: Brooktree Corporation Bt878 Audio Capture  
(rev 11)
```

```
02:04.0 VGA compatible unclassified device: Creative Labs SB Live!  
EMU10k1 (rev 08)
```

```
02:04.1 Input device controller: Creative Labs SB Live! MIDI/Game Port  
(rev 08)
```

```
02:06.0 RAID bus controller: CMD Technology Inc Silicon Image SiI 3112  
SATARaid Controller (rev 01)
```

```
02:08.0 Ethernet controller: Intel Corp. 82801BD PRO/100 VE (LOM)
```

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Ethernet Controller (rev 82)

(HyperThreading)

```
sunshine:/home/trey# cat /proc/cpuinfo
processor : 0
vendor_id : GenuineIntel
cpu family : 15
model : 2
model name : Intel(R) Pentium(R) 4 CPU 3.06GHz
stepping : 7
cpu MHz : 3189.847
cache size : 512 KB
physical id : 0
siblings : 2
fdiv_bug : no
hlt_bug : no
f00f_bug : no
coma_bug : no
fpu : yes
fpu_exception : yes
cpuid level : 2
wp : yes
flags : fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pge
mca cmov pat pse36 clflush dts acpi mmx fxsr sse sse2 ss ht tm pbe cid
bogomips : 6307.84
```

```
processor : 1
vendor_id : GenuineIntel
cpu family : 15
model : 2
model name : Intel(R) Pentium(R) 4 CPU 3.06GHz
stepping : 7
cpu MHz : 3189.847
cache size : 512 KB
physical id : 0
siblings : 2
fdiv_bug : no
hlt_bug : no
f00f_bug : no
coma_bug : no
fpu : yes
fpu_exception : yes
cpuid level : 2
wp : yes
flags : fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pge
mca cmov pat pse36 clflush dts acpi mmx fxsr sse sse2 ss ht tm pbe cid
bogomips : 6373.37
```

```
sunshine:/home/trey# dmesg
00
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux-Kernel: 2.6.0-test9-mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

17 000 00 1 0 0 0 0 0 0 00

IRQ to pin mappings:

IRQ0 -> 0:2

IRQ1 -> 0:1

IRQ3 -> 0:3

IRQ4 -> 0:4

IRQ5 -> 0:5

IRQ6 -> 0:6

IRQ7 -> 0:7

IRQ8 -> 0:8

IRQ9 -> 0:9

IRQ10 -> 0:10

IRQ11 -> 0:11

IRQ12 -> 0:12

IRQ13 -> 0:13

IRQ14 -> 0:14

IRQ15 -> 0:15

..... done.

Using local APIC timer interrupts.

calibrating APIC timer ...

..... CPU clock speed is 3188.0839 MHz.

..... host bus clock speed is 138.0645 MHz.

checking TSC synchronization across 2 CPUs: passed.

Starting migration thread for cpu 0

Bringing up 1

CPU 1 IS NOW UP!

Starting migration thread for cpu 1

CPUS done 2

zapping low mappings.

NET: Registered protocol family 16

PCI: PCI BIOS revision 2.10 entry at 0xf0031, last bus=2

PCI: Using configuration type 1

mtrr: v2.0 (20020519)

ACPI: Subsystem revision 20031002

IOAPIC[0]: Set PCI routing entry (2-9 -> 0x71 -> IRQ 9 Mode:1 Active:0)

ACPI: Interpreter enabled

ACPI: Using IOAPIC for interrupt routing

ACPI: PCI Root Bridge [PCI0] (00:00)

PCI: Probing PCI hardware (bus 00)

PCI: Ignoring BAR0-3 of IDE controller 0000:00:1f.1

Transparent bridge - 0000:00:1e.0

ACPI: PCI Interrupt Routing Table [_SB_.PCI0._PRT]

ACPI: PCI Interrupt Routing Table [_SB_.PCI0.P0P1._PRT]

ACPI: Power Resource [URP1] (off)

ACPI: Power Resource [FDDP] (off)

ACPI: Power Resource [LPTP] (off)

ACPI: PCI Interrupt Link [LNKA] (IRQs 3 4 5 6 7 9 10 *11 12 14 15)

ACPI: PCI Interrupt Link [LNKB] (IRQs 3 4 5 6 7 9 10 *11 12 14 15)

ACPI: PCI Interrupt Link [LNKC] (IRQs 3 4 *5 6 7 9 10 11 12 14 15)

ACPI: PCI Interrupt Link [LNKD] (IRQs *3 4 5 6 7 9 10 11 12 14 15)

ACPI: PCI Interrupt Link [LNKE] (IRQs 3 4 5 6 7 9 10 *11 12 14 15)

2.6.0-test9-mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux-Kernel: 2.6.0-test9-mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
ACPI: PCI Interrupt Link [LNKF] (IRQs 3 4 5 6 7 9 *10 11 12 14 15)
ACPI: PCI Interrupt Link [LNKG] (IRQs 3 4 5 6 7 9 10 11 12 14 15)
ACPI: PCI Interrupt Link [LNKH] (IRQs 3 4 5 6 7 *9 10 11 12 14 15)
Linux Plug and Play Support v0.97 (c) Adam Belay
PnPBIOS: Scanning system for PnP BIOS support...
PnPBIOS: Found PnP BIOS installation structure at 0xc00f49d0
PnPBIOS: PnP BIOS version 1.0, entry 0xf0000:0x500a, dseg 0xf0000
PnPBIOS: Unknown tag '0x82', length '12'.
PnPBIOS: 16 nodes reported by PnP BIOS; 16 recorded by driver
drivers/usb/core/usb.c: registered new driver usbfs
drivers/usb/core/usb.c: registered new driver hub
IOAPIC[0]: Set PCI routing entry (2-16 -> 0xa9 -> IRQ 16 Mode:1
Active:1)
00:00:1d[A] -> 2-16 -> IRQ 16
IOAPIC[0]: Set PCI routing entry (2-19 -> 0xb1 -> IRQ 19 Mode:1
Active:1)
00:00:1d[B] -> 2-19 -> IRQ 19
IOAPIC[0]: Set PCI routing entry (2-18 -> 0xb9 -> IRQ 18 Mode:1
Active:1)
00:00:1d[C] -> 2-18 -> IRQ 18
IOAPIC[0]: Set PCI routing entry (2-23 -> 0xc1 -> IRQ 23 Mode:1
Active:1)
00:00:1d[D] -> 2-23 -> IRQ 23
Pin 2-18 already programmed
IOAPIC[0]: Set PCI routing entry (2-17 -> 0xc9 -> IRQ 17 Mode:1
Active:1)
00:00:1f[B] -> 2-17 -> IRQ 17
Pin 2-16 already programmed
Pin 2-17 already programmed
Pin 2-16 already programmed
IOAPIC[0]: Set PCI routing entry (2-20 -> 0xd1 -> IRQ 20 Mode:1
Active:1)
00:02:08[A] -> 2-20 -> IRQ 20
IOAPIC[0]: Set PCI routing entry (2-21 -> 0xd9 -> IRQ 21 Mode:1
Active:1)
00:02:00[A] -> 2-21 -> IRQ 21
IOAPIC[0]: Set PCI routing entry (2-22 -> 0xe1 -> IRQ 22 Mode:1
Active:1)
00:02:00[B] -> 2-22 -> IRQ 22
Pin 2-23 already programmed
Pin 2-20 already programmed
Pin 2-22 already programmed
Pin 2-21 already programmed
Pin 2-20 already programmed
Pin 2-23 already programmed
Pin 2-18 already programmed
Pin 2-19 already programmed
Pin 2-17 already programmed
Pin 2-16 already programmed
Pin 2-19 already programmed
Pin 2-18 already programmed
```

2.6.0-test9-mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Pin 2–21 already programmed
Pin 2–22 already programmed
Pin 2–17 already programmed
Pin 2–23 already programmed
Pin 2–16 already programmed
Pin 2–20 already programmed
Pin 2–21 already programmed
Pin 2–17 already programmed
PCI: Using ACPI for IRQ routing
PCI: if you experience problems, try using option 'pci=noacpi' or even
'acpi=off'
PCI: Cannot allocate resource region 0 of device 0000:02:04.0
isapnp: Scanning for PnP cards...
isapnp: No Plug & Play device found
vesafb: framebuffer at 0xd0000000, mapped to 0xe080c000, size 16384k
vesafb: mode is 1024x768x16, linelength=2048, pages=0
vesafb: protected mode interface info at c000:c220
vesafb: scrolling: redraw
vesafb: directcolor: size=0:5:6:5, shift=0:11:5:0
fb0: VESA VGA frame buffer device
Machine check exception polling timer started.
cpufreq: P4/Xeon(TM) CPU On–Demand Clock Modulation available
speedstep–smi: signature:0x00008680, command:0x0000e712,
event:0x00010000, perf_level:0x47534943.
Starting balanced_irq
ikconfig 0.7 with /proc/config*
Installing knfsd (copyright (C) 1996 okir@monad.swb.de).
NTFS driver 2.1.4 [Flags: R/O].
Initializing Cryptographic API
ACPI: Power Button (FF) [PWRF]
ACPI: Sleep Button (CM) [SLPB]
ACPI: Processor [CPU1] (supports C1, 8 throttling states)
ACPI: Processor [CPU2] (supports C1, 8 throttling states)
Console: switching to colour frame buffer device 128x48
pty: 256 Unix98 ptys configured
Real Time Clock Driver v1.12
hw_random hardware driver 1.0.0 loaded
Linux agpgart interface v0.100 (c) Dave Jones
agpgart: Detected an Intel 845G Chipset.
agpgart: Maximum main memory to use for agp memory: 439M
agpgart: AGP aperture is 256M @ 0xe0000000
Serial: 8250/16550 driver \$Revision: 1.90 \$ 8 ports, IRQ sharing
disabled
ttyS0 at I/O 0x3f8 (irq = 4) is a 16550A
Intel(R) PRO/100 Network Driver – version 2.3.30–k1
Copyright (c) 2003 Intel Corporation

e100: selftest OK.
e100: eth0: Intel(R) PRO/100 Network Connection

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux-Kernel: 2.6.0-test9-mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

e100: selftest OK.

e100: eth1: Intel(R) PRO/100 Network Connection
Hardware receive checksums enabled

Uniform Multi-Platform E-IDE driver Revision: 7.00alpha2

ide: Assuming 33MHz system bus speed for PIO modes; override with
idebus=xx

ICH4: IDE controller at PCI slot 0000:00:1f.1

PCI: Enabling device 0000:00:1f.1 (0005 -> 0007)

ICH4: chipset revision 2

ICH4: not 100% native mode: will probe irqs later

ide0: BM-DMA at 0xffa0-0xffa7, BIOS settings: hda:DMA, hdb:DMA

ide1: BM-DMA at 0xffa8-0xffaf, BIOS settings: hdc:DMA, hdd:DMA

hda: IC35L080AVVA07-0, ATA DISK drive

hdb: WDC WD800BB-22CAA0, ATA DISK drive

Using anticipatory io scheduler

ide0 at 0x1f0-0x1f7,0x3f6 on irq 14

hdc: Maxtor 6Y040L0, ATA DISK drive

hdd: SONY CD-RW CRX175A1, ATAPI CD/DVD-ROM drive

ide1 at 0x170-0x177,0x376 on irq 15

hda: max request size: 128KiB

hda: 160836480 sectors (82348 MB) w/1863KiB Cache, CHS=65535/16/63,
UDMA(100)

hda: hda1 hda2 hda3 hda4

hdb: max request size: 128KiB

hdb: 156301488 sectors (80026 MB) w/2048KiB Cache, CHS=65535/16/63,
UDMA(100)

hdb: hdb1

hdc: max request size: 128KiB

hdc: 80043264 sectors (40982 MB) w/2048KiB Cache, CHS=65535/16/63,
UDMA(100)

hdc: hdc1 hdc2

Console: switching to colour frame buffer device 128x48

mouse: PS/2 mouse device common for all mice

serio: i8042 AUX port at 0x60,0x64 irq 12

input: AT Translated Set 2 keyboard on isa0060/serio0

serio: i8042 KBD port at 0x60,0x64 irq 1

NET: Registered protocol family 2

IP: routing cache hash table of 4096 buckets, 32Kbytes

TCP: Hash tables configured (established 32768 bind 32768)

NET: Registered protocol family 1

NET: Registered protocol family 17

found reiserfs format "3.6" with standard journal

Reiserfs journal params: device hda4, size 8192, journal first block 18,
max trans len 1024, max batch 900, max commit age 30, max trans age 30

reiserfs: checking transaction log (hda4) for (hda4)

Using r5 hash to sort names

VFS: Mounted root (reiserfs filesystem) readonly.

Freeing unused kernel memory: 348k freed

Adding 128512k swap on /dev/hda2. Priority:-1 extents:1

Intel 810 + AC97 Audio, version 0.24, 22:34:41 Nov 2 2003

2.6.0-test9-mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
PCI: Setting latency timer of device 0000:00:1f.5 to 64
i810: Intel ICH4 found at IO 0xe080 and 0xe400, MEM 0xfebff800 and
0xfebff400, IRQ 17
i810: Intel ICH4 mmio at 0xe191d800 and 0xe191f400
i810_audio: Primary codec has ID 2
i810_audio: Audio Controller supports 6 channels.
i810_audio: Defaulting to base 2 channel mode.
i810_audio: Resetting connection 0
i810_audio: Connection 0 with codec id 2
ac97_codec: AC97 Audio codec, id: ADS112 (Unknown)
i810_audio: AC'97 codec 2 supports AMAP, total channels = 6
i810_audio: setting clocking to 48546
nvidia: module license 'NVIDIA' taints kernel.
1: nvidia: loading NVIDIA Linux x86 nvidia.o Kernel Module 1.0–4496
Wed Jul 16 19:03:09 PDT 2003
ip_tables: (C) 2000–2002 Netfilter core team
ip_conntrack version 2.1 (4090 buckets, 32720 max) – 304 bytes per
conntrack
drivers/usb/core/usb.c: registered new driver hid
drivers/usb/input/hid–core.c: v2.0:USB HID core driver
SCSI subsystem initialized
Initializing USB Mass Storage driver...
drivers/usb/core/usb.c: registered new driver usb–storage
USB Mass Storage support registered.
CSLIP: code copyright 1989 Regents of the University of California
PPP generic driver version 2.4.2
PPP BSD Compression module registered
PPP Deflate Compression module registered
Linux video capture interface: v1.00
bttv: driver version 0.9.12 loaded
bttv: using 8 buffers with 2080k (520 pages) each for capture
bttv: Bt8xx card found (0).
bttv0: Bt878 (rev 17) at 0000:02:03.0, irq: 19, latency: 32, mmio:
0xdc2fd000
bttv0: detected: Pinnacle PCTV [bswap] [card=39], PCI subsystem ID is
bd11:1200
bttv0: using: Pinnacle PCTV Studio/Rave [card=39,autodetected]
bttv0: i2c: checking for MSP34xx @ 0x80... not found
bttv0: miro: id=16 tuner=1 radio=fmtuner stereo=no
bttv0: using tuner=1
bttv0: i2c: checking for MSP34xx @ 0x80... not found
bttv0: i2c: checking for TDA9875 @ 0xb0... not found
bttv0: i2c: checking for TDA7432 @ 0x8a... not found
tvaudio: TV audio decoder + audio/video mux driver
tvaudio: known chips:
tda9840,tda9873h,tda9874h/a,tda9850,tda9855,tea6300,tea6420,tda8425,pic16c54 (PV951),ta8874z
tuner: chip found @ 0xc2
tuner: type set to 1 (Philips PAL_I (FI1246 and compatibles))
registering 1–0061
bttv0: registered device video0
bttv0: registered device vbi0
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux-Kernel: 2.6.0-test9-mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
bttv0: registered device radio0
bttv0: PLL: 28636363 => 35468950 .. ok
scsi0 : SCSI host adapter emulation for IDE ATAPI devices
  Vendor: SONY Model: CD-RW CRX175A1 Rev: 5YS3
  Type: CD-ROM ANSI SCSI revision: 02
sr0: scsi3-mmc drive: 40x/40x writer cd/rw xa/form2 cdda tray
Uniform CD-ROM driver Revision: 3.12
Attached scsi CD-ROM sr0 at scsi0, channel 0, id 0, lun 0
found reiserfs format "3.6" with standard journal
Reiserfs journal params: device hdb1, size 8192, journal first block 18,
max trans len 1024, max batch 900, max commit age 30, max trans age 30
reiserfs: checking transaction log (hdb1) for (hdb1)
Using r5 hash to sort names
ehci_hcd 0000:00:1d.7: EHCI Host Controller
PCI: Setting latency timer of device 0000:00:1d.7 to 64
ehci_hcd 0000:00:1d.7: irq 23, pci mem e19f4c00
ehci_hcd 0000:00:1d.7: new USB bus registered, assigned bus number 1
ehci_hcd 0000:00:1d.7: enabled 64bit PCI DMA
PCI: cache line size of 128 is not supported by device 0000:00:1d.7
ehci_hcd 0000:00:1d.7: USB 2.0 enabled, EHCI 1.00, driver 2003-Jun-13
hub 1-0:1.0: USB hub found
hub 1-0:1.0: 6 ports detected
drivers/usb/host/uhci-hcd.c: USB Universal Host Controller Interface
driver v2.1
uhci_hcd 0000:00:1d.0: UHCI Host Controller
PCI: Setting latency timer of device 0000:00:1d.0 to 64
uhci_hcd 0000:00:1d.0: irq 16, io base 0000e800
uhci_hcd 0000:00:1d.0: new USB bus registered, assigned bus number 2
hub 2-0:1.0: USB hub found
hub 2-0:1.0: 2 ports detected
uhci_hcd 0000:00:1d.1: UHCI Host Controller
PCI: Setting latency timer of device 0000:00:1d.1 to 64
uhci_hcd 0000:00:1d.1: irq 19, io base 0000e880
uhci_hcd 0000:00:1d.1: new USB bus registered, assigned bus number 3
hub 3-0:1.0: USB hub found
hub 3-0:1.0: 2 ports detected
uhci_hcd 0000:00:1d.2: UHCI Host Controller
PCI: Setting latency timer of device 0000:00:1d.2 to 64
uhci_hcd 0000:00:1d.2: irq 18, io base 0000ec00
uhci_hcd 0000:00:1d.2: new USB bus registered, assigned bus number 4
hub 4-0:1.0: USB hub found
hub 4-0:1.0: 2 ports detected
hub 3-0:1.0: new USB device on port 1, assigned address 2
input: USB HID v1.00 Mouse [Microsoft Microsoft IntelliMouse® Explorer]
on usb-0000:00:1d.1-1
hub 3-0:1.0: new USB device on port 2, assigned address 3
scsi1 : SCSI emulation for USB Mass Storage devices
  Vendor: TwinMOS Model: MOBILE DISK Rev: 1.11
  Type: Direct-Access ANSI SCSI revision: 02
WARNING: USB Mass Storage data integrity not assured
USB Mass Storage device found at 3
```

2.6.0-test9-mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux-Kernel: 2.6.0-test9-mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Bank 0: cc00000620040189

MCE: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Bank 1: c000000000000145

MCE: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Bank 0: cc00000820040189

MCE: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Bank 1: c000000000000135

MCE: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Bank 0: cc00000a20040189

MCE: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Bank 1: c000000000000145

MCE: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Bank 0: cc00000c20040189

MCE: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Bank 1: c000000000000135

MCE: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Bank 0: cc00000e20040189

MCE: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Bank 1: c000000000000135

.config attached

--

Windows not found
(C)heers, (P)arty or (D)ance?

Micskó Gábor
Compaq Accredited Platform Specialist, System Engineer (APS, ASE)
Szintézis Computer Rendszerház Rt.
H-9021 Győr, Tihanyi Árpád út.2.
Tel: +36 96 502-216
Fax: +36 96 318-658
E-mail: gmicsko@szintezis.hu
Web: <http://www.hup.hu/>

Automatically generated make config: don't edit

CONFIG_X86=y
CONFIG_MMU=y
CONFIG_UID16=y
CONFIG_GENERIC_ISA_DMA=y

2.6.0-test9-mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
#
# Code maturity level options
#
CONFIG_EXPERIMENTAL=y
# CONFIG_CLEAN_COMPILE is not set
# CONFIG_STANDALONE is not set
CONFIG_BROKEN=y
CONFIG_BROKEN_ON_SMP=y

#
# General setup
#
CONFIG_SWAP=y
CONFIG_SYSVIPC=y
CONFIG_BSD_PROCESS_ACCT=y
CONFIG_SYSCTL=y
CONFIG_LOG_BUF_SHIFT=14
CONFIG_IKCONFIG=y
CONFIG_IKCONFIG_PROC=y
# CONFIG_EMBEDDED is not set
CONFIG_KALLSYMS=y
CONFIG_FUTEX=y
CONFIG_EPOLL=y
CONFIG_IOSCHED_NOOP=y
CONFIG_IOSCHED_AS=y
CONFIG_IOSCHED_DEADLINE=y
CONFIG_IOSCHED_CFQ=y
# CONFIG_CC_OPTIMIZE_FOR_SIZE is not set

#
# Loadable module support
#
CONFIG_MODULES=y
CONFIG_MODULE_UNLOAD=y
# CONFIG_MODULE_FORCE_UNLOAD is not set
CONFIG_OBSOLETE_MODPARM=y
# CONFIG_MODVERSIONS is not set
CONFIG_KMOD=y

#
# Processor type and features
#
CONFIG_X86_PC=y
# CONFIG_X86_VOYAGER is not set
# CONFIG_X86_NUMAQ is not set
# CONFIG_X86_SUMMIT is not set
# CONFIG_X86_BIGSMP is not set
# CONFIG_X86_VISWS is not set
# CONFIG_X86_GENERICARCH is not set
# CONFIG_X86_ES7000 is not set
# CONFIG_M386 is not set
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
# CONFIG_M486 is not set
# CONFIG_M586 is not set
# CONFIG_M586TSC is not set
# CONFIG_M586MMX is not set
# CONFIG_M686 is not set
# CONFIG_MPENTIUMII is not set
# CONFIG_MPENTIUMIII is not set
CONFIG_MPENTIUM4=y
# CONFIG_MK6 is not set
# CONFIG_MK7 is not set
# CONFIG_MK8 is not set
# CONFIG_MELAN is not set
# CONFIG_MCRUSOE is not set
# CONFIG_MWINCHIP6 is not set
# CONFIG_MWINCHIP2 is not set
# CONFIG_MWINCHIP3D is not set
# CONFIG_MCYRIXIII is not set
# CONFIG_MVIAC3_2 is not set
# CONFIG_X86_GENERIC is not set
CONFIG_X86_CMPXCHG=y
CONFIG_X86_XADD=y
CONFIG_X86_L1_CACHE_SHIFT=7
CONFIG_RWSEM_XCHGADD_ALGORITHM=y
CONFIG_X86_WP_WORKS_OK=y
CONFIG_X86_INVLPG=y
CONFIG_X86_BSWAP=y
CONFIG_X86_POPAD_OK=y
CONFIG_X86_GOOD_APIC=y
CONFIG_X86_INTEL_USERCOPY=y
CONFIG_X86_USE_PPRO_CHECKSUM=y
# CONFIG_X86_4G is not set
# CONFIG_X86_SWITCH_PAGETABLES is not set
# CONFIG_X86_4G_VM_LAYOUT is not set
# CONFIG_X86_UACCESS_INDIRECT is not set
# CONFIG_X86_HIGH_ENTRY is not set
CONFIG_HPET_TIMER=y
CONFIG_HPET_EMULATE_RTC=y
# CONFIG_SMP is not set
CONFIG_PREEMPT=y
CONFIG_X86_UP_APIC=y
CONFIG_X86_UP_IOAPIC=y
CONFIG_X86_LOCAL_APIC=y
CONFIG_X86_IO_APIC=y
CONFIG_X86_TSC=y
CONFIG_X86_MCE=y
CONFIG_X86_MCE_NONFATAL=y
CONFIG_X86_MCE_P4THERMAL=y
# CONFIG_TOSHIBA is not set
# CONFIG_I8K is not set
# CONFIG_MICROCODE is not set
# CONFIG_X86_MSR is not set
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
CONFIG_X86_CPUID=y
# CONFIG_EDD is not set
CONFIG_NOHIGHMEM=y
# CONFIG_HIGHMEM4G is not set
# CONFIG_HIGHMEM64G is not set
# CONFIG_MATH_EMULATION is not set
CONFIG_MTRR=y
CONFIG_HAVE_DEC_LOCK=y

#
# Power management options (ACPI, APM)
#
CONFIG_PM=y
# CONFIG_SOFTWARE_SUSPEND is not set
# CONFIG_PM_DISK is not set

#
# ACPI (Advanced Configuration and Power Interface) Support
#
# CONFIG_ACPI is not set

#
# APM (Advanced Power Management) BIOS Support
#
CONFIG_APM=y
# CONFIG_APM_IGNORE_USER_SUSPEND is not set
CONFIG_APM_DO_ENABLE=y
CONFIG_APM_CPU_IDLE=y
CONFIG_APM_DISPLAY_BLANK=y
# CONFIG_APM_RTC_IS_GMT is not set
CONFIG_APM_ALLOW_INTS=y
CONFIG_APM_REAL_MODE_POWER_OFF=y

#
# CPU Frequency scaling
#
CONFIG_CPU_FREQ=y
# CONFIG_CPU_FREQ_PROC_INTF is not set
CONFIG_CPU_FREQ_DEFAULT_GOV_PERFORMANCE=y
# CONFIG_CPU_FREQ_DEFAULT_GOV_USERSPACE is not set
CONFIG_CPU_FREQ_GOV_PERFORMANCE=y
# CONFIG_CPU_FREQ_GOV_POWERSAVE is not set
# CONFIG_CPU_FREQ_GOV_USERSPACE is not set
CONFIG_CPU_FREQ_TABLE=y

#
# CPUFreq processor drivers
#
# CONFIG_X86_POWERNOW_K6 is not set
# CONFIG_X86_POWERNOW_K7 is not set
# CONFIG_X86_POWERNOW_K8 is not set
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
# CONFIG_X86_GX_SUSPMOD is not set
# CONFIG_X86_SPEEDSTEP_CENTRINO is not set
CONFIG_X86_SPEEDSTEP_ICH=y
# CONFIG_X86_SPEEDSTEP_SMI is not set
CONFIG_X86_SPEEDSTEP_LIB=y
# CONFIG_X86_P4_CLOCKMOD is not set
# CONFIG_X86_LONGRUN is not set
# CONFIG_X86_LONGHAUL is not set
```

```
#
# Bus options (PCI, PCMCIA, EISA, MCA, ISA)
```

```
#
CONFIG_PCI=y
# CONFIG_PCI_GOBIOS is not set
# CONFIG_PCI_GODIRECT is not set
CONFIG_PCI_GOANY=y
CONFIG_PCI_BIOS=y
CONFIG_PCI_DIRECT=y
# CONFIG_PCI_USE_VECTOR is not set
# CONFIG_PCI_LEGACY_PROC is not set
CONFIG_PCI_NAMES=y
CONFIG_ISA=y
# CONFIG_EISA is not set
# CONFIG_MCA is not set
# CONFIG_SCx200 is not set
CONFIG_HOTPLUG=y
```

```
#
# PCMCIA/CardBus support
```

```
#
CONFIG_PCMCIA=y
CONFIG_YENTA=y
CONFIG_CARDBUS=y
# CONFIG_I82092 is not set
# CONFIG_I82365 is not set
# CONFIG_TCIC is not set
CONFIG_PCMCIA_PROBE=y
```

```
#
# PCI Hotplug Support
#
# CONFIG_HOTPLUG_PCI is not set
```

```
#
# Executable file formats
#
CONFIG_BINFMT_ELF=y
CONFIG_BINFMT_AOUT=y
CONFIG_BINFMT_MISC=y
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
#
# Device Drivers
#

#
# Generic Driver Options
#
# CONFIG_FW_LOADER is not set

#
# Memory Technology Devices (MTD)
#
# CONFIG_MTD is not set

#
# Parallel port support
#
# CONFIG_PARPORT is not set

#
# Plug and Play support
#
CONFIG_PNP=y
# CONFIG_PNP_DEBUG is not set

#
# Protocols
#
CONFIG_ISAPNP=y
CONFIG_PNPBIOS=y

#
# Block devices
#
# CONFIG_BLK_DEV_FD is not set
# CONFIG_BLK_DEV_XD is not set
# CONFIG_BLK_CPQ_DA is not set
# CONFIG_BLK_CPQ_CISS_DA is not set
# CONFIG_BLK_DEV_DAC960 is not set
# CONFIG_BLK_DEV_UMEM is not set
CONFIG_BLK_DEV_LOOP=m
# CONFIG_BLK_DEV_CRYPTOLOOP is not set
# CONFIG_BLK_DEV_NBD is not set
# CONFIG_BLK_DEV_RAM is not set
CONFIG_BLK_DEV_INITRD=y
# CONFIG_LBD is not set

#
# ATA/ATAPI/MFM/RLL support
#
CONFIG_IDE=y
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
CONFIG_BLK_DEV_IDE=y

#
# Please see Documentation/ide.txt for help/info on IDE drives
#
# CONFIG_BLK_DEV_HD_IDE is not set
CONFIG_BLK_DEV_IDEDISK=y
CONFIG_IDEDISK_MULTI_MODE=y
# CONFIG_IDEDISK_STROKE is not set
# CONFIG_BLK_DEV_IDECS is not set
CONFIG_BLK_DEV_IDECD=y
# CONFIG_BLK_DEV_IDETAPE is not set
# CONFIG_BLK_DEV_IDEFLOPPY is not set
# CONFIG_BLK_DEV_IDESCSI is not set
# CONFIG_IDE_TASK_IOCTL is not set
CONFIG_IDE_TASKFILE_IO=y

#
# IDE chipset support/bugfixes
#
# CONFIG_BLK_DEV_CMD640 is not set
# CONFIG_BLK_DEV_IDEPNP is not set
CONFIG_BLK_DEV_IDEPCI=y
CONFIG_IDEPCI_SHARE_IRQ=y
# CONFIG_BLK_DEV_OFFBOARD is not set
CONFIG_BLK_DEV_GENERIC=y
# CONFIG_BLK_DEV_OPTI621 is not set
# CONFIG_BLK_DEV_RZ1000 is not set
CONFIG_BLK_DEV_IDEDMA_PCI=y
CONFIG_BLK_DEV_IDE_TCQ=y
CONFIG_BLK_DEV_IDE_TCQ_DEFAULT=y
CONFIG_BLK_DEV_IDE_TCQ_DEPTH=32
# CONFIG_BLK_DEV_IDEDMA_FORCED is not set
CONFIG_IDEDMA_PCI_AUTO=y
# CONFIG_IDEDMA_ONLYDISK is not set
# CONFIG_IDEDMA_PCI_WIP is not set
CONFIG_BLK_DEV_ADMA=y
# CONFIG_BLK_DEV_AEC62XX is not set
# CONFIG_BLK_DEV_ALI15X3 is not set
# CONFIG_BLK_DEV_AMD74XX is not set
# CONFIG_BLK_DEV_CMD64X is not set
# CONFIG_BLK_DEV_TRIFLEX is not set
# CONFIG_BLK_DEV_CY82C693 is not set
# CONFIG_BLK_DEV_CS5520 is not set
# CONFIG_BLK_DEV_CS5530 is not set
# CONFIG_BLK_DEV_HPT34X is not set
# CONFIG_BLK_DEV_HPT366 is not set
# CONFIG_BLK_DEV_SC1200 is not set
CONFIG_BLK_DEV_PIIX=y
# CONFIG_BLK_DEV_NS87415 is not set
# CONFIG_BLK_DEV_PDC202XX_OLD is not set
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
# CONFIG_BLK_DEV_PDC202XX_NEW is not set
# CONFIG_BLK_DEV_SVWKS is not set
# CONFIG_BLK_DEV_SIIMAGE is not set
# CONFIG_BLK_DEV_SIS5513 is not set
# CONFIG_BLK_DEV_SLC90E66 is not set
# CONFIG_BLK_DEV_TRM290 is not set
# CONFIG_BLK_DEV_VIA82CXXX is not set
# CONFIG_IDE_CHIPSETS is not set
CONFIG_BLK_DEV_IDEDMA=y
# CONFIG_IDEDMA_IVB is not set
CONFIG_IDEDMA_AUTO=y
# CONFIG_DMA_NONPCI is not set
# CONFIG_BLK_DEV_HD is not set

#
# SCSI device support
#
CONFIG_SCSI=m
# CONFIG_SCSI_PROC_FS is not set

#
# SCSI support type (disk, tape, CD-ROM)
#
CONFIG_BLK_DEV_SD=m
CONFIG_MAX_SD_DISKS=256
# CONFIG_CHR_DEV_ST is not set
# CONFIG_CHR_DEV_OSST is not set
# CONFIG_BLK_DEV_SR is not set
CONFIG_CHR_DEV_SG=m

#
# Some SCSI devices (e.g. CD jukebox) support multiple LUNs
#
# CONFIG_SCSI_MULTI_LUN is not set
# CONFIG_SCSI_REPORT_LUNS is not set
# CONFIG_SCSI_CONSTANTS is not set
# CONFIG_SCSI_LOGGING is not set

#
# SCSI low-level drivers
#
# CONFIG_BLK_DEV_3W_XXXX_RAID is not set
# CONFIG_SCSI_7000FASST is not set
# CONFIG_SCSI_ACARD is not set
# CONFIG_SCSI_AHA152X is not set
# CONFIG_SCSI_AHA1542 is not set
# CONFIG_SCSI_AACRAID is not set
# CONFIG_SCSI_AIC7XXX is not set
# CONFIG_SCSI_AIC7XXX_OLD is not set
# CONFIG_SCSI_AIC79XX is not set
# CONFIG_SCSI_DPT_I2O is not set
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
# CONFIG_SCSI_ADVANSYS is not set
# CONFIG_SCSI_IN2000 is not set
# CONFIG_SCSI_AM53C974 is not set
# CONFIG_SCSI_MEGARAID is not set
# CONFIG_SCSI_SATA is not set
# CONFIG_SCSI_BUSLOGIC is not set
# CONFIG_SCSI_CPQFCTS is not set
# CONFIG_SCSI_DMX3191D is not set
# CONFIG_SCSI_DTC3280 is not set
# CONFIG_SCSI_EATA is not set
# CONFIG_SCSI_EATA_PIO is not set
# CONFIG_SCSI_FUTURE_DOMAIN is not set
# CONFIG_SCSI_GDTH is not set
# CONFIG_SCSI_GENERIC_NCR5380 is not set
# CONFIG_SCSI_GENERIC_NCR5380_MMIO is not set
# CONFIG_SCSI_IPS is not set
# CONFIG_SCSI_INITIO is not set
# CONFIG_SCSI_INIA100 is not set
# CONFIG_SCSI_NCR53C406A is not set
# CONFIG_SCSI_SYM53C8XX_2 is not set
# CONFIG_SCSI_PAS16 is not set
# CONFIG_SCSI_PCI2000 is not set
# CONFIG_SCSI_PCI2220I is not set
# CONFIG_SCSI_PSI240I is not set
# CONFIG_SCSI_QLOGIC_FAS is not set
# CONFIG_SCSI_QLOGIC_ISP is not set
# CONFIG_SCSI_QLOGIC_FC is not set
# CONFIG_SCSI_QLOGIC_1280 is not set
# CONFIG_SCSI_SEAGATE is not set
# CONFIG_SCSI_SYM53C416 is not set
# CONFIG_SCSI_DC395x is not set
# CONFIG_SCSI_DC390T is not set
# CONFIG_SCSI_T128 is not set
# CONFIG_SCSI_U14_34F is not set
# CONFIG_SCSI_ULTRASTOR is not set
# CONFIG_SCSI_NSP32 is not set
# CONFIG_SCSI_DEBUG is not set

#
# PCMCIA SCSI adapter support
#
# CONFIG_PCMCIA_AHA152X is not set
# CONFIG_PCMCIA_FDOMAIN is not set
# CONFIG_PCMCIA_NINJA_SCSI is not set
# CONFIG_PCMCIA_QLOGIC is not set

#
# Old CD–ROM drivers (not SCSI, not IDE)
#
# CONFIG_CD_NO_IDESCSI is not set
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
#
# Multi–device support (RAID and LVM)
#
# CONFIG_MD is not set

#
# Fusion MPT device support
#
# CONFIG_FUSION is not set

#
# IEEE 1394 (FireWire) support (EXPERIMENTAL)
#
# CONFIG_IEEE1394 is not set

#
# I2O device support
#
# CONFIG_I2O is not set

#
# Networking support
#
CONFIG_NET=y

#
# Networking options
#
CONFIG_PACKET=y
# CONFIG_PACKET_MMAP is not set
# CONFIG_NETLINK_DEV is not set
CONFIG_UNIX=y
# CONFIG_NET_KEY is not set
CONFIG_INET=y
CONFIG_IP_MULTICAST=y
# CONFIG_IP_ADVANCED_ROUTER is not set
# CONFIG_IP_PNP is not set
# CONFIG_NET_IPIP is not set
# CONFIG_NET_IPGRE is not set
# CONFIG_IP_MROUTE is not set
# CONFIG_ARPD is not set
# CONFIG_INET_ECN is not set
# CONFIG_SYN_COOKIES is not set
# CONFIG_INET_AH is not set
# CONFIG_INET_ESP is not set
# CONFIG_INET_IPCOMP is not set

#
# IP: Virtual Server Configuration
#
# CONFIG_IP_VS is not set
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
# CONFIG_IPV6 is not set
# CONFIG_DECNET is not set
# CONFIG_BRIDGE is not set
CONFIG_NETFILTER=y
# CONFIG_NETFILTER_DEBUG is not set

#
# IP: Netfilter Configuration
#
CONFIG_IP_NF_CONNTRACK=y
CONFIG_IP_NF_FTP=y
CONFIG_IP_NF_IRC=y
CONFIG_IP_NF_TFTP=y
CONFIG_IP_NF_AMANDA=y
CONFIG_IP_NF_QUEUE=y
CONFIG_IP_NF_IPTABLES=y
CONFIG_IP_NF_MATCH_LIMIT=y
# CONFIG_IP_NF_MATCH_IPRANGE is not set
CONFIG_IP_NF_MATCH_MAC=y
CONFIG_IP_NF_MATCH_PKTTYPE=y
CONFIG_IP_NF_MATCH_MARK=y
CONFIG_IP_NF_MATCH_MULTIPORT=y
CONFIG_IP_NF_MATCH_TOS=y
# CONFIG_IP_NF_MATCH_RECENT is not set
CONFIG_IP_NF_MATCH_ECN=y
CONFIG_IP_NF_MATCH_DSCP=y
CONFIG_IP_NF_MATCH_AH_ESP=y
CONFIG_IP_NF_MATCH_LENGTH=y
CONFIG_IP_NF_MATCH_TTL=y
CONFIG_IP_NF_MATCH_TCPMSS=y
CONFIG_IP_NF_MATCH_HELPER=y
CONFIG_IP_NF_MATCH_STATE=y
CONFIG_IP_NF_MATCH_CONNTRACK=y
CONFIG_IP_NF_MATCH_OWNER=y
CONFIG_IP_NF_FILTER=y
CONFIG_IP_NF_TARGET_REJECT=y
CONFIG_IP_NF_NAT=y
CONFIG_IP_NF_NAT_NEEDED=y
CONFIG_IP_NF_TARGET_MASQUERADE=y
CONFIG_IP_NF_TARGET_REDIRECT=y
# CONFIG_IP_NF_TARGET_NETMAP is not set
# CONFIG_IP_NF_TARGET_SAME is not set
CONFIG_IP_NF_NAT_LOCAL=y
CONFIG_IP_NF_NAT_SNMP_BASIC=y
CONFIG_IP_NF_NAT_IRC=y
CONFIG_IP_NF_NAT_FTP=y
CONFIG_IP_NF_NAT_TFTP=y
CONFIG_IP_NF_NAT_AMANDA=y
CONFIG_IP_NF_MANGLE=y
CONFIG_IP_NF_TARGET_TOS=y
CONFIG_IP_NF_TARGET_ECN=y
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0. 20

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
CONFIG_IP_NF_TARGET_DSCP=y
CONFIG_IP_NF_TARGET_MARK=y
# CONFIG_IP_NF_TARGET_CLASSIFY is not set
CONFIG_IP_NF_TARGET_LOG=y
CONFIG_IP_NF_TARGET_ULOG=y
CONFIG_IP_NF_TARGET_TCPMSS=y
CONFIG_IP_NF_ARPTABLES=y
CONFIG_IP_NF_ARPFILTER=y
# CONFIG_IP_NF_ARP_MANGLE is not set
```

```
#
# SCTP Configuration (EXPERIMENTAL)
#
CONFIG_IPV6_SCTP__=y
# CONFIG_IP_SCTP is not set
# CONFIG_ATM is not set
# CONFIG_VLAN_8021Q is not set
# CONFIG_LLC2 is not set
# CONFIG_IPX is not set
# CONFIG_ATALK is not set
# CONFIG_X25 is not set
# CONFIG_LAPB is not set
# CONFIG_NET_DIVERT is not set
# CONFIG_ECONET is not set
# CONFIG_WAN_ROUTER is not set
# CONFIG_NET_FASTROUTE is not set
# CONFIG_NET_HW_FLOWCONTROL is not set
```

```
#
# QoS and/or fair queueing
#
# CONFIG_NET_SCHED is not set
```

```
#
# Network testing
#
# CONFIG_NET_PKTGEN is not set
CONFIG_NETDEVICES=y
```

```
#
# ARCnet devices
#
# CONFIG_ARCNET is not set
CONFIG_DUMMY=y
# CONFIG_BONDING is not set
# CONFIG_EQUALIZER is not set
# CONFIG_TUN is not set
# CONFIG_NET_SB1000 is not set
```

```
#
# Ethernet (10 or 100Mbit)
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
#  
CONFIG_NET_ETHERNET=y  
# CONFIG_MII is not set  
# CONFIG_HAPPYMEAL is not set  
# CONFIG_SUNGEM is not set  
# CONFIG_NET_VENDOR_3COM is not set  
# CONFIG_LANCE is not set  
# CONFIG_NET_VENDOR_SMC is not set  
# CONFIG_NET_VENDOR_RACAL is not set
```

```
#  
# Tulip family network device support  
#  
# CONFIG_NET_TULIP is not set  
# CONFIG_AT1700 is not set  
# CONFIG_DEPCA is not set  
# CONFIG_HP100 is not set  
# CONFIG_NET_ISA is not set  
CONFIG_NET_PCI=y  
# CONFIG_PCNET32 is not set  
# CONFIG_AMD8111_ETH is not set  
# CONFIG_ADAPTEC_STARFIRE is not set  
# CONFIG_AC3200 is not set  
# CONFIG_APRICOT is not set  
# CONFIG_B44 is not set  
# CONFIG_CS89x0 is not set  
# CONFIG_DGRS is not set  
# CONFIG_EEPRO100 is not set  
CONFIG_E100=y  
# CONFIG_FEALNX is not set  
# CONFIG_NATSEMI is not set  
# CONFIG_NE2K_PCI is not set  
# CONFIG_8139CP is not set  
# CONFIG_8139TOO is not set  
# CONFIG_SIS900 is not set  
# CONFIG_EPIC100 is not set  
# CONFIG_SUNDANCE is not set  
# CONFIG_TLAN is not set  
# CONFIG_VIA_RHINE is not set  
# CONFIG_NET_POCKET is not set
```

```
#  
# Ethernet (1000 Mbit)  
#  
# CONFIG_ACENIC is not set  
# CONFIG_DL2K is not set  
# CONFIG_E1000 is not set  
# CONFIG_NS83820 is not set  
# CONFIG_HAMACHI is not set  
# CONFIG_YELLOWFIN is not set  
# CONFIG_R8169 is not set
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
# CONFIG_SIS190 is not set
# CONFIG_SK98LIN is not set
# CONFIG_TIGON3 is not set

#
# Ethernet (10000 Mbit)
#
# CONFIG_IXGB is not set
# CONFIG_FDDI is not set
# CONFIG_HIPPI is not set
CONFIG_PPP=y
# CONFIG_PPP_MULTILINK is not set
CONFIG_PPP_FILTER=y
CONFIG_PPP_ASYNC=y
CONFIG_PPP_SYNC_TTY=y
CONFIG_PPP_DEFLATE=y
CONFIG_PPP_BSDCOMP=y
# CONFIG_PPPOE is not set
# CONFIG_SLIP is not set

#
# Wireless LAN (non-hamradio)
#
CONFIG_NET_RADIO=y

#
# Obsolete Wireless cards support (pre-802.11)
#
# CONFIG_STRIP is not set
# CONFIG_ARLAN is not set
# CONFIG_WAVELAN is not set
# CONFIG_PCMCIA_WAVELAN is not set
# CONFIG_PCMCIA_NETWAVE is not set

#
# Wireless 802.11 Frequency Hopping cards support
#
# CONFIG_PCMCIA_RAYCS is not set

#
# Wireless 802.11b ISA/PCI cards support
#
# CONFIG_AIRO is not set
CONFIG_HERMES=y
# CONFIG_PLX_HERMES is not set
# CONFIG_TMD_HERMES is not set
# CONFIG_PCI_HERMES is not set

#
# Wireless 802.11b Pcmcia/Cardbus cards support
#
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
CONFIG_PCMCIA_HERMES=y
# CONFIG_AIRO_CS is not set
# CONFIG_PCMCIA_ATMEL is not set
# CONFIG_PCMCIA_WL3501 is not set
CONFIG_NET_WIRELESS=y

#
# Token Ring devices
#
# CONFIG_TR is not set
# CONFIG_NET_FC is not set
# CONFIG_RCPCI is not set
# CONFIG_SHAPER is not set
# CONFIG_NET_POLL_CONTROLLER is not set

#
# Wan interfaces
#
# CONFIG_WAN is not set

#
# PCMCIA network device support
#
CONFIG_NET_PCMCIA=y
# CONFIG_PCMCIA_3C589 is not set
# CONFIG_PCMCIA_3C574 is not set
# CONFIG_PCMCIA_FMVJ18X is not set
# CONFIG_PCMCIA_PCNET is not set
# CONFIG_PCMCIA_NMCLAN is not set
# CONFIG_PCMCIA_SMC91C92 is not set
# CONFIG_PCMCIA_XIRC2PS is not set
# CONFIG_PCMCIA_AXNET is not set

#
# Amateur Radio support
#
# CONFIG_HAMRADIO is not set

#
# IrDA (infrared) support
#
# CONFIG_IRDA is not set

#
# Bluetooth support
#
CONFIG_BT=m
# CONFIG_BT_L2CAP is not set
# CONFIG_BT_SCO is not set
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
#
# Bluetooth device drivers
#
# CONFIG_BT_HCIUSB is not set
# CONFIG_BT_HCIUART is not set
# CONFIG_BT_HCIDTL1 is not set
# CONFIG_BT_HCIBT3C is not set
# CONFIG_BT_HCIBLUECARD is not set
# CONFIG_BT_HCIBTUART is not set
# CONFIG_BT_HCI_VHCI is not set

#
# ISDN subsystem
#
# CONFIG_ISDN_BOOL is not set

#
# Telephony Support
#
# CONFIG_PHONE is not set

#
# Input device support
#
CONFIG_INPUT=y

#
# Userland interfaces
#
CONFIG_INPUT_MOUSEDEV=y
CONFIG_INPUT_MOUSEDEV_PSAUX=y
CONFIG_INPUT_MOUSEDEV_SCREEN_X=1024
CONFIG_INPUT_MOUSEDEV_SCREEN_Y=768
# CONFIG_INPUT_JOYDEV is not set
# CONFIG_INPUT_TSDEV is not set
# CONFIG_INPUT_EVDEV is not set
# CONFIG_INPUT_EVBUG is not set

#
# Input I/O drivers
#
# CONFIG_GAMEPORT is not set
CONFIG_SOUND_GAMEPORT=y
CONFIG_SERIO=y
CONFIG_SERIO_I8042=y
# CONFIG_SERIO_SERPORT is not set
# CONFIG_SERIO_CT82C710 is not set
# CONFIG_SERIO_PCIPS2 is not set

#
# Input Device Drivers
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
#
CONFIG_INPUT_KEYBOARD=y
CONFIG_KEYBOARD_ATKBD=y
# CONFIG_KEYBOARD_SUNKBD is not set
# CONFIG_KEYBOARD_XTKBD is not set
# CONFIG_KEYBOARD_NEWTON is not set
CONFIG_INPUT_MOUSE=y
CONFIG_MOUSE_PS2=y
# CONFIG_MOUSE_PS2_SYNAPTICS is not set
# CONFIG_MOUSE_SERIAL is not set
# CONFIG_MOUSE_INPORT is not set
# CONFIG_MOUSE_LOGIBM is not set
# CONFIG_MOUSE_PC110PAD is not set
# CONFIG_INPUT_JOYSTICK is not set
# CONFIG_INPUT_TOUCHSCREEN is not set
# CONFIG_INPUT_MISC is not set

#
# Character devices
#
CONFIG_VT=y
CONFIG_VT_CONSOLE=y
CONFIG_HW_CONSOLE=y
# CONFIG_SERIAL_NONSTANDARD is not set

#
# Serial drivers
#
CONFIG_SERIAL_8250=y
# CONFIG_SERIAL_8250_CONSOLE is not set
# CONFIG_SERIAL_8250_CS is not set
CONFIG_SERIAL_8250_NR_UARTS=4
# CONFIG_SERIAL_8250_EXTENDED is not set

#
# Non–8250 serial port support
#
CONFIG_SERIAL_CORE=y
CONFIG_UNIX98_PTYS=y
CONFIG_UNIX98_PTY_COUNT=256

#
# I2C support
#
# CONFIG_I2C is not set

#
# I2C Algorithms
#
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
#
# I2C Hardware Bus support
#
#
# I2C Hardware Sensors Chip support
#
# CONFIG_I2C_SENSOR is not set
#
# Mice
#
# CONFIG_BUSMOUSE is not set
# CONFIG_QIC02_TAPE is not set
#
# IPMI
#
# CONFIG_IPMI_HANDLER is not set
#
# Watchdog Cards
#
# CONFIG_WATCHDOG is not set
CONFIG_HW_RANDOM=y
# CONFIG_NVRAM is not set
CONFIG_RTC=y
# CONFIG_DTLK is not set
# CONFIG_R3964 is not set
# CONFIG_APPLICOM is not set
# CONFIG_SONYPI is not set
#
# Ftape, the floppy tape device driver
#
# CONFIG_FTAPE is not set
CONFIG_AGP=y
# CONFIG_AGP_ALI is not set
# CONFIG_AGP_ATI is not set
# CONFIG_AGP_AMD is not set
# CONFIG_AGP_AMD64 is not set
CONFIG_AGP_INTEL=y
# CONFIG_AGP_NVIDIA is not set
# CONFIG_AGP_SIS is not set
# CONFIG_AGP_SWORKS is not set
# CONFIG_AGP_VIA is not set
CONFIG_DRM=y
# CONFIG_DRM_TDFX is not set
# CONFIG_DRM_GAMMA is not set
# CONFIG_DRM_R128 is not set
CONFIG_DRM_RADEON=y
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
# CONFIG_DRM_I810 is not set
# CONFIG_DRM_I830 is not set
# CONFIG_DRM_MGA is not set
# CONFIG_DRM_SIS is not set

#
# PCMCIA character devices
#
# CONFIG_SYNCLINK_CS is not set
# CONFIG_MWAVE is not set
# CONFIG_RAW_DRIVER is not set
# CONFIG_HANGCHECK_TIMER is not set

#
# Multimedia devices
#
# CONFIG_VIDEO_DEV is not set

#
# Digital Video Broadcasting Devices
#
# CONFIG_DVB is not set

#
# Graphics support
#
CONFIG_FB=y
# CONFIG_FB_CIRRUS is not set
# CONFIG_FB_PM2 is not set
# CONFIG_FB_CYBER2000 is not set
# CONFIG_FB_IMSTT is not set
# CONFIG_FB_VGA16 is not set
CONFIG_FB_VESA=y
CONFIG_VIDEO_SELECT=y
# CONFIG_FB_HGA is not set
# CONFIG_FB_RIVA is not set
# CONFIG_FB_I810 is not set
# CONFIG_FB_MATROX is not set
# CONFIG_FB_RADEON is not set
# CONFIG_FB_ATY128 is not set
# CONFIG_FB_ATY is not set
# CONFIG_FB_SIS is not set
# CONFIG_FB_NEOMAGIC is not set
# CONFIG_FB_3DFX is not set
# CONFIG_FB_VOODOO1 is not set
# CONFIG_FB_TRIDENT is not set
# CONFIG_FB_PM3 is not set
# CONFIG_FB_VIRTUAL is not set

#
# Console display driver support
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
#
CONFIG_VGA_CONSOLE=y
# CONFIG_MDA_CONSOLE is not set
CONFIG_DUMMY_CONSOLE=y
CONFIG_FRAMEBUFFER_CONSOLE=y
CONFIG_PCI_CONSOLE=y
# CONFIG_FONTS is not set
CONFIG_FONT_8x8=y
CONFIG_FONT_8x16=y

#
# Logo configuration
#
CONFIG_LOGO=y
# CONFIG_LOGO_LINUX_MONO is not set
# CONFIG_LOGO_LINUX_VGA16 is not set
CONFIG_LOGO_LINUX_CLUT224=y

#
# Sound
#
CONFIG_SOUND=y

#
# Advanced Linux Sound Architecture
#
# CONFIG_SND is not set

#
# Open Sound System
#
CONFIG_SOUND_PRIME=y
# CONFIG_SOUND_BT878 is not set
# CONFIG_SOUND_CMPCI is not set
# CONFIG_SOUND_EMU10K1 is not set
# CONFIG_SOUND_FUSION is not set
# CONFIG_SOUND_CS4281 is not set
# CONFIG_SOUND_ES1370 is not set
# CONFIG_SOUND_ES1371 is not set
# CONFIG_SOUND_ESSSOLO1 is not set
# CONFIG_SOUND_MAESTRO is not set
# CONFIG_SOUND_MAESTRO3 is not set
CONFIG_SOUND_ICH=y
# CONFIG_SOUND_SONICVIBES is not set
# CONFIG_SOUND_TRIDENT is not set
# CONFIG_SOUND_MSNDCLAS is not set
# CONFIG_SOUND_MSNDPIN is not set
# CONFIG_SOUND_VIA82CXXX is not set
# CONFIG_SOUND_OSS is not set
# CONFIG_SOUND_ALI5455 is not set
# CONFIG_SOUND_FORTE is not set
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
# CONFIG_SOUND_RME96XX is not set
# CONFIG_SOUND_AD1980 is not set

#
# USB support
#
CONFIG_USB=y
# CONFIG_USB_DEBUG is not set

#
# Miscellaneous USB options
#
CONFIG_USB_DEVICEFS=y
CONFIG_USB_BANDWIDTH=y
# CONFIG_USB_DYNAMIC_MINORS is not set

#
# USB Host Controller Drivers
#
CONFIG_USB_EHCI_HCD=y
# CONFIG_USB_OHCI_HCD is not set
CONFIG_USB_UHCI_HCD=y

#
# USB Device Class drivers
#
# CONFIG_USB_AUDIO is not set

#
# USB Bluetooth TTY can only be used with disabled Bluetooth subsystem
#
# CONFIG_USB_MIDI is not set
# CONFIG_USB_ACM is not set
# CONFIG_USB_PRINTER is not set
CONFIG_USB_STORAGE=m
# CONFIG_USB_STORAGE_DEBUG is not set
# CONFIG_USB_STORAGE_DATAFAB is not set
# CONFIG_USB_STORAGE_FREECOM is not set
# CONFIG_USB_STORAGE_ISD200 is not set
# CONFIG_USB_STORAGE_DPCM is not set
# CONFIG_USB_STORAGE_HP8200e is not set
# CONFIG_USB_STORAGE_SDDR09 is not set
# CONFIG_USB_STORAGE_SDDR55 is not set
# CONFIG_USB_STORAGE_JUMPHOT is not set

#
# USB Human Interface Devices (HID)
#
CONFIG_USB_HID=y
CONFIG_USB_HIDINPUT=y
# CONFIG_HID_FF is not set
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0. 30

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
# CONFIG_USB_HIDDEV is not set
# CONFIG_USB_AIPTEK is not set
# CONFIG_USB_WACOM is not set
# CONFIG_USB_KBTAB is not set
# CONFIG_USB_POWERMATE is not set
# CONFIG_USB_XPAD is not set

#
# USB Imaging devices
#
# CONFIG_USB_MDC800 is not set
# CONFIG_USB_SCANNER is not set
# CONFIG_USB_MICROTEK is not set
# CONFIG_USB_HPUSBSCSI is not set

#
# USB Multimedia devices
#
# CONFIG_USB_DABUSB is not set

#
# Video4Linux support is needed for USB Multimedia device support
#

#
# USB Network adaptors
#
# CONFIG_USB_CATC is not set
# CONFIG_USB_KAWETH is not set
# CONFIG_USB_PEGASUS is not set
# CONFIG_USB_RTL8150 is not set
# CONFIG_USB_USBNET is not set

#
# USB port drivers
#

#
# USB Serial Converter support
#
# CONFIG_USB_SERIAL is not set

#
# USB Miscellaneous drivers
#
# CONFIG_USB_TIGL is not set
# CONFIG_USB_AUERSWALD is not set
# CONFIG_USB_RIO500 is not set
# CONFIG_USB_BRLVGER is not set
# CONFIG_USB_LCD is not set
# CONFIG_USB_TEST is not set
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
# CONFIG_USB_GADGET is not set

#
# File systems
#
CONFIG_EXT2_FS=y
CONFIG_EXT2_FS_XATTR=y
# CONFIG_EXT2_FS_POSIX_ACL is not set
# CONFIG_EXT2_FS_SECURITY is not set
CONFIG_EXT3_FS=m
CONFIG_EXT3_FS_XATTR=y
CONFIG_EXT3_FS_POSIX_ACL=y
# CONFIG_EXT3_FS_SECURITY is not set
CONFIG_JBD=m
# CONFIG_JBD_DEBUG is not set
CONFIG_FS_MBCACHE=y
CONFIG_REISERFS_FS=y
# CONFIG_REISERFS_CHECK is not set
# CONFIG_REISERFS_PROC_INFO is not set
# CONFIG_JFS_FS is not set
CONFIG_FS_POSIX_ACL=y
# CONFIG_XFS_FS is not set
# CONFIG_MINIX_FS is not set
# CONFIG_ROMFS_FS is not set
# CONFIG_QUOTA is not set
# CONFIG_AUTOFS_FS is not set
# CONFIG_AUTOFS4_FS is not set

#
# CD-ROM/DVD Filesystems
#
CONFIG_ISO9660_FS=y
CONFIG_JOLIET=y
# CONFIG_ZISOFS is not set
# CONFIG_UDF_FS is not set

#
# DOS/FAT/NT Filesystems
#
CONFIG_FAT_FS=y
# CONFIG_MSDOS_FS is not set
CONFIG_VFAT_FS=y
CONFIG_NTFS_FS=y
# CONFIG_NTFS_DEBUG is not set
# CONFIG_NTFS_RW is not set

#
# Pseudo filesystems
#
CONFIG_PROC_FS=y
CONFIG_PROC_KCORE=y
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
# CONFIG_DEVFS_FS is not set
CONFIG_DEVPTS_FS=y
# CONFIG_DEVPTS_FS_XATTR is not set
CONFIG_TMPFS=y
# CONFIG_HUGETLBFS is not set
# CONFIG_HUGETLB_PAGE is not set
CONFIG_RAMFS=y

#
# Miscellaneous filesystems
#
# CONFIG_ADFS_FS is not set
# CONFIG_AFFS_FS is not set
# CONFIG_HFS_FS is not set
# CONFIG_BEFS_FS is not set
# CONFIG_BFS_FS is not set
# CONFIG_EFS_FS is not set
# CONFIG_CRAMFS is not set
# CONFIG_VXFS_FS is not set
# CONFIG_HPFS_FS is not set
# CONFIG_QNX4FS_FS is not set
# CONFIG_SYSV_FS is not set
# CONFIG_UFS_FS is not set

#
# Network File Systems
#
CONFIG_NFS_FS=y
# CONFIG_NFS_V3 is not set
# CONFIG_NFS_V4 is not set
# CONFIG_NFS_DIRECTIO is not set
CONFIG_NFSD=y
# CONFIG_NFSD_V3 is not set
# CONFIG_NFSD_TCP is not set
CONFIG_LOCKD=y
CONFIG_EXPORTFS=y
CONFIG_SUNRPC=y
# CONFIG_SUNRPC_GSS is not set
CONFIG_SMB_FS=m
# CONFIG_SMB_NLS_DEFAULT is not set
# CONFIG_CIFS is not set
# CONFIG_NCP_FS is not set
# CONFIG_CODA_FS is not set
# CONFIG_INTERMEZZO_FS is not set
# CONFIG_AFS_FS is not set

#
# Partition Types
#
# CONFIG_PARTITION_ADVANCED is not set
CONFIG_MSDOS_PARTITION=y
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux–Kernel: 2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
#
# Native Language Support
#
CONFIG_NLS=y
CONFIG_NLS_DEFAULT="iso8859-1"
CONFIG_NLS_CODEPAGE_437=y
# CONFIG_NLS_CODEPAGE_737 is not set
# CONFIG_NLS_CODEPAGE_775 is not set
# CONFIG_NLS_CODEPAGE_850 is not set
CONFIG_NLS_CODEPAGE_852=y
# CONFIG_NLS_CODEPAGE_855 is not set
# CONFIG_NLS_CODEPAGE_857 is not set
# CONFIG_NLS_CODEPAGE_860 is not set
# CONFIG_NLS_CODEPAGE_861 is not set
# CONFIG_NLS_CODEPAGE_862 is not set
# CONFIG_NLS_CODEPAGE_863 is not set
# CONFIG_NLS_CODEPAGE_864 is not set
# CONFIG_NLS_CODEPAGE_865 is not set
# CONFIG_NLS_CODEPAGE_866 is not set
# CONFIG_NLS_CODEPAGE_869 is not set
# CONFIG_NLS_CODEPAGE_936 is not set
# CONFIG_NLS_CODEPAGE_950 is not set
# CONFIG_NLS_CODEPAGE_932 is not set
# CONFIG_NLS_CODEPAGE_949 is not set
# CONFIG_NLS_CODEPAGE_874 is not set
# CONFIG_NLS_ISO8859_8 is not set
# CONFIG_NLS_CODEPAGE_1250 is not set
# CONFIG_NLS_CODEPAGE_1251 is not set
CONFIG_NLS_ISO8859_1=y
CONFIG_NLS_ISO8859_2=y
# CONFIG_NLS_ISO8859_3 is not set
# CONFIG_NLS_ISO8859_4 is not set
# CONFIG_NLS_ISO8859_5 is not set
# CONFIG_NLS_ISO8859_6 is not set
# CONFIG_NLS_ISO8859_7 is not set
# CONFIG_NLS_ISO8859_9 is not set
# CONFIG_NLS_ISO8859_13 is not set
# CONFIG_NLS_ISO8859_14 is not set
# CONFIG_NLS_ISO8859_15 is not set
# CONFIG_NLS_KOI8_R is not set
# CONFIG_NLS_KOI8_U is not set
# CONFIG_NLS_UTF8 is not set

#
# Profiling support
#
# CONFIG_PROFILING is not set

#
# Kernel hacking
#
```

2.6.0–test9–mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

Linux-Kernel: 2.6.0-test9-mm1: The hardware reports a non fatal, correctable incident occurred on CPU 0.

```
# CONFIG_DEBUG_KERNEL is not set
CONFIG_DEBUG_SPINLOCK_SLEEP=y
CONFIG_FRAME_POINTER=y
CONFIG_X86_EXTRA_IRQS=y
CONFIG_X86_FIND_SMP_CONFIG=y
CONFIG_X86_MPPARSE=y

#
# Security options
#
CONFIG_SECURITY=y
# CONFIG_SECURITY_NETWORK is not set
# CONFIG_SECURITY_CAPABILITIES is not set
# CONFIG_SECURITY_ROOTPLUG is not set
# CONFIG_SECURITY_SELINUX is not set

#
# Cryptographic options
#
# CONFIG_CRYPTO is not set

#
# Library routines
#
# CONFIG_CRC32 is not set
CONFIG_ZLIB_INFLATE=y
CONFIG_ZLIB_DEFLATE=y
CONFIG_X86_BIOS_REBOOT=y
CONFIG_PC=y
```

-

To unsubscribe from this list: send the line "unsubscribe linux-kernel" in the body of a message to majordomo@vger.kernel.org
More majordomo info at <http://vger.kernel.org/majordomo-info.html>
Please read the FAQ at <http://www.tux.org/lkml/>