

[PATCH 2.6.9-rc2-mm4 cmipci.c] [8/8] Replace pci_find_device with pci_dev_present

Source: <http://linux.derkeiler.com/Mailing-Lists/Kernel/2004-09/8940.html>

From: Hanna Linder (hannal_at_us.ibm.com)

Date: 09/30/04

Date: Wed, 29 Sep 2004 17:08:17 -0700

To: linux-kernel@vger.kernel.org

The pci_find_device function is going away so I have replace it with pci_dev_present. I also just used the macros it should have been using in the first place. I have compile tested it.

Hanna Linder
IBM Linux Technology Center

Signed-off-by: Hanna Linder <hannal@us.ibm.com>

```
diff -Nrup linux-2.6.9-rc2-mm4cln/sound/pci/cmipci.c linux-2.6.9-rc2-mm4patch2/sound/pci/cmipci.c
--- linux-2.6.9-rc2-mm4cln/sound/pci/cmipci.c      2004-09-12 22:32:55.000000000 -0700
+++ linux-2.6.9-rc2-mm4patch2/sound/pci/cmipci.c   2004-09-29 16:32:30.000000000 -0700
@@ -2573,6 +2573,10 @@ static int __devinit snd_cmipci_create(s
     long iomidi = mpu_port[dev];
     long iosynth = fm_port[dev];
     int pcm_index, pcm_spdif_index;
+
+   static struct pci_device_id intel_82437vx[] = {
+       { PCI_DEVICE(PCI_VENDOR_ID_INTEL, PCI_DEVICE_ID_INTEL_82437VX) },
+       { },
+   };
+
     *rcmipci = NULL;

@@ -2648,8 +2652,7 @@ static int __devinit snd_cmipci_create(s
     switch (pci->device) {
     case PCI_DEVICE_ID_CMEDIA_CM8738:
     case PCI_DEVICE_ID_CMEDIA_CM8738B:
-        /* PCI_VENDOR_ID_INTEL, PCI_DEVICE_ID_INTEL_82437VX */
-        if (!pci_find_device(0x8086, 0x7030, NULL))
+        if (!pci_dev_present(intel_82437vx))
             snd_cmipci_set_bit(cm, CM_REG_MISC_CTRL, CM_TXVX);
         break;
     default:
-

```

To unsubscribe from this list: send the line "unsubscribe linux-kernel" in the body of a message to majordomo@vger.kernel.org

More majordomo info at <http://vger.kernel.org/majordomo-info.html>

Please read the FAQ at <http://www.tux.org/lkml/>