

[PATCH 504] smp_lock.h: Avoid recursive include

Source: <http://linux.derkeiler.com/Mailing-Lists/Kernel/2004-10/10229.html>

From: Geert Uytterhoeven (geert_at_linux-m68k.org)

Date: 10/31/04

Date: Sun, 31 Oct 2004 11:03:39 +0100

To: Linus Torvalds <torvalds@osdl.org>, Andrew Morton <akpm@osdl.org>

smp_lock.h: Avoid recursive include

Signed-off-by: Roman Zippel <zippel@linux-m68k.org>

Signed-off-by: Geert Uytterhoeven <geert@linux-m68k.org>

```
--- linux-2.6.10-rc1/include/linux/smp_lock.h 2004-04-28 15:47:31.000000000 +0200
+++ linux-m68k-2.6.10-rc1/include/linux/smp_lock.h 2004-10-20 22:24:05.000000000 +0200
@@ -2,7 +2,6 @@
#define __LINUX_SMPLOCK_H
```

```
#include <linux/config.h>
-#include <linux/sched.h>
#include <linux/spinlock.h>
```

```
#if defined(CONFIG_SMP) || defined(CONFIG_PREEMPT)
```

```
Gr{oetje,eeting}s,
```

Geert

--

Geert Uytterhoeven -- There's lots of Linux beyond ia32 -- geert@linux-m68k.org
In personal conversations with technical people, I call myself a hacker. But
when I'm talking to journalists I just say "programmer" or something like that.
-- Linus Torvalds

-

To unsubscribe from this list: send the line "unsubscribe linux-kernel" in
the body of a message to majordomo@vger.kernel.org

More majordomo info at <http://vger.kernel.org/majordomo-info.html>

Please read the FAQ at <http://www.tux.org/lkml/>