

## [PATCH 0/6] Replacing pci\_module\_init() with pci\_register\_driver()

*Source:* <http://linux.derkeiler.com/Mailing-Lists/Kernel/2005-11/9557.html>

---

**From:** Richard Knutsson (*ricknu-0\_at\_student.ltu.se*)

**Date:** 11/30/05

Date: Wed, 30 Nov 2005 00:57:18 +0100 (MET)  
To: akpm@osdl.org, linux-kernel@vger.kernel.org

Just a serie to replace the obsolete pci\_module\_init() with pci\_register\_driver(). Last patch deletes pci\_module\_init().

Because pci\_module\_init() is implemented as:

```
pci.h:352 #define pci_module_init pci_register_driver
```

the replacment should not effect anything. Just to be sure the serie has been compiled (2.6.15-rc3) with:

```
make allyesconfig
```

```
make
```

without any error (warnings (unrelated) but no errors).

Doing "find . -name \*.chS | xargs grep -n pci\_module\_init" in the patched tree results in:

```
./sound/oss/es1371.c:97: * Use pci_module_init
```

```
./drivers/media/dvb/b2c2/flexcop-pci.c:418:static int __init flexcop_pci_module_init(void)
```

```
./drivers/media/dvb/b2c2/flexcop-pci.c:428:module_init(flexcop_pci_module_init);
```

It is just sent to lkml in hope that the changes are to small and to spread for mailing every maintainer. Will you pick this up Andrew?

Any comment is welcome.

/Richard

-

To unsubscribe from this list: send the line "unsubscribe linux-kernel" in the body of a message to majordomo@vger.kernel.org

More majordomo info at <http://vger.kernel.org/majordomo-info.html>

Please read the FAQ at <http://www.tux.org/lkml/>