

## Re: 2.6.16.19 + gcc-4.1.1

---

*Source:* <http://linux.derkeiler.com/Mailing-Lists/Kernel/2006-06/msg03965.html>

---

- *From:* Willy Tarreau <w@xxxxxx>
  - *Date:* Wed, 14 Jun 2006 06:20:08 +0200
- 

On Wed, Jun 14, 2006 at 12:10:59AM -0400, Brice Goglin wrote:

Avuton Olrich wrote:

On 6/13/06, Russell Whitaker <russ@xxxxxxxxxxxxxxxx> wrote:

Then, after mrproper, rebuilt with gcc-4.1.1, no other changes.  
compiles ok, installs ok. But, when attempting to load a module, get the following message: version magic '2.6.16.19via K6 gcc-4.1', should be '2.6.16.19via 486 gcc-3.3'

You may have forgotten to "make modules modules\_install"

Actually, "make modules" does not exist anymore with 2.6. Both built-in and modular stuff are built at the same time.  
Only "make modules\_install" is still required.

What's this bullshit ?

```
$ grep ^modules: Makefile
modules: $(vmlinux-dirs) $(if $(KBUILD_BUILTIN),vmlinux)
modules: $(module-dirs)
```

Avuton is right, you *\*have\** forgotten to make modules.

Brice

Willy

-

To unsubscribe from this list: send the line "unsubscribe linux-kernel" in

Re: 2.6.16.19 + gcc-4.1.1

the body of a message to majordomo@xxxxxxxxxxxxxxxx

More majordomo info at <http://vger.kernel.org/majordomo-info.html>

Please read the FAQ at <http://www.tux.org/lkml/>