

[PATCH 7/8] Char: moxa, use PCI_DEVICE

Source: <http://linux.derkeiler.com/Mailing-Lists/Kernel/2006-12/msg08062.html>

- *From:* Jiri Slaby <jirislaby@xxxxxxxxxx>
 - *Date:* Sun, 31 Dec 2006 02:05:21 +0100 (CET)
-

moxa, use PCI_DEVICE

Use PCI_DEVICE macro in pci_device_id list.

Signed-off-by: Jiri Slaby <jirislaby@xxxxxxxxxx>

commit 5b7f53b3500ebd3aa2cc25bb68fdcd88af3643c0
tree 8392124992e5eeb1eaa6f652468f1b1caa65dac
parent 9e4d8826dd1dbaa7bb9d520b02da25a5a5cefa13
author Jiri Slaby <jirislaby@xxxxxxxxxx> Sun, 31 Dec 2006 01:56:01 +0059
committer Jiri Slaby <jirislaby@xxxxxxxxxx> Sun, 31 Dec 2006 01:56:01 +0059

drivers/char/moxa.c | 12 ++++++-----
1 files changed, 6 insertions(+), 6 deletions(-)

diff --git a/drivers/char/moxa.c b/drivers/char/moxa.c
index 5c0c0e6..a0eb088 100644
--- a/drivers/char/moxa.c
+++ b/drivers/char/moxa.c
@@ -83,12 +83,12 @@ static char *moxa_brdname[] =

```
#ifdef CONFIG_PCI
static struct pci_device_id moxa_pcibrds[] = {
- { PCI_VENDOR_ID_MOXA, PCI_DEVICE_ID_MOXA_C218, PCI_ANY_ID, PCI_ANY_ID,
- 0, 0, MOXA_BOARD_C218_PCI },
- { PCI_VENDOR_ID_MOXA, PCI_DEVICE_ID_MOXA_C320, PCI_ANY_ID, PCI_ANY_ID,
- 0, 0, MOXA_BOARD_C320_PCI },
- { PCI_VENDOR_ID_MOXA, PCI_DEVICE_ID_MOXA_CP204J, PCI_ANY_ID, PCI_ANY_ID,
- 0, 0, MOXA_BOARD_CP204J },
+ { PCI_DEVICE(PCI_VENDOR_ID_MOXA, PCI_DEVICE_ID_MOXA_C218),
+ .driver_data = MOXA_BOARD_C218_PCI },
+ { PCI_DEVICE(PCI_VENDOR_ID_MOXA, PCI_DEVICE_ID_MOXA_C320),
+ .driver_data = MOXA_BOARD_C320_PCI },
+ { PCI_DEVICE(PCI_VENDOR_ID_MOXA, PCI_DEVICE_ID_MOXA_CP204J),
+ .driver_data = MOXA_BOARD_CP204J },
+ { 0 }
};
MODULE_DEVICE_TABLE(pci, moxa_pcibrds);
```

[PATCH 7/8] Char: moxa, use PCI_DEVICE

—

To unsubscribe from this list: send the line "unsubscribe linux-kernel" in the body of a message to majordomo@xxxxxxxxxxxxxxxxx

More majordomo info at <http://vger.kernel.org/majordomo-info.html>

Please read the FAQ at <http://www.tux.org/lkml/>