

Re: using mail with linux

Source: <http://linux.derkeiler.com/Mailing-Lists/RedHat/2003-08/1658.html>

From: Michael Schwendt (*ms-nospam-0306_at_arcor.de*)

Date: 08/15/03

To: redhat-list@redhat.com

Date: Fri, 15 Aug 2003 23:08:34 +0200

-----BEGIN PGP SIGNED MESSAGE-----

Hash: SHA1

On Fri, 15 Aug 2003 13:52:27 -0700, bruce wrote:

> *a really simple, yet perplexing question....*
>
> *i'm doing mail with linux....*
>
> *i'm in mail, i'm typing my msg....*
> *i want to get out of the msg, and then send it... how????!!!!!!*
>
> *what do i type, what character, etc... to send the msg... i don't know how*
> *to close the msg, or generate an eof..*
>
> *damm frustrating!!!!*

As an alternative to pressing CTRL+D, enter only '.' on a line and press return. It's the SMTP end of message body marker.

-----BEGIN PGP SIGNATURE-----

Version: GnuPG v1.2.2 (GNU/Linux)

iD8DBQE/PUvS0iMVcrivHFQRAsknAJ9sZTf0JtEtbyAd0Z39g/oxmignmQCfXMSd
LS2PkOfdd7O/OylmqcVS8S8=

=BITd

-----END PGP SIGNATURE-----

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@redhat.com?subject=unsubscribe>

<https://www.redhat.com/mailman/listinfo/redhat-list>