

# Variables in /etc/sysconfig ?

**Source:** <http://linux.derkeiler.com/Mailing-Lists/RedHat/2003-12/1216.html>

---

**From:** Harry Hoffman ([hhoffman\\_at\\_ip-solutions.net](mailto:hhoffman_at_ip-solutions.net))

**Date:** 12/28/03

To: Red Hat Support List <[redhat-list@redhat.com](mailto:redhat-list@redhat.com)>

Date: Sun, 28 Dec 2003 17:16:20 -0500

Hi All,

I'm wondering if anyone knows of a published source (excluding the code itself) of all of the variables (and their values) allowed in the /etc/sysconfig directory. I'm seen some articles detailing some options but not many and have read thru a bit of the code to determine other options.

It seems like a nice FAQ would be in order, I would probably be interested in doing so if it's not already done :-)

Thanks,

Harry

--

Harry Hoffman

[hhoffman@ip-solutions.net](mailto:hhoffman@ip-solutions.net)

```
#-----#
# Harry: version 4.0a #
# Known bugs: #
# 1) Verbal output may occur before data processing is complete. #
# 2) Loudspeaker option may activate without being invoked. #
# 3) Other bugs as reported #
#-----#
```

-----  
This mail sent through IpSolutions: <http://www.ip-solutions.net/>

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@redhat.com?subject=unsubscribe>

<https://www.redhat.com/mailman/listinfo/redhat-list>