

RH 9: Boot into BOOT kernel

Source: <http://linux.derkeiler.com/Mailing-Lists/RedHat/2004-04/1065.html>

From: Gabby James (lizard0000092_at_hotmail.com)

Date: 04/30/04

To: redhat-list@redhat.com

Date: Fri, 30 Apr 2004 06:29:31 -0600

Hi,

I am using RH 9. I want to compile modules under the BOOT kernel. How do I boot into the BOOT kernel? With RH 7.1, I just installed the kernel-BOOT RPM and edited my /etc/lilo.conf. That won't work with RH 9.

My current /etc/lilo.conf looks like this:

```
prompt
timeout=50
default=linux
boot=/dev/hda
map=/boot/map
install=/boot/boot.b
message=/boot/message
linear
image=/boot/vmlinuz-2.4.20-6
    label=linux-up
    initrd=/boot/initrd-2.4.20-6.img
    read-only
    append="root=LABEL=/"
```

The file /boot/initrd-2.4.20-6BOOT.img does not exist, so I can't add a section for the BOOT kernel like I used to.

Thanks!

Express yourself with the new version of MSN Messenger! Download today – it's FREE! <http://messenger.msn.com/go/onm00200471ave/direct/01/>

--

redhat-list mailing list
unsubscribe <mailto:redhat-list-request@redhat.com?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>