

## Re: Sorting out of sequence log Apache log file

---

*Source:* <http://linux.derkeiler.com/Mailing-Lists/RedHat/2006-04/msg00457.html>

---

- *From:* "Allen K. Smith" <[lazlor@xxxxxxxxxxxxxxxxxxxx](mailto:lazlor@xxxxxxxxxxxxxxxxxxxx)>
  - *Date:* Wed, 26 Apr 2006 14:05:40 -0700
- 

On Wednesday 26 April 2006 13:26, Chris W. Parker wrote:

Allen K. Smith <<mailto:lazlor@xxxxxxxxxxxxxxxxxxxx>>  
on Wednesday, April 26, 2006 1:20 PM said:

Can you copy a couple of lines in? I was just using a generic apache log as an example, so the field positions may be wrong..

Sure.

```
a.b.c.d -- [14/Feb/2006:00:07:03 -0800] "GET /lib/css/forms.css
HTTP/1.1" 200 1606 "http://www.domain.com/ "Mozilla/4.0 (compatible;
MSIE 6.0; Windows
NT 5.1; SV1; .NET CLR 1.1.4322)"
a.b.c.d -- [14/Feb/2006:00:07:05 -0800] "GET /lib/css/content.css
HTTP/1.1" 200 3828 "http://www.domain.com/ "Mozilla/4.0 (compatible;
MSIE 6.0; Windo
ws NT 5.1; SV1; .NET CLR 1.1.4322)"
```

Thanks,  
Chris.

sort -s -t[ -k 2.4,2.6M -k 2.1,2.2n -k 2.13,2.19n may do it.

I have to RTFM whenever I need to get this working.

[http://www.gnu.org/software/textutils/manual/textutils/html\\_mono/textutils.html#SEC23](http://www.gnu.org/software/textutils/manual/textutils/html_mono/textutils.html#SEC23)

Good luck :-)

-Allen

---

redhat-list mailing list

Re: Sorting out of sequence log Apache log file

[unsubscribe](mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe) <https://www.redhat.com/mailman/listinfo/redhat-list>