

Re: sort

Source: <http://linux.derkeiler.com/Mailing-Lists/RedHat/2006-06/msg00308.html>

- *From:* "Shankar Jha" <shankar.jha@xxxxxxxxxx>
 - *Date:* Thu, 29 Jun 2006 00:28:56 +0530
-

Hi,

```
cat filename; echo -e \n Sorted:- "; cat filename | tail +2 | sort -k2
Shankar RHCE
```

On 6/20/06, vipin sagar <sagar.vipin@xxxxxxxxxx> wrote:

Mr.Sean is correct.

...a litle bit from my side...

```
[vipin@vipin ~]$ grep -v age testsort.txt | awk '{print $2}' | sort -r
```

On 6/19/06, Miner, Jonathan W (CSC) (US SSA)

<jonathan.w.miner@xxxxxxxxxxxxxxxxxx> wrote:

>

>

> -----Original Message-----

> From: redhat-list-bounces@xxxxxxxxxx on behalf of Aimin Yan

> Sent: Sat 06/17/2006 02:23 PM

> To: redhat-list@xxxxxxxxxx

> Cc:

> Subject: sort

>

>

>

> i have a file, I want to sort this file based on the 2nd column,
> and start

> from 1st row.how can

> I do use sort command to do in redhat linux.

> for example, this is file I want to sort

>

>

> name age income

> trorry 34 344

> aimin 36 345

Re: sort

```
> shihe 23 3667
>
> Aimin
>
> -----
>
> Lots of possible answers to this, here is one that preserves the
header line, and the rest of the file contents:
>
> f={filename}
>
> (head -1 $f; awk 'BEGIN {getline} {print $0}' $f | sort -k2 -n)
> $f.new
>
> mv $f.new $f
>
>
>
> This depends on having a single title line in the field, a
better method, in my opinion, is to use the pound sign (#) to mark
comments. The code then becomes:
>
> f={filename}
>
> (grep '^#' $f; grep -v '^#' $f | sort -k2 -n) > $f.new
>
> mv $f.new $f
>
>
>
> Enjoy
>
>
> --
> redhat-list mailing list
> unsubscribe mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe
> https://www.redhat.com/mailman/listinfo/redhat-list
>
>
```

--
~O_0~

~sagar

<http://vipinsagar.be>

...i've to look back when i heard a gong! i could only see a huge
cobweb and its shining, just got wonder, what the time it was&5AgAr

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>

Re: sort

Re: sort

<https://www.redhat.com/mailman/listinfo/redhat-list>

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>

<https://www.redhat.com/mailman/listinfo/redhat-list>