

## Re: access logging for xinetd

---

*Source:* <http://linux.derkeiler.com/Mailing-Lists/RedHat/2006-09/msg00268.html>

---

- *From:* Bill Tangren <[bjt@xxxxxxxxxxxxxxxxxxxx](mailto:bjt@xxxxxxxxxxxxxxxxxxxx)>
  - *Date:* Fri, 22 Sep 2006 17:26:58 -0400
- 

Jay Berryman wrote:

-----Original Message-----

From: [redhat-list-bounces@xxxxxxxxxx](mailto:redhat-list-bounces@xxxxxxxxxx) [<mailto:redhat-list-bounces@xxxxxxxxxx>]

On Behalf Of Bill Tangren

Sent: Friday, September 22, 2006 4:07 PM

To: General Red Hat Linux discussion list

Subject: access logging for xinetd

Could someone point me in the direction of documentation that shows how to do access logging (logging of who is using the services and when) for xinetd services?

Thanks!

Bill Tangren

If you just want to log the connection attempts, you can set a SENSOR trap in the each of the xinetd services with a deny\_time equal to zero. The other thing you can do is to setup each service in /etc/hosts.allow or /etc/hosts.deny and use the twist feature to log connection attempts.

twist feature?

---

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>

<https://www.redhat.com/mailman/listinfo/redhat-list>