

RE: Areas that can be cleared out on Redhat Machine

Source: <http://linux.derkeiler.com/Mailing-Lists/RedHat/2006-10/msg00181.html>

- *From:* "Chris St. Pierre" <stpierre@xxxxxxxxxxxxxxxxxxxx>
 - *Date:* Wed, 25 Oct 2006 07:21:48 -0500 (CDT)
-

From /, you can also run:

```
du -shx *
```

This will take a while, but it will tell you the total size of each root subfolder. Once you figure that, e.g., /usr is taking up most of your space, you can cd into /usr and run it again.

Chris St. Pierre
Unix Systems Administrator
Nebraska Wesleyan University

On Wed, 25 Oct 2006, Gareth Llewellyn wrote:

This will find all files over 500mb:

```
find / -mount -type f -size +1000000 -ls
```

-----Original Message-----

From: redhat-list-bounces@xxxxxxxxxxxx [<mailto:redhat-list-bounces@xxxxxxxxxxxx>] On Behalf Of Andrew.Bridgeman@xxxxxxxxxxxx
Sent: 25 October 2006 09:36
To: General Red Hat Linux discussion list
Subject: RE: Areas that can be cleared out on Redhat Machine

Just checked in /var/spool/mail and i only had one small file in there. Any other ideas?

Regards

Andrew Bridgeman

|+-----+-----|
|| Jay Berryman ||

RE: Areas that can be cleared out on Redhat Machine

This transmission is confidential and must not be used or disclosed by anyone other than the intended recipient. Neither Corus Group Plc nor any of its subsidiaries can accept any responsibility for any use or misuse of the transmission by anyone.

--

redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--

redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--

redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>