

RE: sendmail/ virtual user table

Source: <http://linux.derkeiler.com/Mailing-Lists/RedHat/2006-11/msg00258.html>

- *From:* "Olsson, Mattias" <mattias.olsson@xxxxxxxxxxx>
 - *Date:* Thu, 30 Nov 2006 13:36:20 +0100
-

What distro are you running? Im running SuSE 10.x and RedHat.
I tested your lines in both and it worked...

Sorry man :-)

-----Original Message-----

From: redhat-list-bounces@xxxxxxxxxxx
[<mailto:redhat-list-bounces@xxxxxxxxxxx>] On Behalf Of colin
Sent: den 30 november 2006 12:14
To: redhat-list@xxxxxxxxxxx
Subject: sendmail/ virtual user table

Please can someone advise me on the following :-

I am hosting several virtual domains using sendmail.
I have no problem assigning several addresses to map to a single mailbox.
The problem I am having is when I need to map a single address to multiple mailboxes
for example

dave@xxxxxxxx dave-mbox
peter@xxxxxxxxxxx dave-mbox

if i now want peter@xxxxxxxxxxx to also get mail
i need to add a line like

peter@xxxxxxxxxxx peter-mbox

if i do this I get an error
Starting sendmail: makemap: virtusertable.db: line 155: key
peter@xxxxxxxxxxx: duplicate key
make: *** [virtusertable.db] Error 65

any help will be greatly appreciated

RE: sendmail/ virtual user table

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

RE: sendmail/ virtual user table