

Re: I must be dense....

## Re: I must be dense....

---

*Source:* <http://linux.derkeiler.com/Mailing-Lists/RedHat/2007-07/msg00102.html>

---

- *From:* mark <[m.roth2006@xxxxxxx](mailto:m.roth2006@xxxxxxx)>
  - *Date:* Fri, 20 Jul 2007 07:47:02 -0500
- 

Burke, Thomas G. wrote:

RH9?

Geez, my server is still at 6.3...

Yeah, well, I may upgrade to a box that a friend scored that was being thrown out where he works. I can see that it's got more than 32M of RAM....

mark

-----Original Message-----

From: [redhat-list-bounces@xxxxxxxxxx](mailto:redhat-list-bounces@xxxxxxxxxx)  
[<mailto:redhat-list-bounces@xxxxxxxxxx>] On Behalf Of mark  
Sent: Thursday, July 19, 2007 11:42 PM  
To: General Red Hat Linux discussion list  
Subject: I must be dense....

A few years ago, I set up the box that I use for a firewall/router, running RH9, as my printserver. Well, earlier this year, I had a hard drive crash, and had to rebuild the box. Now I'm trying to set it up again for the same. I

\*must\* be dense, or going senile, but I have yet to figure it out. Do I

- 1) use redhat-config-printer?
- 2) if so, do I tell it local printer, or Unix print server(lpd)?
- 3) if the former, how do I tell CUPS to use it, and advertise it to the

other systems on my network, and to actually pass requests to it to be printed, rather than have them go to nowhere?

- 4) if the latter, do I tell it to use cups, or what?

mark "I'll get back to googling in the morning"

--

redhat-list mailing list  
[unsubscribe <mailto:unsubscribe@xxxxxxxxxx?subject=unsubscribe>](mailto:unsubscribe@xxxxxxxxxx?subject=unsubscribe)  
<https://www.redhat.com/mailman/listinfo/redhat-list>

Re: I must be dense....

Re: I must be dense....

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>

<https://www.redhat.com/mailman/listinfo/redhat-list>