

# apache's rotatelog, solved

---

*Source:* <http://linux.derkeiler.com/Mailing-Lists/RedHat/2007-10/msg00249.html>

---

- *From:* <[m.roth2006@xxxxxxx](mailto:m.roth2006@xxxxxxx)>
  - *Date:* Tue, 23 Oct 2007 17:42:50 -0400 (EDT)
- 

Sorry to have posted, a guy at work had a thought, and the answer was that unlike the man page at the apache website shows, it wants the full, true path (e.g., /usr/local/apache2/bin/rotatelog, not just from where apache's running (bin/rotatelog))

mark

----- Original message -----

Date: Tue, 23 Oct 2007 17:29:21 -0400 (EDT)  
From: <[m.roth2006@xxxxxxx](mailto:m.roth2006@xxxxxxx)>  
Subject: apache's rotatelog  
To: [redhat-list@xxxxxxxxxxx](mailto:redhat-list@xxxxxxxxxxx)

Well, I've been trying to use it. I think I've got the syntax correct, and httpd -t reports syntax ok, but when I try to run it, it complains  
(2)No such file or directory: Couldn't start ErrorLog process  
and that's after I made the directory world-writable.  
The directive is:  
ErrorLog "|bin/rotatelog /path/to/logs/httpd/error\_log1 86400"

I've been googling, and find people asking this question, but no answers.

mark "clues for the poor?"

--  
redhat-list mailing list  
unsubscribe <mailto:redhat-list-request@xxxxxxxxxxx?subject=unsubscribe>  
<https://www.redhat.com/mailman/listinfo/redhat-list>