

RE: RHEL5 section mismatch warnings

Source: <http://linux.derkeiler.com/Mailing-Lists/RedHat/2007-11/msg00276.html>

- *From:* Dr Alan J Bartlett <stxsl_ajb@xxxxxxxxxxxx>
 - *Date:* Tue, 27 Nov 2007 15:46:18 +0000
-

Todd,

I can't answer your questions but I can say that you have not done anything wrong (as far as I can see). I get a similar set of warning messages when rebuilding the equivalent CentOS kernel. I am waiting for 5.1 to be released to see if it is fixed in that update.

Alan.

Date: Mon, 26 Nov 2007 10:49:31 -0800
From: to_dd@xxxxxxxx
To: redhat-list@xxxxxxxx
Subject: RHEL5 section mismatch warnings

Greetings,

When compiling the Redhat Enterprise Linux 5(2.6.18-8.el5) kernel I get numerous `vmlinux - Section mismatch` warnings. Searching on the web I see that these section mismatches are usually corrected by a patch from the developer. When compiling my own modules against this kernel, the same set of warnings is displayed.

Are there any negative side effects related to these warnings?
Can they be safely disregarded?
Is there an Update from Redhat that addresses these warnings?

I have included the steps undertaken to build the kernel below. It s possible that I have made an error there.

Best regards,

RE: RHEL5 section mismatch warnings

Todd

Installed RHEL 5.

```
$ uname -r
2.6.18-8.el5
```

Downloaded the kernel source RPM file from here:

<http://mirrors.kernel.org/redhat/redhat/linux/enterprise/5Server/en/os/SRPMS/kernel-2.6.18-8.el5.src.rpm>

Then issue these commands:

```
rpm -ivh kernel-2.6.18-8.el5.src.rpm
cd /usr/src/redhat/SPECS
rpmbuild -bp --target i686 kernel-2.6.spec
cd
/usr/src/redhat/BUILD/kernel-2.6.18/linux-2.6.18.i686/
make mrproper
make clean
make oldconfig
make all
```

List of section Mismatch warnings:

WARNING: vmlinux - Section mismatch: reference to
.init.data:boot_params from .text between '_text' (at
offset

0xc0400029) and 'startup_32_smp'

WARNING: vmlinux - Section mismatch: reference to
.init.data:boot_params from .text between '_text' (at
offset

0xc0400037) and 'startup_32_smp'

WARNING: vmlinux - Section mismatch: reference to
.init.data:init_pg_tables_end from .text between
'_text' (a

t offset 0xc0400099) and 'startup_32_smp'

WARNING: vmlinux - Section mismatch: reference to
.init.data:new_cpu_data from .text between
'checkCPUtype' (

at offset 0xc0400126) and 'is486'

WARNING: vmlinux - Section mismatch: reference to
.init.data:new_cpu_data from .text between
'checkCPUtype' (

at offset 0xc0400130) and 'is486'

WARNING: vmlinux - Section mismatch: reference to

RE: RHEL5 section mismatch warnings

.init.data:new_cpu_data from .text between
'checkCPUtype' (
at offset 0xc040014f) and 'is486'
WARNING: vmlinux – Section mismatch: reference to
.init.data:new_cpu_data from .text between
'checkCPUtype' (
at offset 0xc0400160) and 'is486'
WARNING: vmlinux – Section mismatch: reference to
.init.data:new_cpu_data from .text between
'checkCPUtype' (
at offset 0xc0400166) and 'is486'
WARNING: vmlinux – Section mismatch: reference to
.init.data:new_cpu_data from .text between
'checkCPUtype' (
at offset 0xc040016c) and 'is486'
WARNING: vmlinux – Section mismatch: reference to
.init.data:new_cpu_data from .text between
'checkCPUtype' (
at offset 0xc0400172) and 'is486'
WARNING: vmlinux – Section mismatch: reference to
.init.data:new_cpu_data from .text between
'checkCPUtype' (
at offset 0xc0400188) and 'is486'
WARNING: vmlinux – Section mismatch: reference to
.init.data:new_cpu_data from .text between
'checkCPUtype' (
at offset 0xc0400192) and 'is486'
WARNING: vmlinux – Section mismatch: reference to
.init.data:new_cpu_data from .text between
'checkCPUtype' (
at offset 0xc040019b) and 'is486'
WARNING: vmlinux – Section mismatch: reference to
.init.data:new_cpu_data from .text between
'checkCPUtype' (
at offset 0xc04001a1) and 'is486'
WARNING: vmlinux – Section mismatch: reference to
.init.data:new_cpu_data from .text between 'check_x87'
(at
offset 0xc0400210) and 'setup_idt'
WARNING: vmlinux – Section mismatch: reference to
.init.data:new_cpu_data from .text between 'check_x87'
(at
offset 0xc040022e) and 'setup_idt'
WARNING: vmlinux – Section mismatch: reference to
.init.text:start_kernel from .text between 'is386' (at
offs
et 0xc040020a) and 'check_x87'
WARNING: vmlinux – Section mismatch: reference to
.init.text:smp_prepare_cpus from .text between 'init'
(at o
ffset 0xc0400300) and 'rest_init'

RE: RHEL5 section mismatch warnings

WARNING: vmlinux – Section mismatch: reference to
.init.text:migration_init from .text between 'init'
(at off
set 0xc0400305) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.text:spawn_ksoftirqd from .text between 'init'
(at of
fset 0xc040030a) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.data: from .text between 'init' (at offset
0xc0400310
) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.text:spawn_softlockup_task from .text between
'init'
(at offset 0xc0400318) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.text:smp_cpus_done from .text between 'init' (at
offs
et 0xc0400381) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.text:sched_init_smp from .text between 'init'
(at off
set 0xc04003ec) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.text:cpuset_init_smp from .text between 'init'
(at of
fset 0xc04003f1) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.text:populate_rootfs from .text between 'init'
(at of
fset 0xc04003f6) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.text:usermodehelper_init from .text between
'init' (a
t offset 0xc0400400) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.text:driver_init from .text between 'init' (at
offset
0xc0400405) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.text:sysctl_init from .text between 'init' (at
offset
0xc040040a) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.data: from .text between 'init' (at offset
0xc040041f
) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.data: from .text between 'init' (at offset
0xc0400458

RE: RHEL5 section mismatch warnings

) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.text:prepare_namespace from .text between 'init'
(at
offset 0xc0400508) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to
.init.text:find_unisys_acpi_oem_table from .text
between 'a
cpi_madt_oem_check' (at offset 0xc0401306) and
'enable_apic_mode'
WARNING: vmlinux – Section mismatch: reference to
.init.text:acpi_get_table_header_early from .text
between '
acpi_madt_oem_check' (at offset 0xc040131c) and
'enable_apic_mode'
WARNING: vmlinux – Section mismatch: reference to
.init.text:parse_unisys_oem from .text between
'acpi_madt_o
em_check' (at offset 0xc040135a) and
'enable_apic_mode'
WARNING: vmlinux – Section mismatch: reference to
.init.text:setup_unisys from .text between
'acpi_madt_oem_c
heck' (at offset 0xc0401363) and 'enable_apic_mode'
WARNING: vmlinux – Section mismatch: reference to
.init.text:parse_unisys_oem from .text between
'mps_oem_che
ck' (at offset 0xc04012f3) and 'acpi_madt_oem_check'
WARNING: vmlinux – Section mismatch: reference to
.init.text:es7000_sw_apic from .text between
'enable_apic_m
ode' (at offset 0xc0401374) and 'check_apicid_present'
WARNING: vmlinux – Section mismatch: reference to
.init.text:efi_set_rtc_mmss from .text between
'sync_cmos_c
lock' (at offset 0xc0407351) and 'get_cmos_time'
WARNING: vmlinux – Section mismatch: reference to
.init.text:efi_get_time from .text between
'get_cmos_time'
(at offset 0xc040753f) and 'timer_suspend'
WARNING: vmlinux – Section mismatch: reference to
.init.text:noirqdebug_setup from .text between
'quirk_intel
_irqbalance' (at offset 0xc0409312) and
'i8237A_suspend'
WARNING: vmlinux – Section mismatch: reference to
.init.text:sysenter_setup from .text between
'identify_cpu'
(at offset 0xc040a384) and 'detect_ht'
WARNING: vmlinux – Section mismatch: reference to
.init.text:__alloc_bootmem from .text between

RE: RHEL5 section mismatch warnings

'cpu_init' (at offset 0xc040a67c) and 'c_start'
WARNING: vmlinux – Section mismatch: reference to .init.text:mtrr_bp_init from .text between 'identify_cpu' (at offset 0xc040a392) and 'detect_ht'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .text between 'cyrix_identify' (at offset 0xc040ac0e) and 'centaur_size_cache'
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'write_new_vid' (at offset 0xc040e53a) and 'decrease_vid_code_by_step'
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'write_new_fid' (at offset 0xc040e6b5) and 'powernowk8_verify'
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'powernowk8_init' (at offset 0xc040e817) and 'powernowk8_target'
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'powernowk8_target' (at offset 0xc040e97d) and 'powernowk8_get'
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'powernowk8_target' (at offset 0xc040eb17) and 'powernowk8_get'
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'powernowk8_target' (at offset 0xc040ebce) and 'powernowk8_get'
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'powernowk8_target' (at offset 0xc040ec35) and 'powernowk8_get'
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'powernowk8_target' (at offset 0xc040edc9) and 'powernowk8_get'
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'powernowk8_target' (at offset 0xc040f007) and 'powernowk8_get'
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'powernowk8_cpu_init' (at offset 0xc040fb3d) and 'longrun_set_policy'
WARNING: vmlinux – Section mismatch: reference to

RE: RHEL5 section mismatch warnings

.init.data: from .text between 'powernowk8_cpu_init'
(at of
fset 0xc040fcbb) and 'longrun_set_policy'
WARNING: vmlinux – Section mismatch: reference to
.init.data:acpi_sci_flags from .text between
'acpi_sci_ioap
ic_setup' (at offset 0xc041203f) and
'acpi_register_gsi'
WARNING: vmlinux – Section mismatch: reference to
.init.data:acpi_sci_flags from .text between
'acpi_sci_ioap
ic_setup' (at offset 0xc041205b) and
'acpi_register_gsi'
WARNING: vmlinux – Section mismatch: reference to
.init.text:mp_override_legacy_irq from .text between
'acpi_
sci_ioapic_setup' (at offset 0xc0412073) and
'acpi_register_gsi'
WARNING: vmlinux – Section mismatch: reference to
.init.data:acpi_sci_override_gsi from .text between
'acpi_s
ci_ioapic_setup' (at offset 0xc0412079) and
'acpi_register_gsi'
WARNING: vmlinux – Section mismatch: reference to
.init.data: from .text between 'start_secondary' (at
offset
0xc0416642) and 'cpu_exit_clear'
WARNING: vmlinux – Section mismatch: reference to
.init.data: from .text between 'start_secondary' (at
offset
0xc041664f) and 'cpu_exit_clear'
WARNING: vmlinux – Section mismatch: reference to
.init.data: from .text between 'start_secondary' (at
offset
0xc041665e) and 'cpu_exit_clear'
WARNING: vmlinux – Section mismatch: reference to
.init.data: from .text between 'start_secondary' (at
offset
0xc041667d) and 'cpu_exit_clear'
WARNING: vmlinux – Section mismatch: reference to
.init.data: from .text between 'start_secondary' (at
offset
0xc0416684) and 'cpu_exit_clear'
WARNING: vmlinux – Section mismatch: reference to
.init.data: from .text between 'start_secondary' (at
offset
0xc0416698) and 'cpu_exit_clear'
WARNING: vmlinux – Section mismatch: reference to
.init.data: from .text between 'start_secondary' (at
offset
0xc04166a7) and 'cpu_exit_clear'

RE: RHEL5 section mismatch warnings

WARNING: vmlinux – Section mismatch: reference to
.init.data: from .text between 'MP_processor_info' (at
offs

et 0xc0416cbc) and 'mp_register_lapic'

WARNING: vmlinux – Section mismatch: reference to
.init.data: maxcpus from .text between

'MP_processor_info' (

at offset 0xc0416d4b) and 'mp_register_lapic'

WARNING: vmlinux – Section mismatch: reference to
.init.text: from .text between 'online_page' (at
offset 0xc

041ae63) and 'free_init_pages'

WARNING: vmlinux – Section mismatch: reference to
.init.text: __init_begin from .text between

'free_initmem' (

at offset 0xc041af1c) and 'mark_rodata_ro'

WARNING: vmlinux – Section mismatch: reference to
.init.text: _sinittext from .text between

'core_kernel_text'

(at offset 0xc04334fa) and 'kernel_text_address'

WARNING: vmlinux – Section mismatch: reference to
.init.text: _einittext from .text between

'core_kernel_text'

(at offset 0xc0433503) and 'kernel_text_address'

WARNING: vmlinux – Section mismatch: reference to
.init.text: _sinittext from .text between

'kallsyms_lookup'

(at offset 0xc043e438) and '__print_symbol'

WARNING: vmlinux – Section mismatch: reference to
.init.text: _einittext from .text between

'kallsyms_lookup'

(at offset 0xc043e444) and '__print_symbol'

WARNING: vmlinux – Section mismatch: reference to
.init.text: _sinittext from .text between

'kallsyms_lookup'

(at offset 0xc043e4d9) and '__print_symbol'

WARNING: vmlinux – Section mismatch: reference to
.init.text: _einittext from .text between

'kallsyms_lookup'

(at offset 0xc043e4e0) and '__print_symbol'

WARNING: vmlinux – Section mismatch: reference to
.init.data: initkmem_list3 from .text between

'set_up_list3s

' (at offset 0xc04668d6) and 's_start'

WARNING: vmlinux – Section mismatch: reference to
.init.text: __alloc_bootmem from .text between

'vgacon_start

up' (at offset 0xc04f31e7) and 'vgacon_scrolldelta'

WARNING: vmlinux – Section mismatch: reference to
.init.data: logo_linux_clut224 from .text between

'fb_find_l

RE: RHEL5 section mismatch warnings

ogo' (at offset 0xc04fbabc) and
'acpi_table_compute_checksum'
WARNING: vmlinux – Section mismatch: reference to
.init.text:uart_parse_options from .text between
'serial825
0_console_setup' (at offset 0xc053f09e) and
'serial8250_request_rsa_resource'
WARNING: vmlinux – Section mismatch: reference to
.init.text:uart_set_options from .text between
'serial8250_
console_setup' (at offset 0xc053f0b8) and
'serial8250_request_rsa_resource'
WARNING: vmlinux – Section mismatch: reference to
.init.data:acpi_noirq from .text between
'pcibios_penalize_
isa_irq' (at offset 0xc0599854) and
'pirq_serverworks_get'
WARNING: vmlinux – Section mismatch: reference to
.init.data:acpi_noirq from .text between
'pcibios_setup' (a
t offset 0xc0599f01) and '__restore_processor_state'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_INTELPCI_DEVICE_ID_INTEL_82454NXquirk_disable_pxb'
(at offset 0xc0649ae0) and '__pci_fixup_PCI_VENDOR_ID_
CYRIXPCI_DEVICE_ID_CYRIX_PCI_MASTERquirk_mediagx_master'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_CYRIXPCI_DEVICE_ID_CYRIX_PCI_MASTERquirk_mediagx_master'
(at offset 0xc0649ae8) and '__pci_fixup_PCI_VEND
OR_ID_AMDPCI_DEVICE_ID_AMD_FE_GATE_700Cquirk_amd_ordering'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_SERVERWORKSPCI_DEVICE_ID_SERVERWORKS_GCNB_LEquirk_svw_msi'
(at offset 0xc0649b00) and '__pci_fixup_PCI_VE
NDOR_ID_AMDPCI_DEVICE_ID_AMD_8131_BRIDGEquirk_amd_8131_ioapic'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_AMDPCI_DEVICE_ID_AMD_8131_BRIDGEquirk_amd_8131_ioapic'
(at offset 0xc0649b08) and '__pci_fixup_PCI_VENDOR
_ID_SIPCI_ANY_IDquirk_ioapic_rmw'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_SIPCI_ANY_IDquirk_ioapic_rmw' (at offset
0xc0649b10) and
'__pci_fixup_PCI_VENDOR_ID_AMDPCI_DEVICE_ID_AMD_

RE: RHEL5 section mismatch warnings

VIPER_7410quirk_amd_ioapic'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_ALPCI_DEVICE_ID_AL_M1651quirk_alimagik' (at offset
0xc0649b68) and '__pci_fixup_PCI_VENDOR_ID_ALPCI_DEVIC
E_ID_AL_M1647quirk_alimagik'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_ALPCI_DEVICE_ID_AL_M1647quirk_alimagik' (at offset
0xc0649b70) and '__pci_fixup_PCI_VENDOR_ID_VIAPCI_DEVI
CE_ID_VIA_82C576quirk_vsfx'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_INTELPID_DEVICE_ID_INTEL_EESSCquirk_alder_ioapic'
(at offset 0xc06497e8) and
'__pci_fixup_PCI_VENDOR_ID_A
TIPCI_DEVICE_ID_ATI_IXP600_SATAquirk_sb600_sata'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_SIPCI_DEVICE_ID_SI_LPCquirk_sis_96x_smbus' (at
offset 0xc06497f8) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DE
VICE_ID_SI_963quirk_sis_96x_smbus'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_SIPCI_DEVICE_ID_SI_963quirk_sis_96x_smbus' (at
offset 0xc0649800) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DE
VICE_ID_SI_962quirk_sis_96x_smbus'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_SIPCI_DEVICE_ID_SI_962quirk_sis_96x_smbus' (at
offset 0xc0649808) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DE
VICE_ID_SI_961quirk_sis_96x_smbus'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_SIPCI_DEVICE_ID_SI_961quirk_sis_96x_smbus' (at
offset 0xc0649810) and
'__pci_fixup_PCI_VENDOR_ID_VIAPCI_D
EVICE_ID_VIA_8237asus_hides_ac97_lpc'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR

RE: RHEL5 section mismatch warnings

__ID_VIAPCI_DEVICE_ID_VIA_8237asus_hides_ac97_lpc' (at offset 0xc0649818) and
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_503quirk_sis_503'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci_fixup between
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_503quirk_sis_503' (at offset 0xc0649820) and
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_735quirk_sis_96x_compatible'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci_fixup between
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_735quirk_sis_96x_compatible' (at offset 0xc0649828) and
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_651quirk_sis_96x_compatible'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci_fixup between
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_651quirk_sis_96x_compatible' (at offset 0xc0649830) and
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_650quirk_sis_96x_compatible'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci_fixup between
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_650quirk_sis_96x_compatible' (at offset 0xc0649838) and
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_648quirk_sis_96x_compatible'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci_fixup between
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_648quirk_sis_96x_compatible' (at offset 0xc0649840) and
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_646quirk_sis_96x_compatible'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci_fixup between
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_646quirk_sis_96x_compatible' (at offset 0xc0649848) and
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_645quirk_sis_96x_compatible'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci_fixup between
__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_645quirk_sis_96x_compatible' (at offset 0xc0649850) and

RE: RHEL5 section mismatch warnings

'__pci_fixup_PCI_VENDOR_ID_VIA
PCI_DEVICE_ID_VIA_8237k8t_sound_hostbridge'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_VIAPCI_DEVICE_ID_VIA_8237k8t_sound_hostbridge' (at
offset 0xc0649858) and '__pci_fixup_PCI_VENDOR_ID_INTE
LPCI_DEVICE_ID_INTEL_82375quirk_eisa_bridge'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_INTELPID_DEVICE_ID_INTEL_82375quirk_eisa_bridge'
(at offset 0xc0649860) and
'__pci_fixup_PCI_VENDOR_ID_IN
TELPCI_DEVICE_ID_INTEL_82801CA_10quirk_ide_samemode'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_INTELPID_DEVICE_ID_INTEL_82801CA_10quirk_ide_samemode'
(at offset 0xc0649868) and '__pci_fixup_PCI_VENDOR
_ID_SERVERWORKSPID_DEVICE_ID_SERVERWORKS_CSB5IDEquirk_svwks_csb5ide'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR
_ID_NVIDIAPID_DEVICE_ID_NVIDIA_NFORCE2pci_fixup_nforce2'
(at offset 0xc0649968) and '__pci_fixup_PCI_VENDOR_I
D_INTELPID_ANY_IDpci_fixup_transparent_bridge'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .data between 'apic_summit' (at
offset 0xc
0661cc4) and 'apic_bigsmpt'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .data between 'apic_bigsmpt' (at
offset 0xc
0661d64) and 'cpu.4379'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .data between 'apic_es7000' (at
offset 0xc
0661e04) and 'apic_default'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .data between 'apic_default' (at
offset 0x
c0661ea4) and 'interrupt'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4000) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4004) and '__smp_locks_end'

RE: RHEL5 section mismatch warnings

WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4008) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d40bc) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d40c0) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d40d8) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d40dc) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d410c) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4110) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4114) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4118) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d411c) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4120) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4124) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin

RE: RHEL5 section mismatch warnings

' (at offset 0xc06d4128) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
 '__smp_alt_begin
' (at offset 0xc06d412c) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
 '__smp_alt_begin
' (at offset 0xc06d4130) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
 '__smp_alt_begin
' (at offset 0xc06d4134) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
 '__smp_alt_begin
' (at offset 0xc06d4138) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
 '__smp_alt_begin
' (at offset 0xc06d413c) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
 '__smp_alt_begin
' (at offset 0xc06d4140) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
 '__smp_alt_begin
' (at offset 0xc06d4144) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
 '__smp_alt_begin
' (at offset 0xc06d4148) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
 '__smp_alt_begin
' (at offset 0xc06d414c) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
 '__smp_alt_begin
' (at offset 0xc06d4150) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
 '__smp_alt_begin
' (at offset 0xc06d4154) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
 '__smp_alt_begin
' (at offset 0xc06d4158) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between

RE: RHEL5 section mismatch warnings

'__smp_alt_begin
(at offset 0xc06d415c) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
(at offset 0xc06d4184) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
(at offset 0xc06d41e0) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
(at offset 0xc06d41e4) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
(at offset 0xc06d41e8) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
(at offset 0xc06d41ec) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
(at offset 0xc06d41f0) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
(at offset 0xc06d41f4) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
(at offset 0xc06d41f8) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
(at offset 0xc06d41fc) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
(at offset 0xc06d4200) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
(at offset 0xc06d4204) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
(at offset 0xc06d4208) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to

RE: RHEL5 section mismatch warnings

.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d420c) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4210) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4214) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4218) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d421c) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4220) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4224) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4228) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d422c) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4230) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4234) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d4238) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset 0xc06d423c) and '__smp_locks_end'

RE: RHEL5 section mismatch warnings

WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
__smp_alt_begin
' (at offset 0xc06d4240) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
__smp_alt_begin
' (at offset 0xc06d4244) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
__smp_alt_begin
' (at offset 0xc06d4248) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
__smp_alt_begin
' (at offset 0xc06d42c8) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
__smp_alt_begin
' (at offset 0xc06d42cc) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
__smp_alt_begin
' (at offset 0xc06d42d0) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
__smp_alt_begin
' (at offset 0xc06d42dc) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
__smp_alt_begin
' (at offset 0xc06d42e8) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
__smp_alt_begin
' (at offset
0xc06d42fc) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
__smp_alt_begin
' (at offset
0xc06d4300) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
__smp_alt_begin
' (at offset
0xc06d431c) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
__smp_alt_begin
' (at offset

RE: RHEL5 section mismatch warnings

0xc06d43b8) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin'
' (at offset
0xc06d46c0) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin'
' (at offset
0xc06d46c4) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin'
' (at offset
0xc06d4a9c) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin'
' (at offset
0xc06d4aa0) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin'
' (at offset
0xc06d4aa4) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin'
' (at offset
0xc06d4b40) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin'
' (at offset
0xc06d5294) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin'
' (at offset
0xc06d5298) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin'
' (at offset
0xc06d5cdc) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin'
' (at offset
0xc06d5ce0) and '__smp_locks_end'

RE: RHEL5 section mismatch warnings

WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset
0xc06d6690) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset
0xc06d6870) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.init.data: from .exit.text between 'powernowk8_exit'
(at o
ffset 0xc070b973) and
'longrun_exit'
WARNING: vmlinux – Section mismatch: reference to
.exit.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset
0xc06d64fc) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to
.exit.text: from .smp_alternatives between
'__smp_alt_begin
' (at offset
0xc06d6a7c) and '__smp_locks_end'
WARNING: drivers/atm/he.o – Section mismatch:
reference to .init.text: from .text between 'he_start'
(at offs
et 0x1f5a) and
'he_service_rbrq'

Be a better sports nut! Let your teams follow you
with Yahoo Mobile. Try it now.
http://mobile.yahoo.com/sports; ylt=At9_qDKvtAbMuh1G1SQtBI7ntAcJ

--
redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

100 s of Music vouchers to be won with MSN Music
<https://www.musicmashup.co.uk>

--
redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>