

RE: How can I fix the kernel warning

Source: <http://linux.derkeiler.com/Mailing-Lists/RedHat/2007-11/msg00296.html>

- *From:* "Geoffrey Rainey" <Geoffrey.Rainey@xxxxxxxxxxx>
 - *Date:* Thu, 29 Nov 2007 11:04:38 +1300
-

That's a pretty tricky question you're asking. I know I'd have to replicate such an Error before I can start looking at fixing it!

-----Original Message-----

From: redhat-list-bounces@xxxxxxxxxxx
[<mailto:redhat-list-bounces@xxxxxxxxxxx>] On Behalf Of Jerry Jiang
Sent: Wednesday, 28 November 2007 6:58 p.m.
To: redhat-list@xxxxxxxxxxx
Subject: How can I fix the kernel warning

Hi, all

with the rhle5 kernel 2.6.18

when I compiled a new module with the current kernel, I got following warnings

How can I fix it?

Building modules, stage 2.

MODPOST

WARNING: vmlinux - Section mismatch: reference to [.init.data:boot_params](#) from [.text](#) between ['_text'](#) (at offset 0x80400029) and ['startup_32_smp'](#)

WARNING: vmlinux - Section mismatch: reference to [.init.data:boot_params](#) from [.text](#) between ['_text'](#) (at offset 0x80400037) and ['startup_32_smp'](#)

WARNING: vmlinux - Section mismatch: reference to [.init.data:init_pg_tables_end](#) from [.text](#) between ['_text'](#) (at offset 0x80400099) and ['startup_32_smp'](#)

WARNING: vmlinux - Section mismatch: reference to [.init.data:new_cpu_data](#) from [.text](#) between ['checkCPUtype'](#) (at offset 0x80400126) and ['is486'](#)

WARNING: vmlinux - Section mismatch: reference to [.init.data:new_cpu_data](#) from [.text](#) between ['checkCPUtype'](#) (at offset 0x80400130) and ['is486'](#)

WARNING: vmlinux - Section mismatch: reference to [.init.data:new_cpu_data](#) from [.text](#) between ['checkCPUtype'](#) (at offset 0x8040014f) and ['is486'](#)

RE: How can I fix the kernel warning

WARNING: vmlinux – Section mismatch: reference to .init.data:new_cpu_data from .text between 'checkCPUtype' (at offset 0x80400160) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new_cpu_data from .text between 'checkCPUtype' (at offset 0x80400166) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new_cpu_data from .text between 'checkCPUtype' (at offset 0x8040016c) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new_cpu_data from .text between 'checkCPUtype' (at offset 0x80400172) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new_cpu_data from .text between 'checkCPUtype' (at offset 0x80400188) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new_cpu_data from .text between 'checkCPUtype' (at offset 0x80400192) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new_cpu_data from .text between 'checkCPUtype' (at offset 0x8040019b) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new_cpu_data from .text between 'checkCPUtype' (at offset 0x804001a1) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new_cpu_data from .text between 'check_x87' (at offset 0x80400210) and 'setup_idt'

WARNING: vmlinux – Section mismatch: reference to .init.data:new_cpu_data from .text between 'check_x87' (at offset 0x8040022e) and 'setup_idt'

WARNING: vmlinux – Section mismatch: reference to .init.text:start_kernel from .text between 'is386' (at offset 0x8040020a) and 'check_x87'

WARNING: vmlinux – Section mismatch: reference to .init.text:smp_prepare_cpus from .text between 'init' (at offset 0x80400300) and 'rest_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:migration_init from .text between 'init' (at offset 0x80400305) and 'rest_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:spawn_ksoftirqd from .text between 'init' (at offset 0x8040030a) and 'rest_init'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'init' (at offset 0x80400310) and 'rest_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:spawn_softlockup_task from .text between 'init' (at offset 0x80400318) and 'rest_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:smp_cpus_done from .text between 'init' (at offset 0x80400381) and 'rest_init'

WARNING: vmlinux – Section mismatch: reference to

RE: How can I fix the kernel warning

.init.text:sched_init_smp from .text between 'init' (at offset 0x804003ec) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to .init.text:cpuset_init_smp from .text between 'init' (at offset 0x804003f1) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to .init.text:populate_rootfs from .text between 'init' (at offset 0x804003f6) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to .init.text:usermodehelper_init from .text between 'init' (at offset 0x80400400) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to .init.text:driver_init from .text between 'init' (at offset 0x80400405) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to .init.text:sysctl_init from .text between 'init' (at offset 0x8040040a) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'init' (at offset 0x8040041f) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'init' (at offset 0x80400458) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to .init.text:prepare_namespace from .text between 'init' (at offset 0x80400508) and 'rest_init'
WARNING: vmlinux – Section mismatch: reference to .init.text:parse_unisys_oem from .text between 'mps_oem_check' (at offset 0x804012f2) and 'acpi_madt_oem_check'
WARNING: vmlinux – Section mismatch: reference to .init.text:find_unisys_acpi_oem_table from .text between 'acpi_madt_oem_check' (at offset 0x80401307) and 'enable_apic_mode'
WARNING: vmlinux – Section mismatch: reference to .init.text:acpi_get_table_header_early from .text between 'acpi_madt_oem_check' (at offset 0x8040131d) and 'enable_apic_mode'
WARNING: vmlinux – Section mismatch: reference to .init.text:parse_unisys_oem from .text between 'acpi_madt_oem_check' (at offset 0x8040135b) and 'enable_apic_mode'
WARNING: vmlinux – Section mismatch: reference to .init.text:setup_unisys from .text between 'acpi_madt_oem_check' (at offset 0x80401364) and 'enable_apic_mode'
WARNING: vmlinux – Section mismatch: reference to .init.text:es7000_sw_apic from .text between 'enable_apic_mode' (at offset 0x80401375) and 'check_apicid_present'
WARNING: vmlinux – Section mismatch: reference to .init.text:efi_set_rtc_mmss from .text between 'sync_cmos_clock' (at offset 0x8040722e) and 'get_cmos_time'
WARNING: vmlinux – Section mismatch: reference to .init.text:efi_get_time from .text between 'get_cmos_time' (at offset 0x8040741c) and 'timer_suspend'
WARNING: vmlinux – Section mismatch: reference to .init.text:noirqdebug_setup from .text between 'quirk_intel_irqbalance' (at offset 0x80409226) and 'i8237A_suspend'
WARNING: vmlinux – Section mismatch: reference to .init.text:sysenter_setup from .text between 'identify_cpu' (at offset

RE: How can I fix the kernel warning

0x8040a262) and 'detect_ht'

WARNING: vmlinux – Section mismatch: reference to
.init.text:mtrr_bp_init from .text between 'identify_cpu' (at offset
0x8040a26c) and 'detect_ht'

WARNING: vmlinux – Section mismatch: reference to
.init.text:__alloc_bootmem from .text between 'cpu_init' (at offset
0x8040a559) and 'c_start'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .text
between 'cyrix_identify' (at offset 0x8040a559) and 'centaur_size_cache'

WARNING: vmlinux – Section mismatch: reference to
.init.data:acpi_sci_flags from .text between 'acpi_sci_ioapic_setup' (at
offset 0x8041203f) and 'acpi_register_gsi'

WARNING: vmlinux – Section mismatch: reference to
.init.data:acpi_sci_flags from .text between 'acpi_sci_ioapic_setup' (at
offset 0x8041205b) and 'acpi_register_gsi'

WARNING: vmlinux – Section mismatch: reference to
.init.text:mp_override_legacy_irq from .text between
'acpi_sci_ioapic_setup' (at offset 0x80412073) and 'acpi_register_gsi'

WARNING: vmlinux – Section mismatch: reference to
.init.data:acpi_sci_override_gsi from .text between
'acpi_sci_ioapic_setup' (at offset 0x80412079) and 'acpi_register_gsi'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text
between 'start_secondary' (at offset 0x804166ae) and 'cpu_exit_clear'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text
between 'start_secondary' (at offset 0x804166bb) and 'cpu_exit_clear'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text
between 'start_secondary' (at offset 0x804166ca) and 'cpu_exit_clear'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text
between 'start_secondary' (at offset 0x804166e9) and 'cpu_exit_clear'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text
between 'start_secondary' (at offset 0x804166f0) and 'cpu_exit_clear'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text
between 'start_secondary' (at offset 0x80416704) and 'cpu_exit_clear'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text
between 'start_secondary' (at offset 0x80416713) and 'cpu_exit_clear'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text
between 'MP_processor_info' (at offset 0x80416bf0) and
'mp_register_lapic'

WARNING: vmlinux – Section mismatch: reference to .init.data:maxcpus
from .text between 'MP_processor_info' (at offset 0x80416c7f) and
'mp_register_lapic'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .text
between 'online_page' (at offset 0x8041ae3f) and 'free_init_pages'

WARNING: vmlinux – Section mismatch: reference to
.init.text:__init_begin from .text between 'free_initmem' (at offset
0x8041aef9) and 'mark_rodata_ro'

WARNING: vmlinux – Section mismatch: reference to .init.text:_sinittext
from .text between 'core_kernel_text' (at offset 0x80433842) and
'kernel_text_address'

WARNING: vmlinux – Section mismatch: reference to .init.text:_einittext
from .text between 'core_kernel_text' (at offset 0x8043384b) and

RE: How can I fix the kernel warning

RE: How can I fix the kernel warning

'kernel_text_address'

WARNING: vmlinux – Section mismatch: reference to .init.text:_sinittext from .text between 'kallsyms_lookup' (at offset 0x8043e74b) and '__print_symbol'

WARNING: vmlinux – Section mismatch: reference to .init.text:_einittext from .text between 'kallsyms_lookup' (at offset 0x8043e752) and '__print_symbol'

WARNING: vmlinux – Section mismatch: reference to .init.data:inittkmem_list3 from .text between 'set_up_list3s' (at offset 0x80464f10) and 's_start'

WARNING: vmlinux – Section mismatch: reference to .init.text:__alloc_bootmem from .text between 'vgacon_startup' (at offset 0x804f8471) and 'vgacon_scrolldelta'

WARNING: vmlinux – Section mismatch: reference to .init.data:logo_linux_clut224 from .text between 'fb_find_logo' (at offset 0x80500d68) and 'acpi_table_compute_checksum'

WARNING: vmlinux – Section mismatch: reference to .init.text:uart_parse_options from .text between 'serial8250_console_setup' (at offset 0x8054444f) and 'size_fifo'

WARNING: vmlinux – Section mismatch: reference to .init.text:uart_set_options from .text between 'serial8250_console_setup' (at offset 0x80544469) and 'size_fifo'

WARNING: vmlinux – Section mismatch: reference to .init.data:acpi_noirq from .text between 'pcibios_penalize_isa_irq' (at offset 0x8059e7c6) and 'pirq_serverworks_get'

WARNING: vmlinux – Section mismatch: reference to .init.data:acpi_noirq from .text between 'pcibios_setup' (at offset 0x8059ee76) and '__restore_processor_state'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci_fixup between '__pci_fixup_PCI_VENDOR_ID_INTELPXI_DEVICE_ID_INTEL_82454NXquirk_disable_pxb' (at offset 0x8065fd60) and '__pci_fixup_PCI_VENDOR_ID_CYRIXPCI_DEVICE_ID_CYRIX_PCI_MASTERquirk_mediatek_agx_master'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci_fixup between '__pci_fixup_PCI_VENDOR_ID_CYRIXPCI_DEVICE_ID_CYRIX_PCI_MASTERquirk_mediatek_agx_master' (at offset 0x8065fd68) and '__pci_fixup_PCI_VENDOR_ID_AMDPCI_DEVICE_ID_AMD_FE_GATE_700Cquirk_amd_ordering'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci_fixup between '__pci_fixup_PCI_VENDOR_ID_SERVERWORKSPXI_DEVICE_ID_SERVERWORKS_GCNCB_LEquirk_svw_msi' (at offset 0x8065fd80) and '__pci_fixup_PCI_VENDOR_ID_AMDPCI_DEVICE_ID_AMD_8131_BRIDGEquirk_amd_8131_ioapic'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci_fixup between '__pci_fixup_PCI_VENDOR_ID_AMDPCI_DEVICE_ID_AMD_8131_BRIDGEquirk_amd_8131_ioapic' (at offset 0x8065fd88) and '__pci_fixup_PCI_VENDOR_ID_SIPCI_ANY_IDquirk_ioapic_rmw'

RE: How can I fix the kernel warning

WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_ANY_IDquirk_ioapic_rmw' (at offset
0x8065fd90) and
'__pci_fixup_PCI_VENDOR_ID_AMDPCI_DEVICE_ID_AMD_VIPER_7410quirk_amd_ioapic'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_ALPCI_DEVICE_ID_AL_M1651quirk_alimagik' (at
offset 0x8065fde8) and
'__pci_fixup_PCI_VENDOR_ID_ALPCI_DEVICE_ID_AL_M1647quirk_alimagik'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_ALPCI_DEVICE_ID_AL_M1647quirk_alimagik' (at
offset 0x8065fdf0) and
'__pci_fixup_PCI_VENDOR_ID_VIAPCI_DEVICE_ID_VIA_82C576quirk_vsfx'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_INTELPID_DEVICE_ID_INTEL_EESSCquirk_alder_ioapic' (at offset 0x8065fa68) and
'__pci_fixup_PCI_VENDOR_ID_ATIPCI_DEVICE_ID_ATI_IXP600_SATAquirk_sb600_sata'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_LPCquirk_sis_96x_smbus' (at offset 0x8065fa78) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_963quirk_sis_96x_smbus'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_963quirk_sis_96x_smbus' (at offset 0x8065fa80) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_962quirk_sis_96x_smbus'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_962quirk_sis_96x_smbus' (at offset 0x8065fa88) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_961quirk_sis_96x_smbus'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_961quirk_sis_96x_smbus' (at offset 0x8065fa90) and
'__pci_fixup_PCI_VENDOR_ID_VIAPCI_DEVICE_ID_VIA_8237asus_hides_ac97_lpc'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_VIAPCI_DEVICE_ID_VIA_8237asus_hides_ac97_lpc' (at offset 0x8065fa98) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_503quirk_sis_503'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_503quirk_sis_503' (at offset 0x8065faa0) and

RE: How can I fix the kernel warning

RE: How can I fix the kernel warning

```
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_735quirk_sis_96x_compatibl  
e'
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

.pci_fixup between

```
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_735quirk_sis_96x_compatibl  
e' (at offset 0x8065faa8) and
```

```
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_651quirk_sis_96x_compatibl  
e'
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

.pci_fixup between

```
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_651quirk_sis_96x_compatibl  
e' (at offset 0x8065fab0) and
```

```
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_650quirk_sis_96x_compatibl  
e'
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

.pci_fixup between

```
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_650quirk_sis_96x_compatibl  
e' (at offset 0x8065fab8) and
```

```
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_648quirk_sis_96x_compatibl  
e'
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

.pci_fixup between

```
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_648quirk_sis_96x_compatibl  
e' (at offset 0x8065fac0) and
```

```
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_646quirk_sis_96x_compatibl  
e'
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

.pci_fixup between

```
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_646quirk_sis_96x_compatibl  
e' (at offset 0x8065fac8) and
```

```
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_645quirk_sis_96x_compatibl  
e'
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

.pci_fixup between

```
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_645quirk_sis_96x_compatibl  
e' (at offset 0x8065fad0) and
```

```
'__pci_fixup_PCI_VENDOR_ID_VIAPCI_DEVICE_ID_VIA_8237k8t_sound_hostbridge  
,
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

.pci_fixup between

```
'__pci_fixup_PCI_VENDOR_ID_VIAPCI_DEVICE_ID_VIA_8237k8t_sound_hostbridge  
' (at offset 0x8065fad8) and
```

```
'__pci_fixup_PCI_VENDOR_ID_INTELPID_DEVICE_ID_INTEL_82375quirk_eisa_brid  
ge'
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

.pci_fixup between

```
'__pci_fixup_PCI_VENDOR_ID_INTELPID_DEVICE_ID_INTEL_82375quirk_eisa_brid  
ge' (at offset 0x8065fae0) and
```

```
'__pci_fixup_PCI_VENDOR_ID_INTELPID_DEVICE_ID_INTEL_82801CA_10quirk_ide_  
samemode'
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

RE: How can I fix the kernel warning

RE: How can I fix the kernel warning

.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_INTELPID_DEVICE_ID_INTEL_82801CA_10quirk_ide_samemode' (at offset 0x8065fae8) and
'__pci_fixup_PCI_VENDOR_ID_SERVERWORKSPID_DEVICE_ID_SERVERWORKS_CSB5IDEq uirk_svwks_csb5ide'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_NVIDIAPID_DEVICE_ID_NVIDIA_NFORCE2pci_fixup_nforce2' (at offset 0x8065fbe8) and
'__pci_fixup_PCI_VENDOR_ID_INTELPID_ANY_IDpci_fixup_transparent_bridge'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .data between 'apic_summit' (at offset 0x80678cc4) and 'apic_bigsmp'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .data between 'apic_bigsmp' (at offset 0x80678d64) and 'cpu.4388'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .data between 'apic_es7000' (at offset 0x80678e04) and 'apic_default'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .data between 'apic_default' (at offset 0x80678ea4) and 'interrupt'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726000) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726004) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726008) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x807260bc) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x807260c0) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x807260d8) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x807260dc) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x8072610c) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726110) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726114) and '__smp_locks_end'
WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726118) and '__smp_locks_end'

RE: How can I fix the kernel warning

RE: How can I fix the kernel warning

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x8072611c) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726120) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726124) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726128) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x8072612c) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726130) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726134) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726138) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x8072613c) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726140) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726144) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726148) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x8072614c) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726150) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726154) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726158) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x8072615c) and '__smp_locks_end'

RE: How can I fix the kernel warning

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726184) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x807261e0) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x807261e4) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x807261e8) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x807261ec) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x807261f0) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x807261f4) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x807261f8) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x807261fc) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726200) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726204) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726208) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x8072620c) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726210) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726214) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726218) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x8072621c) and '__smp_locks_end'

RE: How can I fix the kernel warning

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726220) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726224) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726228) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x8072622c) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726230) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726234) and '__smp_locks_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp_alternatives between '__smp_alt_begin' (at offset 0x80726238) and '__smp_locks_end'

-- Jerry

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

=====

For more information on the Television New Zealand Group, visit us online at tvnz.co.nz

=====

CAUTION: This e-mail and any attachment(s) contain information that is intended to be read only by the named recipient(s). This information is not to be used or stored by any other person and/or organisation.

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>