

## Re: How can I fix the kernel warning

---

*Source:* <http://linux.derkeiler.com/Mailing-Lists/RedHat/2007-11/msg00301.html>

---

- *From:* Jerry Jiang <[wjiang@xxxxxxxxxxxxxxxx](mailto:wjiang@xxxxxxxxxxxxxxxx)>
  - *Date:* Thu, 29 Nov 2007 08:59:18 +0800
- 

Thank you Geoffrey,

That's very easy to reproduce it from my side.

1. just get kernel-2.6.18-8.el5.src.rpm from any official site.
2. unrpm it, and `make all' by default configuration.
3. re-make again to issue these warnings.

I am not sure if you can reproduce it from your side.  
but seems that I didn't do any customized modification.

— Jerry

On Thu, 29 Nov 2007 11:04:38 +1300  
"Geoffrey Rainey" <[Geoffrey.Rainey@xxxxxxxxxxxx](mailto:Geoffrey.Rainey@xxxxxxxxxxxx)> wrote:

That's a pretty tricky question you're asking. I know I'd have to  
replicate such an  
Error before I can start looking at fixing it!

-----Original Message-----

From: [redhat-list-bounces@xxxxxxxxxxxx](mailto:redhat-list-bounces@xxxxxxxxxxxx)  
[<mailto:redhat-list-bounces@xxxxxxxxxxxx>] On Behalf Of Jerry Jiang  
Sent: Wednesday, 28 November 2007 6:58 p.m.  
To: [redhat-list@xxxxxxxxxxxx](mailto:redhat-list@xxxxxxxxxxxx)  
Subject: How can I fix the kernel warning

HI, all

with the rhle5 kernel 2.6.18

when I compiled a new module with the current kernel, I got following  
warnings

How can I fix it?

## Re: How can I fix the kernel warning

Building modules, stage 2.

MODPOST

WARNING: vmlinux – Section mismatch: reference to .init.data:boot\_params from .text between '\_text' (at offset 0x80400029) and 'startup\_32\_smp'

WARNING: vmlinux – Section mismatch: reference to .init.data:boot\_params from .text between '\_text' (at offset 0x80400037) and 'startup\_32\_smp'

WARNING: vmlinux – Section mismatch: reference to .init.data:init\_pg\_tables\_end from .text between '\_text' (at offset 0x80400099) and 'startup\_32\_smp'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'checkCPUtype' (at offset 0x80400126) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'checkCPUtype' (at offset 0x80400130) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'checkCPUtype' (at offset 0x8040014f) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'checkCPUtype' (at offset 0x80400160) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'checkCPUtype' (at offset 0x80400166) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'checkCPUtype' (at offset 0x8040016c) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'checkCPUtype' (at offset 0x80400172) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'checkCPUtype' (at offset 0x80400188) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'checkCPUtype' (at offset 0x80400192) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'checkCPUtype' (at offset 0x8040019b) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'checkCPUtype' (at offset 0x804001a1) and 'is486'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'check\_x87' (at offset 0x80400210) and 'setup\_idt'

WARNING: vmlinux – Section mismatch: reference to .init.data:new\_cpu\_data from .text between 'check\_x87' (at offset 0x8040022e) and 'setup\_idt'

WARNING: vmlinux – Section mismatch: reference to .init.text:start\_kernel from .text between 'is386' (at offset 0x8040020a) and 'check\_x87'

## Re: How can I fix the kernel warning

WARNING: vmlinux – Section mismatch: reference to .init.text:smp\_prepare\_cpus from .text between 'init' (at offset 0x80400300) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:migration\_init from .text between 'init' (at offset 0x80400305) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:spawn\_ksoftirqd from .text between 'init' (at offset 0x8040030a) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'init' (at offset 0x80400310) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:spawn\_softlockup\_task from .text between 'init' (at offset 0x80400318) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:smp\_cpus\_done from .text between 'init' (at offset 0x80400381) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:sched\_init\_smp from .text between 'init' (at offset 0x804003ec) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:cpuset\_init\_smp from .text between 'init' (at offset 0x804003f1) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:populate\_rootfs from .text between 'init' (at offset 0x804003f6) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:usermodehelper\_init from .text between 'init' (at offset 0x80400400) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:driver\_init from .text between 'init' (at offset 0x80400405) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:sysctl\_init from .text between 'init' (at offset 0x8040040a) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'init' (at offset 0x8040041f) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'init' (at offset 0x80400458) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:prepare\_namespace from .text between 'init' (at offset 0x80400508) and 'rest\_init'

WARNING: vmlinux – Section mismatch: reference to .init.text:parse\_unisys\_oem from .text between 'mps\_oem\_check' (at offset 0x804012f2) and 'acpi\_madt\_oem\_check'

WARNING: vmlinux – Section mismatch: reference to .init.text:find\_unisys\_acpi\_oem\_table from .text between 'acpi\_madt\_oem\_check' (at offset 0x80401307) and 'enable\_apic\_mode'

WARNING: vmlinux – Section mismatch: reference to .init.text:acpi\_get\_table\_header\_early from .text between 'acpi\_madt\_oem\_check' (at offset 0x8040131d) and 'enable\_apic\_mode'

WARNING: vmlinux – Section mismatch: reference to .init.text:parse\_unisys\_oem from .text between 'acpi\_madt\_oem\_check' (at

## Re: How can I fix the kernel warning

offset 0x8040135b) and 'enable\_apic\_mode'  
WARNING: vmlinux – Section mismatch: reference to  
.init.text:setup\_unisys from .text between 'acpi\_madt\_oem\_check' (at  
offset 0x80401364) and 'enable\_apic\_mode'  
WARNING: vmlinux – Section mismatch: reference to  
.init.text:es7000\_sw\_apic from .text between 'enable\_apic\_mode' (at  
offset 0x80401375) and 'check\_apicid\_present'  
WARNING: vmlinux – Section mismatch: reference to  
.init.text:efi\_set\_rtc\_mmss from .text between 'sync\_cmos\_clock' (at  
offset 0x8040722e) and 'get\_cmos\_time'  
WARNING: vmlinux – Section mismatch: reference to  
.init.text:efi\_get\_time from .text between 'get\_cmos\_time' (at offset  
0x8040741c) and 'timer\_suspend'  
WARNING: vmlinux – Section mismatch: reference to  
.init.text:noirqdebug\_setup from .text between 'quirk\_intel\_irqbalance'  
(at offset 0x80409226) and 'i8237A\_suspend'  
WARNING: vmlinux – Section mismatch: reference to  
.init.text:sysenter\_setup from .text between 'identify\_cpu' (at offset  
0x8040a262) and 'detect\_ht'  
WARNING: vmlinux – Section mismatch: reference to  
.init.text:mtrr\_bp\_init from .text between 'identify\_cpu' (at offset  
0x8040a26c) and 'detect\_ht'  
WARNING: vmlinux – Section mismatch: reference to  
.init.text:\_\_alloc\_bootmem from .text between 'cpu\_init' (at offset  
0x8040a559) and 'c\_start'  
WARNING: vmlinux – Section mismatch: reference to .init.text: from .text  
between 'cyrix\_identify' (at offset 0x8040a9ea) and 'centaur\_size\_cache'  
WARNING: vmlinux – Section mismatch: reference to  
.init.data:acpi\_sci\_flags from .text between 'acpi\_sci\_ioapic\_setup' (at  
offset 0x8041203f) and 'acpi\_register\_gsi'  
WARNING: vmlinux – Section mismatch: reference to  
.init.data:acpi\_sci\_flags from .text between 'acpi\_sci\_ioapic\_setup' (at  
offset 0x8041205b) and 'acpi\_register\_gsi'  
WARNING: vmlinux – Section mismatch: reference to  
.init.text:mp\_override\_legacy\_irq from .text between  
'acpi\_sci\_ioapic\_setup' (at offset 0x80412073) and 'acpi\_register\_gsi'  
WARNING: vmlinux – Section mismatch: reference to  
.init.data:acpi\_sci\_override\_gsi from .text between  
'acpi\_sci\_ioapic\_setup' (at offset 0x80412079) and 'acpi\_register\_gsi'  
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text  
between 'start\_secondary' (at offset 0x804166ae) and 'cpu\_exit\_clear'  
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text  
between 'start\_secondary' (at offset 0x804166bb) and 'cpu\_exit\_clear'  
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text  
between 'start\_secondary' (at offset 0x804166ca) and 'cpu\_exit\_clear'  
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text  
between 'start\_secondary' (at offset 0x804166e9) and 'cpu\_exit\_clear'  
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text  
between 'start\_secondary' (at offset 0x804166f0) and 'cpu\_exit\_clear'  
WARNING: vmlinux – Section mismatch: reference to .init.data: from .text  
between 'start\_secondary' (at offset 0x80416704) and 'cpu\_exit\_clear'

## Re: How can I fix the kernel warning

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'start\_secondary' (at offset 0x80416713) and 'cpu\_exit\_clear'

WARNING: vmlinux – Section mismatch: reference to .init.data: from .text between 'MP\_processor\_info' (at offset 0x80416bf0) and 'mp\_register\_lapic'

WARNING: vmlinux – Section mismatch: reference to .init.data:maxcpus from .text between 'MP\_processor\_info' (at offset 0x80416c7f) and 'mp\_register\_lapic'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .text between 'online\_page' (at offset 0x8041ae3f) and 'free\_init\_pages'

WARNING: vmlinux – Section mismatch: reference to .init.text: \_\_init\_begin from .text between 'free\_initmem' (at offset 0x8041aef9) and 'mark\_rodata\_ro'

WARNING: vmlinux – Section mismatch: reference to .init.text: \_sinittext from .text between 'core\_kernel\_text' (at offset 0x80433842) and 'kernel\_text\_address'

WARNING: vmlinux – Section mismatch: reference to .init.text: \_einittext from .text between 'core\_kernel\_text' (at offset 0x8043384b) and 'kernel\_text\_address'

WARNING: vmlinux – Section mismatch: reference to .init.text: \_sinittext from .text between 'kallsyms\_lookup' (at offset 0x8043e74b) and '\_\_print\_symbol'

WARNING: vmlinux – Section mismatch: reference to .init.text: \_einittext from .text between 'kallsyms\_lookup' (at offset 0x8043e752) and '\_\_print\_symbol'

WARNING: vmlinux – Section mismatch: reference to .init.data:initkmem\_list3 from .text between 'set\_up\_list3s' (at offset 0x80464f10) and 's\_start'

WARNING: vmlinux – Section mismatch: reference to .init.text: \_\_alloc\_bootmem from .text between 'vgacon\_startup' (at offset 0x804f8471) and 'vgacon\_scrolldelta'

WARNING: vmlinux – Section mismatch: reference to .init.data:logo\_linux\_clut224 from .text between 'fb\_find\_logo' (at offset 0x80500d68) and 'acpi\_table\_compute\_checksum'

WARNING: vmlinux – Section mismatch: reference to .init.text: uart\_parse\_options from .text between 'serial8250\_console\_setup' (at offset 0x8054444f) and 'size\_fifo'

WARNING: vmlinux – Section mismatch: reference to .init.text: uart\_set\_options from .text between 'serial8250\_console\_setup' (at offset 0x80544469) and 'size\_fifo'

WARNING: vmlinux – Section mismatch: reference to .init.data:acpi\_noirq from .text between 'pcibios\_penalize\_isa\_irq' (at offset 0x8059e7c6) and 'pirq\_serverworks\_get'

WARNING: vmlinux – Section mismatch: reference to .init.data:acpi\_noirq from .text between 'pcibios\_setup' (at offset 0x8059ee76) and '\_\_restore\_processor\_state'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .pci\_fixup between

'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_INTELPXI\_DEVICE\_ID\_INTEL\_82454NXquirk\_disable\_pxb' (at offset 0x8065fd60) and

'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_CYRIXPCI\_DEVICE\_ID\_CYRIX\_PCI\_MASTERquirk\_medi

## Re: How can I fix the kernel warning

agx\_master'  
WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.pci\_fixup between  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_CYRIXPCI\_DEVICE\_ID\_CYRIX\_PCI\_MASTERquirk\_medi  
agx\_master' (at offset 0x8065fd68) and  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_AMDPCI\_DEVICE\_ID\_AMD\_FE\_GATE\_700Cquirk\_amd\_or  
dering'  
WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.pci\_fixup between  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_SERVERWORKSPCI\_DEVICE\_ID\_SERVERWORKS\_GCNCB\_LEq  
uirk\_svw\_msi' (at offset 0x8065fd80) and  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_AMDPCI\_DEVICE\_ID\_AMD\_8131\_BRIDGEquirk\_amd\_813  
1\_ioapic'  
WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.pci\_fixup between  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_AMDPCI\_DEVICE\_ID\_AMD\_8131\_BRIDGEquirk\_amd\_813  
1\_ioapic' (at offset 0x8065fd88) and  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_SIPCI\_ANY\_IDquirk\_ioapic\_rmw'  
WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.pci\_fixup between  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_SIPCI\_ANY\_IDquirk\_ioapic\_rmw' (at offset  
0x8065fd90) and  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_AMDPCI\_DEVICE\_ID\_AMD\_VIPER\_7410quirk\_amd\_ioap  
ic'  
WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.pci\_fixup between  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_ALPCI\_DEVICE\_ID\_AL\_M1651quirk\_alimagik' (at  
offset 0x8065fde8) and  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_ALPCI\_DEVICE\_ID\_AL\_M1647quirk\_alimagik'  
WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.pci\_fixup between  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_ALPCI\_DEVICE\_ID\_AL\_M1647quirk\_alimagik' (at  
offset 0x8065fdf0) and  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_VIAPCI\_DEVICE\_ID\_VIA\_82C576quirk\_vsfx'  
WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.pci\_fixup between  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_INTELPCI\_DEVICE\_ID\_INTEL\_EESSCquirk\_alder\_ioa  
pic' (at offset 0x8065fa68) and  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_ATIPCI\_DEVICE\_ID\_ATI\_IXP600\_SATAquirk\_sb600\_s  
ata'  
WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.pci\_fixup between  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_SIPCI\_DEVICE\_ID\_SI\_LPCquirk\_sis\_96x\_smbus'  
(at offset 0x8065fa78) and  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_SIPCI\_DEVICE\_ID\_SI\_963quirk\_sis\_96x\_smbus'  
WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.pci\_fixup between  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_SIPCI\_DEVICE\_ID\_SI\_963quirk\_sis\_96x\_smbus'  
(at offset 0x8065fa80) and  
'\_\_pci\_fixup\_PCI\_VENDOR\_ID\_SIPCI\_DEVICE\_ID\_SI\_962quirk\_sis\_96x\_smbus'  
WARNING: vmlinux – Section mismatch: reference to .init.text: from

Re: How can I fix the kernel warning

```
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_962quirk_sis_96x_smbus'
(at offset 0x8065fa88) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_961quirk_sis_96x_smbus'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_961quirk_sis_96x_smbus'
(at offset 0x8065fa90) and
'__pci_fixup_PCI_VENDOR_ID_VIAPCI_DEVICE_ID_VIA_8237asus_hides_ac97_lpc'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_VIAPCI_DEVICE_ID_VIA_8237asus_hides_ac97_lpc'
(at offset 0x8065fa98) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_503quirk_sis_503'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_503quirk_sis_503' (at
offset 0x8065faa0) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_735quirk_sis_96x_compatibl
e'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_735quirk_sis_96x_compatibl
e' (at offset 0x8065faa8) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_651quirk_sis_96x_compatibl
e'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_651quirk_sis_96x_compatibl
e' (at offset 0x8065fab0) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_650quirk_sis_96x_compatibl
e'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_650quirk_sis_96x_compatibl
e' (at offset 0x8065fab8) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_648quirk_sis_96x_compatibl
e'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_648quirk_sis_96x_compatibl
e' (at offset 0x8065fac0) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_646quirk_sis_96x_compatibl
e'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
.pci_fixup between
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_646quirk_sis_96x_compatibl
e' (at offset 0x8065fac8) and
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_645quirk_sis_96x_compatibl
e'
WARNING: vmlinux – Section mismatch: reference to .init.text: from
```

## Re: How can I fix the kernel warning

```
.pci_fixup between  
'__pci_fixup_PCI_VENDOR_ID_SIPCI_DEVICE_ID_SI_645quirk_sis_96x_compatibl  
e' (at offset 0x8065fad0) and  
'__pci_fixup_PCI_VENDOR_ID_VIAPCI_DEVICE_ID_VIA_8237k8t_sound_hostbridge  
,
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

```
.pci_fixup between  
'__pci_fixup_PCI_VENDOR_ID_VIAPCI_DEVICE_ID_VIA_8237k8t_sound_hostbridge  
' (at offset 0x8065fad8) and  
'__pci_fixup_PCI_VENDOR_ID_INTELPID_DEVICE_ID_INTEL_82375quirk_eisa_brid  
ge'
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

```
.pci_fixup between  
'__pci_fixup_PCI_VENDOR_ID_INTELPID_DEVICE_ID_INTEL_82375quirk_eisa_brid  
ge' (at offset 0x8065fae0) and  
'__pci_fixup_PCI_VENDOR_ID_INTELPID_DEVICE_ID_INTEL_82801CA_10quirk_ide_  
samemode'
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

```
.pci_fixup between  
'__pci_fixup_PCI_VENDOR_ID_INTELPID_DEVICE_ID_INTEL_82801CA_10quirk_ide_  
samemode' (at offset 0x8065fae8) and  
'__pci_fixup_PCI_VENDOR_ID_SERVERWORKSPID_DEVICE_ID_SERVERWORKS_CSB5IDEq  
uirk_svwks_csb5ide'
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from

```
.pci_fixup between  
'__pci_fixup_PCI_VENDOR_ID_NVIDIAPID_DEVICE_ID_NVIDIA_NFORCE2pci_fixup_n  
force2' (at offset 0x8065fbc8) and  
'__pci_fixup_PCI_VENDOR_ID_INTELPID_ANY_IDpci_fixup_transparent_bridge'
```

WARNING: vmlinux – Section mismatch: reference to .init.text: from .data  
between 'apic\_summit' (at offset 0x80678cc4) and 'apic\_bigsmp'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .data  
between 'apic\_bigsmp' (at offset 0x80678d64) and 'cpu.4388'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .data  
between 'apic\_es7000' (at offset 0x80678e04) and 'apic\_default'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .data  
between 'apic\_default' (at offset 0x80678ea4) and 'interrupt'

WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726000) and  
'\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726004) and  
'\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726008) and  
'\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x807260bc) and  
'\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from  
.smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x807260c0) and  
'\_\_smp\_locks\_end'

## Re: How can I fix the kernel warning

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x807260d8) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x807260dc) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x8072610c) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726110) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726114) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726118) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x8072611c) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726120) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726124) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726128) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x8072612c) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726130) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726134) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726138) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x8072613c) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726140) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726144) and '\_\_smp\_locks\_end'

## Re: How can I fix the kernel warning

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726148) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x8072614c) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726150) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726154) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726158) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x8072615c) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726184) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x807261e0) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x807261e4) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x807261e8) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x807261ec) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x807261f0) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x807261f4) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x807261f8) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x807261fc) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726200) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726204) and '\_\_smp\_locks\_end'

Re: How can I fix the kernel warning

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726208) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x8072620c) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726210) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726214) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726218) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x8072621c) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726220) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726224) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726228) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x8072622c) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726230) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726234) and '\_\_smp\_locks\_end'

WARNING: vmlinux – Section mismatch: reference to .init.text: from .smp\_alternatives between '\_\_smp\_alt\_begin' (at offset 0x80726238) and '\_\_smp\_locks\_end'

-- Jerry

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>  
<https://www.redhat.com/mailman/listinfo/redhat-list>

=====  
For more information on the Television New Zealand Group, visit us  
online at [tvnz.co.nz](http://tvnz.co.nz)

=====  
CAUTION: This e-mail and any attachment(s) contain information that

Re: How can I fix the kernel warning

is intended to be read only by the named recipient(s). This information is not to be used or stored by any other person and/or organisation.

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>

<https://www.redhat.com/mailman/listinfo/redhat-list>

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>

<https://www.redhat.com/mailman/listinfo/redhat-list>