

RE: Minimal RHEL4 install

Source: <http://linux.derkeiler.com/Mailing-Lists/RedHat/2008-01/msg00216.html>

- *From:* "Gerrard Geldenhuis" <Gerrard.Geldenhuis@xxxxxxxxxxxxx>
 - *Date:* Thu, 24 Jan 2008 15:58:45 -0000
-

Hi Trey

In you kickstart file you can under the packages use @base or @core. After that do a listing of installed packages and then decide on what you need and don't.

We use

@ Core
ntp
-bluez-gnome
-anacron
-bluez-utils

Removable packages will be determined by what you want to run on your server. Reading up on each package listing will be very tedious but will be a good learning experience.

Also have a look at these guides for improving security:

http://www.nsa.gov/snac/downloads_redhat.cfm?MenuID=scg10.3.1.1

Regards

-----Original Message-----

From: redhat-list-bounces@xxxxxxxxxxxx [<mailto:redhat-list-bounces@xxxxxxxxxxxx>] On Behalf Of Trey Sizemore
Sent: 24 January 2008 15:49
To: redhat-list@xxxxxxxxxxxx
Subject: Minimal RHEL4 install

Hi-

I'm looking for a guide or best practices around building a very minimal RHEL4 machine (no X).

Any tips/sites/guides I can be pointed to?

--

RE: Minimal RHEL4 install

Cheers,
Trey

In answer to the question of why it happened,
I offer the modest proposal that our Universe is simply
one of those things which happen from time to time.

--Edward P. Tryon

Linux valkyrie 2.6.22.13-0.3-bigsmpt i686 GNU/Linux
10:47am up 1:35, 6 users, load average: 2.43, 1.80, 1.92

--

redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--

redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>