

## Re: Block PC using Mac address in squid

---

*Source:* <http://linux.derkeiler.com/Mailing-Lists/RedHat/2008-01/msg00275.html>

---

- *From:* "Mad Unix" <madunix@xxxxxxxx>
  - *Date:* Wed, 30 Jan 2008 22:12:12 +0200
- 

question: i did the install of squid through yum , how can i add the MAC support in this case...

Thanks

On 1/30/08, Cameron Simpson <cs@xxxxxxxx> wrote:

```
On 30Jan2008 17:32, Vivek Mangal <vivek.mangal9685@xxxxxxxx> wrote:
| Any one have any idea how to block PC in Squid using Mac Address.
| I tried as in /etc/squid/squid.conf
|
| acl block arp 00:13:45:d3:24:e4
| https_access deny block
|
| but it give me error as like: - (This is the output of # squid -k parse)
| aclParseAclLine: Invalid ACL type 'arp'
| FATAL: Bungled squid.conf line 1234: acl block arp 00:13:45:d3:24:e4
| squid Cache (Version 2.5.STABLE6): Terminated abnormally.
```

The normal squid.conf describes the "arp" acl type and says:

The arp ACL requires the special configure option `--enable-arp-acl`.

So you will need to rebuild squid from source with this option.  
Then you should be fine.

--  
Cameron Simpson <cs@xxxxxxxx> DoD#743  
<http://www.cskk.ezoshosting.com/cs/>

Ed Campbell's <ed@xxxxxxxx> pointers for long trips:  
3. Stop and take a break before you really need it.

--  
redhat-list mailing list  
unsubscribe <mailto:redhat-list-request@xxxxxxxx?subject=unsubscribe>  
<https://www.redhat.com/mailman/listinfo/redhat-list>

Re: Block PC using Mac address in squid

--

madunix

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>

<https://www.redhat.com/mailman/listinfo/redhat-list>