

Re: Block PC using Mac address in squid

Source: <http://linux.derkeiler.com/Mailing-Lists/RedHat/2008-01/msg00286.html>

- *From:* "Vivek Mangal" <vivek.mangal9685@xxxxxxxxxx>
 - *Date:* Thu, 31 Jan 2008 09:26:24 +0530
-

How can i rebuild my squid ?

i tried to find some latest source or rpms but nothing happen.

can u give me some idea ?

```
| Any one have any idea how to block PC in Squid using Mac Address.  
| I tried as in /etc/squid/squid.conf  
|  
| acl block arp 00:13:45:d3:24:e4  
| https_access deny block  
|  
| but it give me error as like: - (This is the output of # squid -k parse)  
| aclParseAclLine: Invalid ACL type 'arp'  
| FATAL: Bungled squid.conf line 1234: acl block arp 00:13:45:d3:24:e4  
| squid Cache (Version 2.5.STABLE6): Terminated abnormally.
```

The normal squid.conf describes the "arp" acl type and says:

The arp ACL requires the special configure option `--enable-arp-acl`.

So you will need to rebuild squid from source with this option.

Then you should be fine.

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>

<https://www.redhat.com/mailman/listinfo/redhat-list>