

Re: copy folder to remote server

Source: <http://linux.derkeiler.com/Mailing-Lists/RedHat/2008-07/msg00224.html>

- *From:* karthik keyan <karthik_arnold1@xxxxxxxxxx>
 - *Date:* Mon, 21 Jul 2008 21:23:13 -0700 (PDT)
-

Hi

U can copy the files and directories using rsync .

```
rsync -az --e ssh /var/www/htdocs remoteserver:/var/www
```

We have a cron shedduled and it syncs the web servers daily

Thanks and Regards
Karthik

----- On Mon, 7/21/08, redhat-list-request@xxxxxxxxxx <redhat-list-request@xxxxxxxxxx> wrote:

From: redhat-list-request@xxxxxxxxxx <redhat-list-request@xxxxxxxxxx>
Subject: redhat-list Digest, Vol 53, Issue 21
To: redhat-list@xxxxxxxxxx
Date: Monday, July 21, 2008, 9:30 PM

Send redhat-list mailing list submissions to
redhat-list@xxxxxxxxxx

To subscribe or unsubscribe via the World Wide Web, visit
<https://www.redhat.com/mailman/listinfo/redhat-list>
or, via email, send a message with subject or body 'help' to
redhat-list-request@xxxxxxxxxx

You can reach the person managing the list at
redhat-list-owner@xxxxxxxxxx

When replying, please edit your Subject line so it is more specific
than "Re: Contents of redhat-list digest..."

Today's Topics:

1. Re: problem to access java pages (Sanjay Chakraborty)
2. FTP (Joy Methew)
3. General, Joy Methew has invited you to open a Google mail

Re: copy folder to remote server

account (Joy Methew)

4. Re: FTP (Michael Schwendt)

5. Re: FTP (Joy Methew)

6. Re: FTP (Joy Methew)

7. Re: FTP (Michael Schwendt)

8. top command truncates output (Rav)

9. USB and Blacklist (Paul M. Whitney)

10. copy folder to remote server (Mad Unix)

11. RE: copy folder to remote server (Paul M. Whitney)

12. Re: copy folder to remote server (Mad Unix)

13. Re: copy folder to remote server (Mad Unix)

14. RE: copy folder to remote server (Broekman, Maarten)

15. How can I install and configure yum in RedHat 4.0 AS?

(Julivan Silva)

16. RE: copy folder to remote server (Paul M. Whitney)

17. Re: How can I install and configure yum in RedHat 4.0 AS?

(chaim.rieger@xxxxxxxxxx)

18. Re: copy folder to remote server (chaim.rieger@xxxxxxxxxx)

19. RE: NFS problems between RHEL4 U3 and RHEL4U6

(jerry.feldman@xxxxxxxxxxxxxxxxxx)

Message: 1

Date: Sun, 20 Jul 2008 12:04:39 -0400

From: "Sanjay Chakraborty" <sanjaychakrab@xxxxxxxxxx>

Subject: Re: problem to access java pages

To: "General Red Hat Linux discussion list"

<redhat-list@xxxxxxxxxx>

Message-ID:

<9867e9530807200904p37e47bf5gd0d0e5c6dd0453cd@xxxxxxxxxxxxxxxxxx>

Content-Type: text/plain; charset=ISO-8859-1

Hi,

If you want to check java process is running or not type `ps -ef |grep java`

it will give you java process if that is running. If you want to

restart type `kill -9` and process id which you get from process .

For tomcat download that from jakarta tomcat.. follow the instruction.

Twice the config file.

On Wed, Jul 16, 2008 at 8:47 AM, Vivek Mangal

<vivek.mangal9685@xxxxxxxxxx> wrote:

Hello All,

I am trying to access my own created login.jsp file on own web server

(Apache)

but its not working, it shows as like a html format.

I already checked all setting of web browser, java is enabled.

Re: copy folder to remote server

Re: copy folder to remote server

And when i tried to redirect the login.jsp page into another java pages,

it

did not redirect.

i think my java program is not running, but i donot know how to solve this problem.

do i install any other software to run java pages as like in Windows we needs tomcat ?

if yes then tell me which software i should install ?

--

With Regards,
Vivek Mangal
Project Assistant
IC Design Group
CEERI, Pilani
Call +91-9829681753

--

redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--

Regards.
Sanjay Chakraborty

Message: 2

Date: Sun, 20 Jul 2008 22:12:01 +0530

From: "Joy Methew" <ml4joy@xxxxxxxx>

Subject: FTP

To: "General Red Hat Linux discussion list"

<redhat-list@xxxxxxxx>

Message-ID:

<64fd0700807200942g1c1ede2dkee03d026968c145d@xxxxxxxxxxxxxxxx>

Content-Type: text/plain; charset=ISO-8859-1

hello all ..

can we give password to *ANONYMOUS user in vsftpd.

*

Re: copy folder to remote server

Re: copy folder to remote server

Message: 3
Date: Sun, 20 Jul 2008 22:12:22 +0530
From: "Joy Methew" <ml4joy@xxxxxxxx>
Subject: General, Joy Methew has invited you to open a Google mail account
To: "General Red Hat Linux discussion list"
<redhat-list@xxxxxxxx>
Message-ID: <64fd0700807200942o5e2acf32y@xxxxxxxxxxxxxxxx>
Content-Type: text/plain; charset=ISO-8859-1

I've been using Gmail and thought you might like to try it out. Here's an invitation to create an account.

Joy Methew has invited you to open a free Gmail account.

To accept this invitation and register for your account, visit
<http://mail.google.com/mail/a-1f63479cb9-d46903dea3-0f484ff16e>

Once you create your account, Joy Methew will be notified with your new email address so you can stay in touch with Gmail!

If you haven't already heard about Gmail, it's a new search-based webmail service that offers:

- Over 2,700 megabytes (two gigabytes) of free storage
- Built-in Google search that instantly finds any message you want
- Automatic arrangement of messages and related replies into "conversations"
- Powerful spam protection using innovative Google technology
- No large, annoying ads—just small text ads and related pages that are relevant to the content of your messages

To learn more about Gmail before registering, visit:
<http://mail.google.com/mail/help/benefits.html>

And, to see how easy it can be to switch to a new email service, check out our new switch guide: <http://mail.google.com/mail/help/switch/>

We're still working every day to improve Gmail, so we might ask for your comments and suggestions periodically. We hope you'll like Gmail. We do. And, it's only going to get better.

Thanks,

The Gmail Team

Re: copy folder to remote server

Re: copy folder to remote server

(If clicking the URLs in this message does not work, copy and paste them into the address bar of your browser).

Message: 4
Date: Sun, 20 Jul 2008 23:31:29 +0200
From: Michael Schwendt <mschwendt@xxxxxxxx>
Subject: Re: FTP
To: redhat-list@xxxxxxxx
Message-ID: <20080720233129.97547b16.mschwendt@xxxxxxxx>
Content-Type: text/plain; charset=US-ASCII

On Sun, 20 Jul 2008 22:12:01 +0530, Joy Methew wrote:

hello all ..
can we give password to *ANONYMOUS user in vsftpd.
*

Yes. It is a simple exercise.

Message: 5
Date: Sun, 20 Jul 2008 23:30:59 -0400
From: "Joy Methew" <ml4joy@xxxxxxxx>
Subject: Re: FTP
To: "General Red Hat Linux discussion list"
<redhat-list@xxxxxxxx>
Message-ID:
<64fd0700807202030n1888589dk96c10fe60ebd953a@xxxxxxxxxxxxxxxx>
Content-Type: text/plain; charset=ISO-8859-1

is it possible with passwd ftp???

On Sun, Jul 20, 2008 at 5:31 PM, Michael Schwendt <mschwendt@xxxxxxxx>
wrote:

On Sun, 20 Jul 2008 22:12:01 +0530, Joy Methew wrote:

hello all ..
can we give password to *ANONYMOUS user in vsftpd.

Re: copy folder to remote server

Re: copy folder to remote server

*

Yes. It is a simple exercise.

—
redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

Message: 6
Date: Mon, 21 Jul 2008 03:55:54 -0400
From: "Joy Methew" <ml4joy@xxxxxxxx>
Subject: Re: FTP
To: "General Red Hat Linux discussion list"
<redhat-list@xxxxxxxx>
Message-ID:
<64fd0700807210055t5883060ew5a7c53b2f7ffb16c@xxxxxxxxxxxxxxxx>
Content-Type: text/plain; charset=ISO-8859-1

ya....it's not possible with passwd bcoz default ftp shell in nologin....

On Sun, Jul 20, 2008 at 11:30 PM, Joy Methew <ml4joy@xxxxxxxx> wrote:

is it possible with passwd ftp???

On Sun, Jul 20, 2008 at 5:31 PM, Michael Schwendt

<mschwendt@xxxxxxxx>

wrote:

On Sun, 20 Jul 2008 22:12:01 +0530, Joy Methew wrote:

hello all ..
can we give password to *ANONYMOUS user in vsftpd.
*

Yes. It is a simple exercise.

—
Re: copy folder to remote server

Re: copy folder to remote server

redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

Message: 7

Date: Mon, 21 Jul 2008 11:41:41 +0200
From: Michael Schwendt <mschwendt@xxxxxxxxxx>
Subject: Re: FTP
To: redhat-list@xxxxxxxxxx
Message-ID: <20080721114141.aa696102.mschwendt@xxxxxxxxxx>
Content-Type: text/plain; charset=US-ASCII

On Mon, 21 Jul 2008 03:55:54 -0400, Joy Methew wrote:

ya....it`s not possible with passwd bcoz default ftp shell in nologin....

False. The nologin setting is completely unrelated.

Message: 8

Date: Mon, 21 Jul 2008 03:06:58 -0700 (PDT)
From: Rav <rav1709@xxxxxxxxxx>
Subject: top command truncates output
To: redhat-list@xxxxxxxxxx
Message-ID: <238456.95340.qm@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>
Content-Type: text/plain; charset=iso-8859-1

Hi all,

I was just executing the linux "top" command. But some of the messages are getting truncated as follows.

```
[root@devbsc2 ~]# top -b -c
```

```
3238 root    16  0 9036 3032 1128 S  0.0  0.3  0:00.00  
/usr/bin/perl /usr/lib/ipaccess/common/wrap --pid=/var/run/ipacc  
3239 ipacomm  18  0 61988 7136 5924 S  0.0  0.7  0:00.09
```

Re: copy folder to remote server

Re: copy folder to remote server

```
/usr/lib/orbacus/bin/nameserv -ORBconfig /etc/ipaccess/common/or  
3248 root 16 0 9064 3112 1200 S 0.0 0.3 0:00.00  
/usr/bin/perl /usr/lib/ipaccess/common/wrap --PID=/var/run/ipacc
```

Could somebody help me in getting the complete line.

Thank you in advance.
Your response will be appreciated.

Rgds,
Rav

Message: 9
Date: Mon, 21 Jul 2008 09:49:47 -0400
From: "Paul M. Whitney" <paul.whitney@xxxxxxx>
Subject: USB and Blacklist
To: "General Red Hat Linux discussion list"
<redhat-list@xxxxxxxxxx>
Message-ID: <001e01c8eb38\$a4a2d590\$ede880b0\$%whitney@xxxxxxx>
Content-Type: text/plain; charset=us-ascii

Can someone please tell me how to disable usb-storage on RHEL 5? I tried putting an entry in /etc/modprobe.d/blacklist of "usb_storage". However that is not working.

Paul M. Whitney

Message: 10
Date: Mon, 21 Jul 2008 16:07:50 +0200
From: "Mad Unix" <madunix@xxxxxxxx>
Subject: copy folder to remote server
To: "General Red Hat Linux discussion list"
<redhat-list@xxxxxxxxxx>
Message-ID:

Re: copy folder to remote server

Re: copy folder to remote server

<4d3f56c90807210707v54ab0f17rfd1b88069ad40dde@xxxxxxxxxxxxxxxx>
Content-Type: text/plain; charset=UTF-8

I want to copy all the following files/folder/subfolders under
/usr/local/apache/htdocs to a remote server within this directory
/var/www/html/

Am I correct with this command, or far away offff

```
tar zcvf - /usr/local/apache/htdocs | ssh root@xxxxxxx "cat >  
/var/www/html/htdocs.tar.gz"
```

Thanks

--

Your search - madunix - did not match any documents.

Message: 11

Date: Mon, 21 Jul 2008 10:14:50 -0400

From: "Paul M. Whitney" <paul.whitney@xxxxxxx>

Subject: RE: copy folder to remote server

To: "'General Red Hat Linux discussion list'"

<redhat-list@xxxxxxxx>

Message-ID: <002c01c8eb3c\$2408c9e0\$6c1a5da0\$%whitney@xxxxxxx>

Content-Type: text/plain; charset=UTF-8

You could just use: scp -R /usr/local/apache/htdocs
userid@xxxxxxx:/var/www/html/

Paul

-----Original Message-----

From: redhat-list-bounces@xxxxxxxx [mailto:redhat-list-bounces@xxxxxxxx] On
Behalf Of Mad Unix

Sent: Monday, July 21, 2008 10:08 AM

To: General Red Hat Linux discussion list

Subject: copy folder to remote server

I want to copy all the following files/folder/subfolders under
/usr/local/apache/htdocs to a remote server within this directory
/var/www/html/

Am I correct with this command, or far away offff

```
tar zcvf - /usr/local/apache/htdocs | ssh root@xxxxxxx "cat >  
/var/www/html/htdocs.tar.gz"
```

Thanks

--

Your search - madunix - did not match any documents.

--

Re: copy folder to remote server

Re: copy folder to remote server

redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

Message: 12
Date: Mon, 21 Jul 2008 16:23:21 +0200
From: "Mad Unix" <madunix@xxxxxxxx>
Subject: Re: copy folder to remote server
To: "General Red Hat Linux discussion list"
<redhat-list@xxxxxxxx>
Message-ID:
<4d3f56c90807210723s379bf1e3sa947c37dd69ca544@xxxxxxxxxxxxxxxx>
Content-Type: text/plain; charset=UTF-8

```
[root@intra /]# scp -R /tmp root@xxxxxxxx:/tmp/test
scp: illegal option -- R
usage: scp [-1246BCpqr] [-c cipher] [-F ssh_config] [-i identity_file]
[-l limit] [-o ssh_option] [-P port] [-S program]
[[user@]host1:]file1 [...] [[user@]host2:]file2
```

On Mon, Jul 21, 2008 at 4:14 PM, Paul M. Whitney <paul.whitney@xxxxxxx>
wrote:

You could just use: `scp -R /usr/local/apache/htdocs userid@xxxxxxx:
/var/www/html/`

Paul

-----Original Message-----

From: redhat-list-bounces@xxxxxxxx [mailto:
redhat-list-bounces@xxxxxxxx] On Behalf Of Mad Unix
Sent: Monday, July 21, 2008 10:08 AM
To: General Red Hat Linux discussion list
Subject: copy folder to remote server

I want to copy all the following files/folder/subfolders under
/usr/local/apache/htdocs to a remote server within this directory
/var/www/html/
Am I correct with this command, or far away offff

```
tar zcvf - /usr/local/apache/htdocs | ssh root@xxxxxxx "cat >  
/var/www/html/htdocs.tar.gz"
```

Thanks

Re: copy folder to remote server

Re: copy folder to remote server

--
Your search – madunix – did not match any documents.

--
redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--
redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--
Your search – madunix – did not match any documents.

Message: 13
Date: Mon, 21 Jul 2008 16:25:14 +0200
From: "Mad Unix" <madunix@xxxxxxxx>
Subject: Re: copy folder to remote server
To: "General Red Hat Linux discussion list"
<redhat-list@xxxxxxxx>
Message-ID:
<4d3f56c90807210725p17277db1r5b024c3ec00630ab@xxxxxxxxxxxxxxxx>
Content-Type: text/plain; charset=UTF-8

it works with "-r" :-)

On Mon, Jul 21, 2008 at 4:23 PM, Mad Unix <madunix@xxxxxxxx> wrote:

```
[root@intra /]# scp -R /tmp root@xxxxxxxx:/tmp/test
scp: illegal option -- R
usage: scp [-1246BCpqr] [-c cipher] [-F ssh_config] [-i identity_file]
[-l limit] [-o ssh_option] [-P port] [-S program]
[[user@]host1:]file1 [...] [[user@]host2:]file2
```

On Mon, Jul 21, 2008 at 4:14 PM, Paul M. Whitney

<paul.whitney@xxxxxxx>

wrote:

Re: copy folder to remote server

Re: copy folder to remote server

You could just use: `scp -R /usr/local/apache/htdocs userid@xxxxxxx:
/var/www/html/`

Paul

-----Original Message-----

From: redhat-list-bounces@xxxxxxxxxxx [mailto:
redhat-list-bounces@xxxxxxxxxxx] On Behalf Of Mad Unix
Sent: Monday, July 21, 2008 10:08 AM
To: General Red Hat Linux discussion list
Subject: copy folder to remote server

I want to copy all the following files/folder/subfolders under
/usr/local/apache/htdocs to a remote server within this directory
/var/www/html/

Am I correct with this command, or far away offff

```
tar zcvf - /usr/local/apache/htdocs | ssh root@xxxxxxx "cat >  
/var/www/html/htdocs.tar.gz"
```

Thanks

--

Your search - madunix - did not match any documents.

--

redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--

redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--

Your search - madunix - did not match any documents.

--

Your search - madunix - did not match any documents.

Re: copy folder to remote server

Message: 14

Date: Mon, 21 Jul 2008 10:25:24 -0400

From: "Broekman, Maarten" <Maarten.Broekman@xxxxxxx>

Subject: RE: copy folder to remote server

To: "General Red Hat Linux discussion list"

<redhat-list@xxxxxxxxxxx>

Message-ID:

<466D8503CBF08E4190ECE2D302B8C72C015FC5DC@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>

Content-Type: text/plain; charset="us-ascii"

Use lowercase 'r' to recursively copy the directory.

Maarten Broekman

Email: maarten.broekman@xxxxxxx

-----Original Message-----

From: redhat-list-bounces@xxxxxxxxxxx

[mailto:redhat-list-bounces@xxxxxxxxxxx] On Behalf Of Mad Unix

Sent: Monday, July 21, 2008 10:23 AM

To: General Red Hat Linux discussion list

Subject: Re: copy folder to remote server

```
[root@intra /]# scp -R /tmp root@xxxxxxxxxxx:/tmp/test
```

```
scp: illegal option -- R
```

```
usage: scp [-1246BCpqr] [-c cipher] [-F ssh_config] [-i identity_file]
```

```
[-l limit] [-o ssh_option] [-P port] [-S program]
```

```
[[user@]host1:]file1 [...] [[user@]host2:]file2
```

On Mon, Jul 21, 2008 at 4:14 PM, Paul M. Whitney <paul.whitney@xxxxxxx>

wrote:

You could just use: scp -R /usr/local/apache/htdocs userid@xxxxxxx:
/var/www/html/

Paul

-----Original Message-----

From: redhat-list-bounces@xxxxxxxxxxx [mailto:

redhat-list-bounces@xxxxxxxxxxx] On Behalf Of Mad Unix

Sent: Monday, July 21, 2008 10:08 AM

To: General Red Hat Linux discussion list

Subject: copy folder to remote server

I want to copy all the following files/folder/subfolders under
/usr/local/apache/htdocs to a remote server within this directory
/var/www/html/

Am I correct with this command, or far away offff

```
tar zcvf - /usr/local/apache/htdocs | ssh root@xxxxxxx "cat >
```

Re: copy folder to remote server

Re: copy folder to remote server

/var/www/html/htdocs.tar.gz"

Thanks

--

Your search – madunix – did not match any documents.

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--

Your search – madunix – did not match any documents.

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

Message: 15

Date: Mon, 21 Jul 2008 11:34:08 -0300

From: "Julivan Silva" <techsolaris@xxxxxxxxxx>

Subject: How can I install and configure yum in RedHat 4.0 AS?

To: redhat-list@xxxxxxxxxx

Message-ID:

<fea157060807210734i755aeb2eq11fa4d6b53cd4a5f@xxxxxxxxxxxxxxxxxx>

Content-Type: text/plain; charset=ISO-8859-1

*Hello, *

**

*I'm trying to install and configure in red Hat 4.0 AS, but I'm
can't make

this go on... *

*Someone could give me a solution or indicate some page.. *

**

Thanks in advanced..

Bye

Re: copy folder to remote server

Re: copy folder to remote server

Message: 16
Date: Mon, 21 Jul 2008 11:24:18 -0400
From: "Paul M. Whitney" <paul.whitney@xxxxxxx>
Subject: RE: copy folder to remote server
To: "'General Red Hat Linux discussion list'"
<redhat-list@xxxxxxxxxx>
Message-ID: <004f01c8eb45\$d82bf790\$8883e6b0\$%whitney@xxxxxxx>
Content-Type: text/plain; charset=UTF-8

Sorry, that should have been the -r not the -R.

Paul

-----Original Message-----

From: redhat-list-bounces@xxxxxxxxxx [<mailto:redhat-list-bounces@xxxxxxxxxx>] On Behalf Of Mad Unix
Sent: Monday, July 21, 2008 10:23 AM
To: General Red Hat Linux discussion list
Subject: Re: copy folder to remote server

```
[root@intra /]# scp -R /tmp root@xxxxxxxxxx:/tmp/test
scp: illegal option -- R
usage: scp [-1246BCpqr] [-c cipher] [-F ssh_config] [-i identity_file]
[-l limit] [-o ssh_option] [-P port] [-S program]
[[user@]host1:]file1 [...] [[user@]host2:]file2
```

On Mon, Jul 21, 2008 at 4:14 PM, Paul M. Whitney <paul.whitney@xxxxxxx> wrote:

You could just use: scp -R /usr/local/apache/htdocs userid@xxxxxxx:
/var/www/html/

Paul

-----Original Message-----

From: redhat-list-bounces@xxxxxxxxxx [<mailto:redhat-list-bounces@xxxxxxxxxx>] On Behalf Of Mad Unix
Sent: Monday, July 21, 2008 10:08 AM
To: General Red Hat Linux discussion list
Subject: copy folder to remote server

I want to copy all the following files/folder/subfolders under
/usr/local/apache/htdocs to a remote server within this directory
/var/www/html/

Am I correct with this command, or far away offff

Re: copy folder to remote server

```
tar zcvf - /usr/local/apache/htdocs | ssh root@xxxxxxx "cat >
/var/www/html/htdocs.tar.gz"
```

Thanks

--

Your search – madunix – did not match any documents.

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

--

Your search – madunix – did not match any documents.

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

Message: 17

Date: Mon, 21 Jul 2008 15:48:09 +0000

From: chaim.rieger@xxxxxxxx

Subject: Re: How can I install and configure yum in RedHat 4.0 AS?

To: "General Red Hat Linux discussion list"

<redhat-list@xxxxxxxx>

Message-ID:

<945012880-1216655338-cardhu_decombobulator_blackberry.rim.net-1516710062-@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>

Content-Type: text/plain

Rh 4 has up2date by default not yum

Sent via BlackBerry from T-Mobile

-----Original Message-----

From: "Julivan Silva" <techsolaris@xxxxxxxx>

Re: copy folder to remote server

Re: copy folder to remote server

Am I correct with this command, or far away offff

```
tar zcvf - /usr/local/apache/htdocs | ssh root@xxxxxxx "cat >
/var/www/html/htdocs.tar.gz"
```

Thanks

--

Your search – madunix – did not match any documents.

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

Message: 19

Date: Mon, 21 Jul 2008 11:50:10 -0400

From: <jerry.feldman@xxxxxxxxxxxxxxxxxx>

Subject: RE: NFS problems between RHEL4 U3 and RHEL4U6

To: <redhat-list@xxxxxxxxxx>

Message-ID:

<FC01FE3333D4C04C8BDF808F1EB3DD93062228AB@xxxxxxxxxxxxxxxxxxxxxxxxxx>

Content-Type: text/plain; charset="US-ASCII"

I've made a bit of progress on this.

On one o the client machines I am currently not experiencing the delay.

But my test on another client I experienced a delay on my home directory

but not in another directory (buildarea/foo) both exported by the same

NFS server> There is a difference in the export options:

```
/home *(rw,insecure,sync)
```

```
/mnts/buildarea *(rw,sync)
```

Additionally, /home is mounted by fstab on the clients where the buildarea subdirectories automounted on the clients. I did remove the insecure locking from the /home entry, restarted ns and remounted /home on the clients, but there is no change.

--

Jerry Feldman <Jerry.Feldman@xxxxxxxxxxxxxxxxxx>

Algorithmics (US), Inc

Suite 2-400

275 Grove St.

Newton, MA 02466

617-663-5220

617-663-5391 (fax)

Re: copy folder to remote server

Re: copy folder to remote server

-----Original Message-----

From: redhat-list-bounces@xxxxxxxxxx [mailto:redhat-list-bounces@xxxxxxxxxx] On Behalf Of jerry.feldman@xxxxxxxxxxxxxxxxxxxxx
Sent: Monday, July 14, 2008 9:57 AM
To: redhat-list@xxxxxxxxxx
Subject: NFS problems between RHEL4 U3 and RHEL4U6

My primary NFS server is running RHEL4 Update3 (unpatched). I just added

a few servers running U6. (The specific release I run is specified by our IT department). The problem I am seeing is:
When I save an 8MB file from our application on a client RHEL4U3

machine

the save time is about 1 second. When I perform the same test on a client running RHEL4U6, the save takes about 2 minutes.

As a test, I exported a directory from one of the RHEL4U6 systems, and the save times were good on both an update 3 and update 6 client. So, one solution is to upgrade U3 to U6. (I would probably do a fresh install). But, that requires some downtime, and the server room is not accessible after hours. (All disks are removable so I probably could move the volume group to one of the existing servers to minimize downtime).

I would like to know if there is some existing NFS issue between U3 and

U6. If I could provide a temporary fix, that would be a better interim solution until the additional drives I ordered arrive.

—
Jerry Feldman <Jerry.Feldman@xxxxxxxxxxxxxxxxxxxx>
Algorithmics (US), Inc
Suite 2-400
275 Grove St.
Newton, MA 02466
617-663-5220
617-663-5391 (fax)

Re: copy folder to remote server

This email and any files transmitted with it are confidential and proprietary to Algorithmics Incorporated and its affiliates ("Algorithmics"). If received in error, use is prohibited.

Please
destroy,

and notify sender. Sender does not waive confidentiality or privilege. Internet communications cannot be guaranteed to be timely, secure,

error

or virus-free. Algorithmics does not accept liability for any errors

or

omissions. Any commitment intended to bind Algorithmics must be

reduced to

writing and signed by an authorized signatory.

--

--
redhat-list mailing list
unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

This email and any files transmitted with it are confidential and proprietary to Algorithmics Incorporated and its affiliates ("Algorithmics"). If received in error, use is prohibited. Please destroy, and notify sender. Sender does not waive confidentiality or privilege. Internet communications cannot be guaranteed to be timely, secure, error or virus-free. Algorithmics does not accept liability for any errors or omissions. Any commitment intended to bind Algorithmics must be reduced to writing and signed by an authorized signatory.

--

Re: copy folder to remote server

Re: copy folder to remote server

redhat-list mailing list

Unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>

End of redhat-list Digest, Vol 53, Issue 21

--

redhat-list mailing list

unsubscribe <mailto:redhat-list-request@xxxxxxxxxx?subject=unsubscribe>
<https://www.redhat.com/mailman/listinfo/redhat-list>