

## [SLE] g-wrap

**Source:** <http://linux.derkeiler.com/Mailing-Lists/SuSE/2004-07/4111.html>

---

**From:** Jesse L. Purdom ([purdomj\\_at\\_provide.net](mailto:purdomj_at_provide.net))

**Date:** 07/31/04

To: [suse-linux-e@suse.com](mailto:suse-linux-e@suse.com)

Date: Fri, 30 Jul 2004 19:35:40 -0400

-----BEGIN PGP SIGNED MESSAGE-----

Hash: SHA1

Hello list.

I am attempting to install gnucash v1.8.9. One of its dependencies is a package called g-wrap. I have downloaded the recommended version, g-wrap v1.3.4 and extracted it as usual. When I run configure all goes well, but when I run make things go awry. Here is the output:

```
jesse@linux:~/source/gnucash/depend/g-wrap-1.3.4> make
make all-recursive
make[1]: Entering directory `/home/jesse/source/gnucash/depend/g-wrap-1.3.4'
Making all in doc
make[2]: Entering directory
`/home/jesse/source/gnucash/depend/g-wrap-1.3.4/doc'
make[2]: Nothing to be done for `all'.
make[2]: Leaving directory
`/home/jesse/source/gnucash/depend/g-wrap-1.3.4/doc'
Making all in rpm
make[2]: Entering directory
`/home/jesse/source/gnucash/depend/g-wrap-1.3.4/rpm'
rm -f spec.tmp
sed < spec.in > spec.tmp \
    -e
's:@-GW_RTLIB_VER-@:@GW_RUNTIME_GUILDE_INTERFACE_MAJOR_VER@.@GW_RUNTIME_GUILDE
\
    -e 's:@-GW_RTLIB_MAJ-@:@GW_RUNTIME_GUILDE_INTERFACE_MAJOR_VER@:' \
    -e 's:@-VERSION-@:1.3.4:'
mv spec.tmp spec
make[2]: Leaving directory
`/home/jesse/source/gnucash/depend/g-wrap-1.3.4/rpm'
Making all in bin
make[2]: Entering directory
`/home/jesse/source/gnucash/depend/g-wrap-1.3.4/bin'
make[2]: Nothing to be done for `all'.
```

## SuSE: [SLE] g-wrap

```
make[2]: Leaving directory
`/home/jesse/source/gnucash/depend/g-wrap-1.3.4/bin'
Making all in g-wrap

;;; WARNING (no code for module (gtk config))
Backtrace:
0* (define defsdir (string-append gtkconf-prefix "/share/guile-gtk"))
1* [string-append ...

/opt/gnome/bin/build-guile-gtk:172:17: While evaluating arguments to
string-append in expression (string-append gtkconf-prefix
"/share/guile-gtk"):
/opt/gnome/bin/build-guile-gtk:172:17: Unbound variable: gtkconf-prefix
make[2]: Entering directory
`/home/jesse/source/gnucash/depend/g-wrap-1.3.4/g-wrap'
source='gw-gtk.c' object='gw-gtk.lo' libtool=yes \
depfile='.deps/gw-gtk.Plo' tmpdepfile='.deps/gw-gtk.TPlo' \
depmode=gcc /bin/sh ../depcomp \
/bin/sh ../libtool --mode=compile gcc -DHAVE_CONFIG_H -I. -I. -I.. -O2 -g
--Wall -Werror -I/usr/include/glib-1.2 -I/usr/lib/glib/include
--I/usr/include/glib-1.2 -I/usr/lib/glib/include -g -O2 -c -o gw-gtk.lo `test
--f 'gw-gtk.c' || echo './' gw-gtk.c
rm -f .libs/gw-gtk.lo
gcc -DHAVE_CONFIG_H -I. -I. -I.. -O2 -g -Wall -Werror -I/usr/include/glib-1.2
--I/usr/lib/glib/include -I/usr/include/glib-1.2 -I/usr/lib/glib/include -g
--O2 -c gw-gtk.c -Wp,-MD,.deps/gw-gtk.TPlo -fPIC -DPIC -o .libs/gw-gtk.lo
gw-gtk.c:9: guile-gtk.h: No such file or directory
make[2]: *** [gw-gtk.lo] Error 1
make[2]: Leaving directory
`/home/jesse/source/gnucash/depend/g-wrap-1.3.4/g-wrap'
make[1]: *** [all-recursive] Error 1
make[1]: Leaving directory `/home/jesse/source/gnucash/depend/g-wrap-1.3.4'
make: *** [all] Error 2
```

I believe that this:

```
;;; WARNING (no code for module (gtk config))
```

is the cause of my grief, at least in part, but do not know enough about how to really read the output to be sure. For all I know this can be ignored, though I doubt it.

I am running SuSE v8.0 Professional, KDE v3.1.3. I installed the Gnome libraries and thought that would provide what is needed for gtk.

Any thoughts would be much appreciated.

Thanks!

Jesse

-----BEGIN PGP SIGNATURE-----

[SLE] g-wrap

SuSE: [SLE] g-wrap

Version: GnuPG v1.0.6 (GNU/Linux)

Comment: For info see <http://www.gnupg.org>

iD8DBQFBCttRVPKfvL+9l4QRAhrKAKC9Zjv/vRhmxAZ50BwEsmeUIxviUQCg1XAU  
aihK6184GcEBYeRUkOLfnwc=

=tU8r

-----END PGP SIGNATURE-----

--

Check the headers for your unsubscribe address

For additional commands send e-mail to [suse-linux-e-help@suse.com](mailto:suse-linux-e-help@suse.com)

Also check the archives at <http://lists.suse.com>

Please read the FAQs: [suse-linux-e-faq@suse.com](mailto:suse-linux-e-faq@suse.com)