

[SLE] SUSE 9.2 and OpenOffice not starting

Source: <http://linux.derkeiler.com/Mailing-Lists/SuSE/2004-11/3878.html>

From: Jim Hamilton (*jhew6709_at_bigpond.net.au*)

Date: 11/30/04

To: SLE <suse-linux-e@suse.com>

Date: Tue, 30 Nov 2004 17:10:47 +0800

Hi all,

I have an odd problem at the moment with OpenOffice 1.1.3 and SuSE 9.2 (patched kernel, kde 3.3.1). Immediately after a reboot I can start and stop OOo without problems at some point in time later, which I haven't determined as yet I can't start OOo-writer (or any other part of OOo). A small window starts, lots of cpu activity but no main window.

Running strace on the startup of OOo-writer yields this output near the end. Any one able to point me in the right direction. My gut feel is that I am exhausting a kernel resource but not sure how to determine this.

```
munmap(0x427d9000, 3571712) = 0
fcntl64(9, F_SETLK, {type=F_UNLCK, whence=SEEK_SET, start=0, len=0}) = 0
close(9) = 0
gettimeofday({1101802418, 595419}, NULL) = 0
gettimeofday({1101802418, 595813}, NULL) = 0
rt_sigaction(SIGXFSZ, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGXCPU, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGVTALRM, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGIO, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGURG, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGWINCH, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGPWR, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGTERM, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGALRM, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGPIPE, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGSYS, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGSEGV, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGBUS, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGFPE, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGABRT, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGTRAP, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGQUIT, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGINT, {SIG_DFL}, NULL, 8) = 0
rt_sigaction(SIGHUP, {SIG_DFL}, NULL, 8) = 0
gettimeofday({1101802418, 598646}, NULL) = 0
```

SuSE: [SLE] SUSE 9.2 and OpenOffice not starting

```
write(8, "\4\1\2\0\2\0\200\4<\0\2\0\t\0\200\4<\0\2\0\3\0\200\4<\1"..., 84) =
84
read(8, 0xbfffed0, 32) = -1 EAGAIN (Resource temporarily
unavailable)
select(9, [8], NULL, NULL, NULL) = 1 (in [8])
read(8, "\34\375\211\0\2\0\200\4\0\0\0-h\37\1\1\21\250\10\230"..., 32) = 32
read(8, "\34\375\211\0\2\0\200\4\366\0\0\0-h\37\1\1\21\250\10\230"..., 32) =
32
read(8, "\34\375\211\0\2\0\200\4q\1\0\0-h\37\1\1\21\250\10\230\375"..., 32) =
32
read(8, "\1\1\223\0\0\0\0\7\0\340\2\0\0\0\0\0\0\6\0\0\0\230"..., 32) =
32
shutdown(8, 2 /* send and receive */) = 0
close(8) = 0
close(6) = 0
close(7) = 0
close(5) = 0
exit_group(0)
```

The clue seems to be this:

```
read(8, 0xbfffed0, 32) = -1 EAGAIN (Resource temporarily
unavailable)
```

Br Jim

--

Jim Hamilton
Perth, Western Australia

--

Check the headers for your unsubscription address
For additional commands send e-mail to suse-linux-e-help@suse.com
Also check the archives at <http://lists.suse.com>
Please read the FAQs: suse-linux-e-faq@suse.com