

[SLE] openafs issues

Source: <http://linux.derkeiler.com/Mailing-Lists/SuSE/2005-04/3051.html>

From: David Bear (*David.Bear_at_asu.edu*)

Date: 04/28/05

Date: Thu, 28 Apr 2005 11:44:44 -0700
To: Suse Linux List <suse-linux-e@suse.com>

I installed the openafs rpm distributed with suse 9.2.

after configuring the /etc/systconfig/afsclient file, I try to start the afs client with

```
/etc/rc.d/afs-client start
```

I get the following error:

```
/etc/rc.d # ./afs-client start
Starting OpenAFS Client
./afs-client: line 126: [: too many arguments
./afs-client: line 128: [: too many arguments
./afs-client: line 130: [: too many arguments
./afs-client: line 132: [: too many arguments
ParseCacheInfoFile: Format error in cache info file!
    2 out of 3 fields successfully parsed.
./afs-client: line 195: 10989 Killed /usr/bin/fs
setcrypt on
                                     failed
```

Message from syslogd@ppsrv11 at Thu Apr 28 11:11:37 2005 ...

ppsrv11 kernel: Oops: 0002 [2] SMP

ppsrv11:/etc/rc.d #

Message from syslogd@ppsrv11 at Thu Apr 28 11:11:37 2005 ...

ppsrv11 kernel: CR2: 0000000000000004

I am using the smp kernel:

```
Linux ppsrv11 2.6.8-24.14-smp #1 SMP Tue Mar 29 09:27:43 UTC 2005
x86_64 x86_64 x86_64 GNU/Linux
```

Any help would be appreciated.

--

David Bear
phone: 480-965-8257
fax: 480-965-9189

SuSE: [SLE] openafs issues

College of Public Programs/ASU
Wilson Hall 232
Tempe, AZ 85287-0803

"Beware the IP portfolio, everyone will be suspect of trespassing"

--

Check the headers for your unsubscription address
For additional commands send e-mail to suse-linux-e-help@suse.com
Also check the archives at <http://lists.suse.com>
Please read the FAQs: suse-linux-e-faq@suse.com