

## Re: [SLE] mysql

**Source:** <http://linux.derkeiler.com/Mailing-Lists/SuSE/2005-09/2088.html>

---

**From:** Jim Cunning ([jcunning\\_at\\_cunning.ods.org](mailto:jcunning_at_cunning.ods.org))

**Date:** 09/29/05

Date: Wed, 28 Sep 2005 21:39:28 -0700 (PDT)

To: Suse <[suse-linux-e@suse.com](mailto:suse-linux-e@suse.com)>

On Sep 29 at 12:30pm, Ronald Wiplinger wrote:

> *I am trying to setup ser. The script should create the database and Grant all  
> priveleges to the user ser.*  
>  
> *It does not grant the priveleges!*  
>  
> *I tried to login into mysql and do the command by hand:*  
> *mysql> GRANT ALL PRIVILEGES ON SER.\* TO ser IDENTIFIED BY 'password';*  
> *Query OK, 0 rows affected (0.00 sec)*  
>  
> *0 rows affected !!!!*  
>  
> *select \* users shows the records with ser as user but with all flags set to N*  
>  
> *If I try to use phpMyAdmin I do not even see the records for ser.*  
> *I use the right server!*  
>  
> *Where is my thinking error?*

You don't need to worry about the "0 rows affected" -- that's normal. What you do need to do is FLUSH PRIVILEGES; in mysql. This will cause the privileges set in the grant tables to be reloaded by the server.

Jim

--

Check the headers for your unsubscription address  
For additional commands send e-mail to [suse-linux-e-help@suse.com](mailto:suse-linux-e-help@suse.com)  
Also check the archives at <http://lists.suse.com>  
Please read the FAQs: [suse-linux-e-faq@suse.com](mailto:suse-linux-e-faq@suse.com)