

Re: FW: [SLE] FW: WiFi loses connection

Source: <http://linux.derkeiler.com/Mailing-Lists/SuSE/2005-09/2154.html>

From: Sid Boyce (*sboyce_at_blueyonder.co.uk*)

Date: 09/29/05

Date: Thu, 29 Sep 2005 17:17:26 +0100

To: suse-linux-e@suse.com

Albert wrote:

> *Sid Boyce wrote:*

>

>>> *How do I configure the DHCP client to not bring the interface up and*

>>

>> *down?*

>>

>> *If the interface is configured with a static IP in YaST, then the dhcp*

>> *client won't start or /etc/sysconfig/network/ifcfg-eth-id-* can be*

>> *manually changed from BOOTPROTO='dhcp' to ...*

>> *BOOTPROTO='static'*

>

>

> *I have reconfigured the interface to use DHCP. Now I want to configure the*

> *DHCP client not to bring the interface up and down.*

>

> *How do I do this?*

>

> *I have added DHCLIENT_ADDITIONAL_OPTIONS="-o" to the wireless interface*

> *ifcfg but with this entry I do not get any IP address.*

>

> *Any suggestion would be appreciated.*

>

> *Albert*

>

You could try altering /etc/sysconfig/network/scripts/dhccpd-hook as that is where it does ifup and ifdown.

Regards

Sid.

--

Sid Boyce ... Hamradio License G3VBV, licensed Private Pilot
Retired IBM/Amdahl Mainframes and Sun/Fujitsu Servers Tech Support
Specialist

Microsoft Windows Free Zone - Linux used for all Computing Tasks

--

Check the headers for your unsubscription address

For additional commands send e-mail to suse-linux-e-help@suse.com

SuSE: Re: FW: [SLE] FW: WiFi loses connection

Also check the archives at <http://lists.suse.com>
Please read the FAQs: suse-linux-e-faq@suse.com