

## [BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

---

*Source:* <http://linux.derkeiler.com/Mailing-Lists/Kernel/2006-04/msg06404.html>

---

- *From:* Vernon Mauery <[vernux@xxxxxxxxxxx](mailto:vernux@xxxxxxxxxxx)>
  - *Date:* Fri, 28 Apr 2006 07:13:44 -0700
- 

Ingo,

On an IBM Intellistation A-Pro I am seeing the bug regularly as seen below. We also see this bug on an LS-20 blade. The way this bug is triggered is to add 'irqpoll' to the kernel command line. If we remove this from the command line, we don't see this bug. I know the easy answer is that if you don't want to see the bug, don't use irqpoll. So we don't. But we thought that just in case this bug does expose something real that it should be reported.

I booted with a fresh vanilla linux-2.6.16 + patch-2.6.16-rt18 kernel. I attached the config file I used.

--Vernon

BUG at kernel/rtmutex.c:639!

-----[ cut here ]-----

kernel BUG at kernel/rtmutex.c:639!

invalid opcode: 0000 [#1]

PREEMPT SMP

Modules linked in: sata\_sil libata sd\_mod

CPU: 0

EIP: 0060:[<c0312d09>] Not tainted VLI

EFLAGS: 00010082 (2.6.16-rt18 #1)

EIP is at rt\_lock\_slowlock+0x9b/0x195

eax: 00000020 ebx: f7c9e000 ecx: f7c9fc8c edx: c0328a2e

esi: c0409680 edi: c0400600 ebp: 00000001 esp: f7c9fc88

ds: 007b es: 007b ss: 0068 preempt: 00010003

Process kseriod (pid: 294, threadinfo=f7c9e000 task=cd552030 stack\_left=7252 worst\_left=-1)

Stack: <0>c0328a2e c03309d5 0000027f f7c9fc90 c022b72f 0000008c f7c9fca0 f7c9fca0

f7c9fca8 f7c9fca8 00000000 0000008c f7c9fcb8 f7c9fcb8 f7c9fcc0 f7c9fcc0

00000000 00000000 11111111 11111111 11111111 11111111 c0313843 c0313466

Call Trace:

[<c022b72f>] i8042\_interrupt+0x2c/0x1f0 (20)

[<c0313843>] \_raw\_spin\_unlock+0xd/0x21 (72)

[<c0313466>] rt\_unlock+0x5/0x6 (4)

[<c012530e>] \_\_mod\_timer+0xa3/0xab (4)

[<c0313460>] \_\_lock\_text\_start+0x8/0x9 (20)

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

```
[<c022b72f>] i8042_interrupt+0x2c/0x1f0 (4)
[<c013350e>] try_to_take_rt_mutex+0x165/0x172 (4)
[<c014067d>] misrouted_irq+0x85/0x118 (32)
[<c01407d4>] note_interrupt+0x43/0x9f (36)
[<c013fbfe>] __do_IRQ+0xbd/0xf7 (16)
[<c0104736>] do_IRQ+0x3e/0x4b (32)
[<c010337e>] common_interrupt+0x1a/0x20 (12)
[<c01c8dab>] delay_tsc+0x7/0x13 (44)
[<c01c8de0>] __delay+0x6/0x7 (16)
[<c022b309>] i8042_wait_write+0x19/0x3b (4)
[<c022b43f>] i8042_command+0x8d/0x152 (8)
[<c022b582>] i8042_aux_write+0x27/0x39 (20)
[<c022c631>] ps2_sendbyte+0x49/0x114 (12)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (12)
[<c013ee94>] add_preempt_count+0x10/0x9b (12)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (20)
[<c022c960>] ps2_command+0xf5/0x2c9 (40)
[<c0134e57>] rt_up+0x2c/0x42 (24)
[<c022cb29>] ps2_command+0x2be/0x2c9 (8)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (24)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (20)
[<c02a1fbb>] intellimouse_detect+0x20/0xb2 (20)
[<c02a205f>] im_explorer_detect+0x12/0xcd (20)
[<c02a233c>] psmouse_extensions+0x11b/0x15b (20)
[<c02a2945>] psmouse_switch_protocol+0xb1/0x14e (20)
[<c02a2b30>] psmouse_connect+0x14e/0x1d2 (16)
[<c0233ca9>] __driver_attach+0x0/0x5b (24)
[<c022a287>] serio_connect_driver+0x1b/0x2a (4)
[<c0233c06>] driver_probe_device+0x44/0x95 (16)
[<c0233ce3>] __driver_attach+0x3a/0x5b (16)
[<c023349a>] bus_for_each_dev+0x38/0x5c (16)
[<c0233d15>] driver_attach+0x11/0x13 (36)
[<c0233ca9>] __driver_attach+0x0/0x5b (4)
[<c023386d>] bus_add_driver+0x58/0x8d (4)
[<c022a708>] serio_thread+0x0/0xee (16)
[<c022a64c>] serio_handle_event+0x5b/0x74 (4)
[<c022a711>] serio_thread+0x9/0xee (8)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (12)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (32)
[<c0312148>] schedule+0xcd/0xed (12)
[<c012de21>] kthread+0x73/0x9b (16)
[<c012ddae>] kthread+0x0/0x9b (16)
[<c0101005>] kernel_thread_helper+0x5/0xb (16)
```

```
-----
| preempt count: 00010003 |
| 3-level deep critical section nesting:
-----
```

```
.. [<c0313807>] .... _raw_spin_lock+0xd/0x1d
....[<00000000>] .. ( <= rest_init+0x3feffd64/0x3e)
.. [<c0313807>] .... _raw_spin_lock+0xd/0x1d
....[<00000000>] .. ( <= rest_init+0x3feffd64/0x3e)
```

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

```
.. [<c03136e1>] .... _raw_spin_lock_irqsave+0x11/0x2e
....[<00000000>] .. ( <= rest_init+0x3feffd64/0x3e)
```

```
-----
| showing all locks held by: | (kseriod/294 [cd552030, 110]):
-----
```

```
#001: [c03a6224] {serio_sem.lock}
... acquired at: rt_down+0xe/0x26
```

```
#002: [f7d0a5e0] {(struct semaphore *)(&dev->sem)}
... acquired at: rt_down+0xe/0x26
```

```
#003: [f7d0a2cc] {(struct semaphore *)(&dev->sem)}
... acquired at: rt_down+0xe/0x26
```

```
#004: [f7d0a0b4] {(struct semaphore *)(&serio->drv_sem)}
... acquired at: rt_down+0xe/0x26
```

```
#005: [c03ba184] {psmouse_sem.lock}
... acquired at: rt_down+0xe/0x26
```

```
#006: [f7d88a10] {(struct semaphore *)(&ps2dev->cmd_sem)}
... acquired at: rt_down+0xe/0x26
```

```
#007: [c0409680] {drivers/input/serio/i8042.c:89}
... acquired at: i8042_command+0x3c/0x152
```

```
Code: 00 e9 17 01 00 00 8b 46 1c bb 00 e0 ff ff 21 e3 83 e0 fc 3b 03 75 1f 68 7f 02 00 00 68 d5 09 33 c0 68
2e 8a 32 c0 e8 a3 b0 e0 ff <0f> 0b 7f 02 d5 09 33 c0 83 c4 0c bd 04 00 00 00 8b 03 87 28 bf
```

```
<0>Kernel panic - not syncing: Fatal exception in interrupt
```

```
[<c011d684>] panic+0x41/0xe3 (8)
[<c0103b98>] die+0x166/0x170 (20)
[<c0103cf0>] do_invalid_op+0x0/0x8b (48)
[<c0103d6f>] do_invalid_op+0x7f/0x8b (8)
[<c013ee94>] add_preempt_count+0x10/0x9b (40)
[<c0312d09>] rt_lock_slowlock+0x9b/0x195 (24)
[<c0134e57>] rt_up+0x2c/0x42 (36)
[<c011e0e0>] release_console_sem+0x6d/0xbf (8)
[<c011dfd1>] vprintk+0x214/0x238 (16)
[<c013ee94>] add_preempt_count+0x10/0x9b (4)
[<c0134720>] debug_rt_mutex_lock+0xc0/0xc8 (28)
[<c013350e>] try_to_take_rt_mutex+0x165/0x172 (20)
[<c01034b3>] error_code+0x4f/0x54 (12)
[<c0312d09>] rt_lock_slowlock+0x9b/0x195 (44)
[<c022b72f>] i8042_interrupt+0x2c/0x1f0 (28)
[<c0313843>] _raw_spin_unlock+0xd/0x21 (72)
[<c0313466>] rt_unlock+0x5/0x6 (4)
[<c012530e>] __mod_timer+0xa3/0xab (4)
[<c0313460>] __lock_text_start+0x8/0x9 (20)
[<c022b72f>] i8042_interrupt+0x2c/0x1f0 (4)
```

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

```
[<c013350e>] try_to_take_rt_mutex+0x165/0x172 (4)
[<c014067d>] misrouted_irq+0x85/0x118 (32)
[<c01407d4>] note_interrupt+0x43/0x9f (36)
[<c013fbfe>] __do_IRQ+0xbd/0xf7 (16)
[<c0104736>] do_IRQ+0x3e/0x4b (32)
[<c010337e>] common_interrupt+0x1a/0x20 (12)
[<c01c8dab>] delay_tsc+0x7/0x13 (44)
[<c01c8de0>] __delay+0x6/0x7 (16)
[<c022b309>] i8042_wait_write+0x19/0x3b (4)
[<c022b43f>] i8042_command+0x8d/0x152 (8)
[<c022b582>] i8042_aux_write+0x27/0x39 (20)
[<c022c631>] ps2_sendbyte+0x49/0x114 (12)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (12)
[<c013ee94>] add_preempt_count+0x10/0x9b (12)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (20)
[<c022c960>] ps2_command+0xf5/0x2c9 (40)
[<c0134e57>] rt_up+0x2c/0x42 (24)
[<c022cb29>] ps2_command+0x2be/0x2c9 (8)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (24)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (20)
[<c02a1fbb>] intellimouse_detect+0x20/0xb2 (20)
[<c02a205f>] im_explorer_detect+0x12/0xcd (20)
[<c02a233c>] psmouse_extensions+0x11b/0x15b (20)
[<c02a2945>] psmouse_switch_protocol+0xb1/0x14e (20)
[<c02a2b30>] psmouse_connect+0x14e/0x1d2 (16)
[<c0233ca9>] __driver_attach+0x0/0x5b (24)
[<c022a287>] serio_connect_driver+0x1b/0x2a (4)
[<c0233c06>] driver_probe_device+0x44/0x95 (16)
[<c0233ce3>] __driver_attach+0x3a/0x5b (16)
[<c023349a>] bus_for_each_dev+0x38/0x5c (16)
[<c0233d15>] driver_attach+0x11/0x13 (36)
[<c0233ca9>] __driver_attach+0x0/0x5b (4)
[<c023386d>] bus_add_driver+0x58/0x8d (4)
[<c022a708>] serio_thread+0x0/0xee (16)
[<c022a64c>] serio_handle_event+0x5b/0x74 (4)
[<c022a711>] serio_thread+0x9/0xee (8)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (12)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (32)
[<c0312148>] schedule+0xcd/0xed (12)
[<c012de21>] kthread+0x73/0x9b (16)
[<c012ddae>] kthread+0x0/0x9b (16)
[<c0101005>] kernel_thread_helper+0x5/0xb (16)
```

```
-----
| preempt count: 00010003 |
| 3-level deep critical section nesting:
-----
```

```
.. [<c0313807>] .... _raw_spin_lock+0xd/0x1d
....[<00000000>] .. ( <= rest_init+0x3feffd64/0x3e)
.. [<c0313807>] .... _raw_spin_lock+0xd/0x1d
....[<00000000>] .. ( <= rest_init+0x3feffd64/0x3e)
.. [<c011d64e>] .... panic+0xb/0xe3
```

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

....[<00000000>] .. ( <= rest\_init+0x3feffd64/0x3e)

-----  
| showing all locks held by: | (kseriod/294 [cd552030, 110]):  
-----

#001: [c03a6224] {serio\_sem.lock}

... acquired at: rt\_down+0xe/0x26

#002: [f7d0a5e0] {(struct semaphore \*)&dev->sem}

... acquired at: rt\_down+0xe/0x26

#003: [f7d0a2cc] {(struct semaphore \*)&dev->sem}

... acquired at: rt\_down+0xe/0x26

#004: [f7d0a0b4] {(struct semaphore \*)&serio->drv\_sem}

... acquired at: rt\_down+0xe/0x26

#005: [c03ba184] {psmouse\_sem.lock}

... acquired at: rt\_down+0xe/0x26

#006: [f7d88a10] {(struct semaphore \*)&ps2dev->cmd\_sem}

... acquired at: rt\_down+0xe/0x26

#007: [c0409680] {drivers/input/serio/i8042.c:89}

... acquired at: i8042\_command+0x3c/0x152

kseriod/294[CPU#0]: BUG in smp\_call\_function at arch/i386/kernel/smp.c:551

<c011e515> \_\_WARN\_ON+0x41/0x54 (8)  
<c010f4cd> stop\_this\_cpu+0x0/0x29 (36)  
<c010f423> smp\_call\_function+0x4c/0xf6 (12)  
<c011ddb8> printk+0xe/0x11 (12)  
<c010f509> smp\_send\_stop+0x13/0x1c (44)  
<c011d697> panic+0x54/0xe3 (8)  
<c0103b98> die+0x166/0x170 (20)  
<c0103cf0> do\_invalid\_op+0x0/0x8b (48)  
<c0103d6f> do\_invalid\_op+0x7f/0x8b (8)  
<c013ee94> add\_preempt\_count+0x10/0x9b (40)  
<c0312d09> rt\_lock\_slowlock+0x9b/0x195 (24)  
<c0134e57> rt\_up+0x2c/0x42 (36)  
<c011e0e0> release\_console\_sem+0x6d/0xbf (8)  
<c011dfd1> vprintk+0x214/0x238 (16)  
<c013ee94> add\_preempt\_count+0x10/0x9b (4)  
<c0134720> debug\_rt\_mutex\_lock+0xc0/0xc8 (28)  
<c013350e> try\_to\_take\_rt\_mutex+0x165/0x172 (20)  
<c01034b3> error\_code+0x4f/0x54 (12)  
<c0312d09> rt\_lock\_slowlock+0x9b/0x195 (44)  
<c022b72f> i8042\_interrupt+0x2c/0x1f0 (28)  
<c0313843> \_raw\_spin\_unlock+0xd/0x21 (72)  
<c0313466> rt\_unlock+0x5/0x6 (4)  
<c012530e> \_\_mod\_timer+0xa3/0xab (4)

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

```
[<c0313460>] __lock_text_start+0x8/0x9 (20)
[<c022b72f>] i8042_interrupt+0x2c/0x1f0 (4)
[<c013350e>] try_to_take_rt_mutex+0x165/0x172 (4)
[<c014067d>] misrouted_irq+0x85/0x118 (32)
[<c01407d4>] note_interrupt+0x43/0x9f (36)
[<c013fbfe>] __do_IRQ+0xbd/0xf7 (16)
[<c0104736>] do_IRQ+0x3e/0x4b (32)
[<c010337e>] common_interrupt+0x1a/0x20 (12)
[<c01c8dab>] delay_tsc+0x7/0x13 (44)
[<c01c8de0>] __delay+0x6/0x7 (16)
[<c022b309>] i8042_wait_write+0x19/0x3b (4)
[<c022b43f>] i8042_command+0x8d/0x152 (8)
[<c022b582>] i8042_aux_write+0x27/0x39 (20)
[<c022c631>] ps2_sendbyte+0x49/0x114 (12)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (12)
[<c013ee94>] add_preempt_count+0x10/0x9b (12)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (20)
[<c022c960>] ps2_command+0xf5/0x2c9 (40)
[<c0134e57>] rt_up+0x2c/0x42 (24)
[<c022cb29>] ps2_command+0x2be/0x2c9 (8)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (24)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (20)
[<c02a1fbb>] intellimouse_detect+0x20/0xb2 (20)
[<c02a205f>] im_explorer_detect+0x12/0xcd (20)
[<c02a233c>] psmouse_extensions+0x11b/0x15b (20)
[<c02a2945>] psmouse_switch_protocol+0xb1/0x14e (20)
[<c02a2b30>] psmouse_connect+0x14e/0x1d2 (16)
[<c0233ca9>] __driver_attach+0x0/0x5b (24)
[<c022a287>] serio_connect_driver+0x1b/0x2a (4)
[<c0233c06>] driver_probe_device+0x44/0x95 (16)
[<c0233ce3>] __driver_attach+0x3a/0x5b (16)
[<c023349a>] bus_for_each_dev+0x38/0x5c (16)
[<c0233d15>] driver_attach+0x11/0x13 (36)
[<c0233ca9>] __driver_attach+0x0/0x5b (4)
[<c023386d>] bus_add_driver+0x58/0x8d (4)
[<c022a708>] serio_thread+0x0/0xee (16)
[<c022a64c>] serio_handle_event+0x5b/0x74 (4)
[<c022a711>] serio_thread+0x9/0xee (8)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (12)
[<c012e1ed>] autoremove_wake_function+0x0/0x2d (32)
[<c0312148>] schedule+0xcd/0xed (12)
[<c012de21>] kthread+0x73/0x9b (16)
[<c012ddae>] kthread+0x0/0x9b (16)
[<c0101005>] kernel_thread_helper+0x5/0xb (16)
```

```
-----
| preempt count: 00010005 |
| 5-level deep critical section nesting:
-----
```

```
.. [<c0313807>] .... _raw_spin_lock+0xd/0x1d
....[<00000000>] .. ( <= rest_init+0x3feffd64/0x3e)
.. [<c0313807>] .... _raw_spin_lock+0xd/0x1d
```

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

```
....[<00000000>] .. ( <= rest_init+0x3feffd64/0x3e)
.. [<c011d64e>] .... panic+0xb/0xe3
....[<00000000>] .. ( <= rest_init+0x3feffd64/0x3e)
.. [<c0313807>] .... _raw_spin_lock+0xd/0x1d
....[<00000000>] .. ( <= rest_init+0x3feffd64/0x3e)
.. [<c03136e1>] .... _raw_spin_lock_irqsave+0x11/0x2e
....[<00000000>] .. ( <= rest_init+0x3feffd64/0x3e)
```

-----  
| showing all locks held by: | (kseriod/294 [cd552030, 110]):  
-----

#001: [c03a6224] {serio\_sem.lock}  
... acquired at: rt\_down+0xe/0x26

#002: [f7d0a5e0] {(struct semaphore \*)&dev->sem}  
... acquired at: rt\_down+0xe/0x26

#003: [f7d0a2cc] {(struct semaphore \*)&dev->sem}  
... acquired at: rt\_down+0xe/0x26

#004: [f7d0a0b4] {(struct semaphore \*)&serio->drv\_sem}  
... acquired at: rt\_down+0xe/0x26

#005: [c03ba184] {psmouse\_sem.lock}  
... acquired at: rt\_down+0xe/0x26

#006: [f7d88a10] {(struct semaphore \*)&ps2dev->cmd\_sem}  
... acquired at: rt\_down+0xe/0x26

#007: [c0409680] {drivers/input/serio/i8042.c:89}  
... acquired at: i8042\_command+0x3c/0x152

#

# Automatically generated make config: don't edit

# Linux kernel version: 2.6.16-rt17

# Thu Apr 27 17:57:08 2006

#

CONFIG\_X86\_32=y

CONFIG\_GENERIC\_TIME=y

CONFIG\_SEMAPHORE\_SLEEPERS=y

CONFIG\_X86=y

CONFIG\_MMU=y

CONFIG\_GENERIC\_ISA\_DMA=y

CONFIG\_GENERIC\_IOMAP=y

CONFIG\_ARCH\_MAY\_HAVE\_PC\_FDC=y

CONFIG\_DMI=y

#

# Code maturity level options

#

CONFIG\_EXPERIMENTAL=y

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

```
CONFIG_LOCK_KERNEL=y
CONFIG_INIT_ENV_ARG_LIMIT=32

#
# General setup
#
CONFIG_LOCALVERSION=""
CONFIG_LOCALVERSION_AUTO=y
CONFIG_SWAP=y
CONFIG_SYSVIPC=y
CONFIG_POSIX_QUEUE=y
CONFIG_BSD_PROCESS_ACCT=y
# CONFIG_BSD_PROCESS_ACCT_V3 is not set
CONFIG_SYSCTL=y
CONFIG_AUDIT=y
CONFIG_AUDITSYSCALL=y
CONFIG_IKCONFIG=y
CONFIG_IKCONFIG_PROC=y
# CONFIG_CPUSETS is not set
CONFIG_INITRAMFS_SOURCE=""
CONFIG_UID16=y
CONFIG_VM86=y
CONFIG_CC_OPTIMIZE_FOR_SIZE=y
# CONFIG_EMBEDDED is not set
CONFIG_KALLSYMS=y
# CONFIG_KALLSYMS_ALL is not set
CONFIG_KALLSYMS_EXTRA_PASS=y
CONFIG_HOTPLUG=y
CONFIG_PRINTK=y
CONFIG_BUG=y
CONFIG_ELF_CORE=y
CONFIG_BASE_FULL=y
CONFIG_RT_MUTEXES=y
CONFIG_FUTEX=y
CONFIG_EPOLL=y
CONFIG_SHMEM=y
CONFIG_CC_ALIGN_FUNCTIONS=0
CONFIG_CC_ALIGN_LABELS=0
CONFIG_CC_ALIGN_LOOPS=0
CONFIG_CC_ALIGN_JUMPS=0
CONFIG_SLAB=y
# CONFIG_TINY_SHMEM is not set
CONFIG_BASE_SMALL=0
# CONFIG_SLOB is not set
CONFIG_OBSOLETE_INTERMODULE=m

#
# Loadable module support
#
CONFIG_MODULES=y
CONFIG_MODULE_UNLOAD=y
```

```
# CONFIG_MODULE_FORCE_UNLOAD is not set
CONFIG_OBSOLETE_MODPARM=y
CONFIG_MODVERSIONS=y
# CONFIG_MODULE_SRCVERSION_ALL is not set
CONFIG_KMOD=y
CONFIG_STOP_MACHINE=y
```

```
#
# Block layer
#
CONFIG_LBD=y
```

```
#
# IO Schedulers
#
CONFIG_IOSCHED_NOOP=y
CONFIG_IOSCHED_AS=y
CONFIG_IOSCHED_DEADLINE=y
CONFIG_IOSCHED_CFQ=y
CONFIG_DEFAULT_AS=y
# CONFIG_DEFAULT_DEADLINE is not set
# CONFIG_DEFAULT_CFQ is not set
# CONFIG_DEFAULT_NOOP is not set
CONFIG_DEFAULT_IOSCHED="anticipatory"
```

```
#
# Processor type and features
#
CONFIG_X86_PC=y
# CONFIG_X86_ELAN is not set
# CONFIG_X86_VOYAGER is not set
# CONFIG_X86_NUMAQ is not set
# CONFIG_X86_SUMMIT is not set
# CONFIG_X86_BIGSMP is not set
# CONFIG_X86_VISWS is not set
# CONFIG_X86_GENERICARCH is not set
# CONFIG_X86_ES7000 is not set
# CONFIG_M386 is not set
# CONFIG_M486 is not set
# CONFIG_M586 is not set
# CONFIG_M586TSC is not set
# CONFIG_M586MMX is not set
# CONFIG_M686 is not set
# CONFIG_MPENTIUMII is not set
# CONFIG_MPENTIUMIII is not set
# CONFIG_MPENTIUMM is not set
# CONFIG_MPENTIUM4 is not set
# CONFIG_MK6 is not set
# CONFIG_MK7 is not set
CONFIG_MK8=y
# CONFIG_MCRUSOE is not set
```

```
# CONFIG_MEFFICEON is not set
# CONFIG_MWINCHIP6 is not set
# CONFIG_MWINCHIP2 is not set
# CONFIG_MWINCHIP3D is not set
# CONFIG_MGEODEGX1 is not set
# CONFIG_MGEODE_LX is not set
# CONFIG_MCYRIXIII is not set
# CONFIG_MVIAC3_2 is not set
CONFIG_X86_GENERIC=y
CONFIG_X86_CMPXCHG=y
CONFIG_X86_XADD=y
CONFIG_X86_L1_CACHE_SHIFT=7
CONFIG_RWSEM_GENERIC_SPINLOCK=y
CONFIG_GENERIC_CALIBRATE_DELAY=y
CONFIG_X86_WP_WORKS_OK=y
CONFIG_X86_INVLPG=y
CONFIG_X86_BSWAP=y
CONFIG_X86_POPAD_OK=y
CONFIG_X86_CMPXCHG64=y
CONFIG_X86_GOOD_APIC=y
CONFIG_X86_INTEL_USERCOPY=y
CONFIG_X86_USE_PPRO_CHECKSUM=y
CONFIG_X86_TSC=y
CONFIG_HPET_TIMER=y
CONFIG_HPET_EMULATE_RTC=y
CONFIG_HIGH_RES_TIMERS=y
CONFIG_HIGH_RES_RESOLUTION=1000
CONFIG_SMP=y
CONFIG_NR_CPUS=32
# CONFIG_SCHED_SMT is not set
# CONFIG_PREEMPT_NONE is not set
# CONFIG_PREEMPT_VOLUNTARY is not set
# CONFIG_PREEMPT_DESKTOP is not set
CONFIG_PREEMPT_RT=y
CONFIG_PREEMPT=y
CONFIG_PREEMPT_SOFTIRQS=y
CONFIG_PREEMPT_HARDIRQS=y
CONFIG_PREEMPT_BKL=y
# CONFIG_CLASSIC_RCU is not set
CONFIG_PREEMPT_RCU=y
CONFIG_RCU_STATS=y
CONFIG_ASM_SEMAPHORES=y
CONFIG_X86_LOCAL_APIC=y
CONFIG_X86_IO_APIC=y
CONFIG_X86_MCE=y
# CONFIG_X86_MCE_NONFATAL is not set
# CONFIG_X86_MCE_P4THERMAL is not set
CONFIG_TOSHIBA=m
CONFIG_I8K=m
# CONFIG_X86_REBOOTFIXUPS is not set
CONFIG_MICROCODE=m
```

```
CONFIG_X86_MSR=m
CONFIG_X86_CPUID=m

#
# Firmware Drivers
#
CONFIG_EDD=m
# CONFIG_DELL_RBU is not set
CONFIG_DCDBAS=m
# CONFIG_NOHIGHMEM is not set
# CONFIG_HIGHMEM4G is not set
CONFIG_HIGHMEM64G=y
CONFIG_PAGE_OFFSET=0xC0000000
CONFIG_HIGHMEM=y
CONFIG_X86_PAE=y
CONFIG_ARCH_FLATMEM_ENABLE=y
CONFIG_ARCH_SPARSEMEM_ENABLE=y
CONFIG_ARCH_SELECT_MEMORY_MODEL=y
CONFIG_SELECT_MEMORY_MODEL=y
CONFIG_FLATMEM_MANUAL=y
# CONFIG_DISCONTIGMEM_MANUAL is not set
# CONFIG_SPARSEMEM_MANUAL is not set
CONFIG_FLATMEM=y
CONFIG_FLAT_NODE_MEM_MAP=y
CONFIG_SPARSEMEM_STATIC=y
CONFIG_SPLIT_PTLOCK_CPUS=4
CONFIG_HIGHPTE=y
# CONFIG_MATH_EMULATION is not set
CONFIG_MTRR=y
# CONFIG_EFI is not set
CONFIG_IRQBALANCE=y
CONFIG_REGPARM=y
CONFIG_SECCOMP=y
# CONFIG_HZ_100 is not set
CONFIG_HZ_250=y
# CONFIG_HZ_1000 is not set
CONFIG_HZ=250
CONFIG_KEXEC=y
# CONFIG_CRASH_DUMP is not set
CONFIG_PHYSICAL_START=0x100000
# CONFIG_HOTPLUG_CPU is not set
CONFIG_DOUBLEFAULT=y

#
# Power management options (ACPI, APM)
#
CONFIG_PM=y
CONFIG_PM_LEGACY=y
# CONFIG_PM_DEBUG is not set

#
```

```
# ACPI (Advanced Configuration and Power Interface) Support
#
CONFIG_ACPI=y
CONFIG_ACPI_AC=m
CONFIG_ACPI_BATTERY=m
CONFIG_ACPI_BUTTON=m
CONFIG_ACPI_VIDEO=y
# CONFIG_ACPI_HOTKEY is not set
CONFIG_ACPI_FAN=y
CONFIG_ACPI_PROCESSOR=y
CONFIG_ACPI_THERMAL=y
CONFIG_ACPI_ASUS=m
CONFIG_ACPI_IBM=y
CONFIG_ACPI_TOSHIBA=m
CONFIG_ACPI_BLACKLIST_YEAR=2001
# CONFIG_ACPI_DEBUG is not set
CONFIG_ACPI_EC=y
CONFIG_ACPI_POWER=y
CONFIG_ACPI_SYSTEM=y
CONFIG_X86_PM_TIMER=y
# CONFIG_ACPI_CONTAINER is not set

#
# APM (Advanced Power Management) BIOS Support
#
CONFIG_APM=y
# CONFIG_APM_IGNORE_USER_SUSPEND is not set
# CONFIG_APM_DO_ENABLE is not set
CONFIG_APM_CPU_IDLE=y
# CONFIG_APM_DISPLAY_BLANK is not set
CONFIG_APM_RTC_IS_GMT=y
# CONFIG_APM_ALLOW_INTS is not set
# CONFIG_APM_REAL_MODE_POWER_OFF is not set

#
# CPU Frequency scaling
#
CONFIG_CPU_FREQ=y
CONFIG_CPU_FREQ_TABLE=y
# CONFIG_CPU_FREQ_DEBUG is not set
CONFIG_CPU_FREQ_STAT=y
CONFIG_CPU_FREQ_STAT_DETAILS=y
# CONFIG_CPU_FREQ_DEFAULT_GOV_PERFORMANCE is not set
CONFIG_CPU_FREQ_DEFAULT_GOV_USERSPACE=y
CONFIG_CPU_FREQ_GOV_PERFORMANCE=y
CONFIG_CPU_FREQ_GOV_POWERSAVE=m
CONFIG_CPU_FREQ_GOV_USERSPACE=y
CONFIG_CPU_FREQ_GOV_ONDEMAND=m
CONFIG_CPU_FREQ_GOV_CONSERVATIVE=m

#
```

```
# CPUFreq processor drivers
#
CONFIG_X86_ACPI_CPUFREQ=y
CONFIG_X86_POWERNOW_K6=m
CONFIG_X86_POWERNOW_K7=y
CONFIG_X86_POWERNOW_K7_ACPI=y
CONFIG_X86_POWERNOW_K8=m
CONFIG_X86_POWERNOW_K8_ACPI=y
# CONFIG_X86_GX_SUSPMOD is not set
CONFIG_X86_SPEEDSTEP_CENTRINO=y
CONFIG_X86_SPEEDSTEP_CENTRINO_ACPI=y
# CONFIG_X86_SPEEDSTEP_CENTRINO_TABLE is not set
CONFIG_X86_SPEEDSTEP_ICH=y
CONFIG_X86_SPEEDSTEP_SMI=m
CONFIG_X86_P4_CLOCKMOD=m
CONFIG_X86_CPUFREQ_NFORCE2=m
CONFIG_X86_LONGRUN=y
CONFIG_X86_LONGHAUL=y

#
# shared options
#
# CONFIG_X86_ACPI_CPUFREQ_PROC_INTF is not set
CONFIG_X86_SPEEDSTEP_LIB=y
# CONFIG_X86_SPEEDSTEP_RELAXED_CAP_CHECK is not set

#
# Bus options (PCI, PCMCIA, EISA, MCA, ISA)
#
CONFIG_PCI=y
# CONFIG_PCI_GOBIO is not set
# CONFIG_PCI_GOMMCONFIG is not set
# CONFIG_PCI_GODIRECT is not set
CONFIG_PCI_GOANY=y
CONFIG_PCI_BIOS=y
CONFIG_PCI_DIRECT=y
CONFIG_PCI_MMCONFIG=y
# CONFIG_PCIEPORTBUS is not set
# CONFIG_PCI_MSI is not set
CONFIG_PCI_LEGACY_PROC=y
# CONFIG_PCI_DEBUG is not set
CONFIG_ISA_DMA_API=y
CONFIG_ISA=y
# CONFIG_EISA is not set
# CONFIG_MCA is not set
# CONFIG_SCx200 is not set

#
# PCCARD (PCMCIA/CardBus) support
#
# CONFIG_PCCARD is not set
```

```
#
# PCI Hotplug Support
#
CONFIG_HOTPLUG_PCI=y
# CONFIG_HOTPLUG_PCI_FAKE is not set
CONFIG_HOTPLUG_PCI_COMPAQ=m
# CONFIG_HOTPLUG_PCI_COMPAQ_NVRAM is not set
# CONFIG_HOTPLUG_PCI_IBM is not set
CONFIG_HOTPLUG_PCI_ACPI=m
CONFIG_HOTPLUG_PCI_ACPI_IBM=m
# CONFIG_HOTPLUG_PCI_CPCI is not set
CONFIG_HOTPLUG_PCI_SHPC=m
# CONFIG_HOTPLUG_PCI_SHPC_POLL_EVENT_MODE is not set

#
# Executable file formats
#
CONFIG_BINFMT_ELF=y
# CONFIG_BINFMT_AOUT is not set
CONFIG_BINFMT_MISC=y

#
# Networking
#
CONFIG_NET=y

#
# Networking options
#
# CONFIG_NETDEBUG is not set
CONFIG_PACKET=y
CONFIG_PACKET_MMAP=y
CONFIG_UNIX=y
CONFIG_XFRM=y
CONFIG_XFRM_USER=y
CONFIG_NET_KEY=m
CONFIG_INET=y
CONFIG_IP_MULTICAST=y
CONFIG_IP_ADVANCED_ROUTER=y
CONFIG_ASK_IP_FIB_HASH=y
# CONFIG_IP_FIB_TRIE is not set
CONFIG_IP_FIB_HASH=y
CONFIG_IP_MULTIPLE_TABLES=y
CONFIG_IP_ROUTE_FWMARK=y
CONFIG_IP_ROUTE_MULTIPATH=y
# CONFIG_IP_ROUTE_MULTIPATH_CACHED is not set
CONFIG_IP_ROUTE_VERBOSE=y
# CONFIG_IP_PNP is not set
CONFIG_NET_IPIP=m
CONFIG_NET_IPGRE=m
```

```
CONFIG_NET_IPGRE_BROADCAST=y
CONFIG_IP_MROUTE=y
CONFIG_IP_PIMSM_V1=y
CONFIG_IP_PIMSM_V2=y
# CONFIG_ARPD is not set
CONFIG_SYN_COOKIES=y
CONFIG_INET_AH=m
CONFIG_INET_ESP=m
CONFIG_INET_IPCOMP=m
CONFIG_INET_TUNNEL=m
CONFIG_INET_DIAG=y
CONFIG_INET_TCP_DIAG=y
# CONFIG_TCP_CONG_ADVANCED is not set
CONFIG_TCP_CONG_BIC=y
```

```
#
# IP: Virtual Server Configuration
#
CONFIG_IP_VS=m
# CONFIG_IP_VS_DEBUG is not set
CONFIG_IP_VS_TAB_BITS=12

#
# IPVS transport protocol load balancing support
#
CONFIG_IP_VS_PROTO_TCP=y
CONFIG_IP_VS_PROTO_UDP=y
CONFIG_IP_VS_PROTO_ESP=y
CONFIG_IP_VS_PROTO_AH=y
```

```
#
# IPVS scheduler
#
CONFIG_IP_VS_RR=m
CONFIG_IP_VS_WRR=m
CONFIG_IP_VS_LC=m
CONFIG_IP_VS_WLC=m
CONFIG_IP_VS_LBLC=m
CONFIG_IP_VS_LBLCR=m
CONFIG_IP_VS_DH=m
CONFIG_IP_VS_SH=m
CONFIG_IP_VS_SED=m
CONFIG_IP_VS_NQ=m
```

```
#
# IPVS application helper
#
CONFIG_IP_VS_FTP=m
CONFIG_IPV6=m
CONFIG_IPV6_PRIVACY=y
CONFIG_INET6_AH=m
```

```
CONFIG_INET6_ESP=m
CONFIG_INET6_IPCOMP=m
CONFIG_INET6_TUNNEL=m
CONFIG_IPV6_TUNNEL=m
CONFIG_NETFILTER=y
# CONFIG_NETFILTER_DEBUG is not set
CONFIG_BRIDGE_NETFILTER=y

#
# Core Netfilter Configuration
#
CONFIG_NETFILTER_NETLINK=m
CONFIG_NETFILTER_NETLINK_QUEUE=m
CONFIG_NETFILTER_NETLINK_LOG=m
# CONFIG_NETFILTER_XTABLES is not set

#
# IP: Netfilter Configuration
#
CONFIG_IP_NF_CONNTRACK=m
CONFIG_IP_NF_CT_ACCT=y
CONFIG_IP_NF_CONNTRACK_MARK=y
CONFIG_IP_NF_CONNTRACK_EVENTS=y
CONFIG_IP_NF_CONNTRACK_NETLINK=m
CONFIG_IP_NF_CT_PROTO_SCTP=m
CONFIG_IP_NF_FTP=m
CONFIG_IP_NF_IRC=m
CONFIG_IP_NF_NETBIOS_NS=m
CONFIG_IP_NF_TFTP=m
CONFIG_IP_NF_AMANDA=m
CONFIG_IP_NF_PPTP=m
CONFIG_IP_NF_QUEUE=m

#
# IPv6: Netfilter Configuration (EXPERIMENTAL)
#
# CONFIG_IP6_NF_QUEUE is not set

#
# Bridge: Netfilter Configuration
#
CONFIG_BRIDGE_NF_EBTABLES=m
CONFIG_BRIDGE_EBT_BROUTE=m
CONFIG_BRIDGE_EBT_T_FILTER=m
CONFIG_BRIDGE_EBT_T_NAT=m
CONFIG_BRIDGE_EBT_802_3=m
CONFIG_BRIDGE_EBT_AMONG=m
CONFIG_BRIDGE_EBT_ARP=m
CONFIG_BRIDGE_EBT_IP=m
CONFIG_BRIDGE_EBT_LIMIT=m
CONFIG_BRIDGE_EBT_MARK=m
```

```
CONFIG_BRIDGE_EBT_PKTTYPE=m
CONFIG_BRIDGE_EBT_STP=m
CONFIG_BRIDGE_EBT_VLAN=m
CONFIG_BRIDGE_EBT_ARPREPLY=m
CONFIG_BRIDGE_EBT_DNAT=m
CONFIG_BRIDGE_EBT_MARK_T=m
CONFIG_BRIDGE_EBT_REDIRECT=m
CONFIG_BRIDGE_EBT_SNAT=m
CONFIG_BRIDGE_EBT_LOG=m
CONFIG_BRIDGE_EBT_ULOG=m

#
# DCCP Configuration (EXPERIMENTAL)
#
# CONFIG_IP_DCCP is not set

#
# SCTP Configuration (EXPERIMENTAL)
#
CONFIG_IP_SCTP=m
# CONFIG_SCTP_DBG_MSG is not set
# CONFIG_SCTP_DBG_OBJCNT is not set
# CONFIG_SCTP_HMAC_NONE is not set
# CONFIG_SCTP_HMAC_SHA1 is not set
CONFIG_SCTP_HMAC_MD5=y

#
# TIPC Configuration (EXPERIMENTAL)
#
# CONFIG_TIPC is not set
CONFIG_ATM=m
CONFIG_ATM_CLIP=m
# CONFIG_ATM_CLIP_NO_ICMP is not set
CONFIG_ATM_LANE=m
# CONFIG_ATM_MPOA is not set
CONFIG_ATM_BR2684=m
# CONFIG_ATM_BR2684_IPFILTER is not set
CONFIG_BRIDGE=m
CONFIG_VLAN_8021Q=m
# CONFIG_DECNET is not set
CONFIG_LLC=y
# CONFIG_LLC2 is not set
# CONFIG_IPX is not set
# CONFIG_ATALK is not set
# CONFIG_X25 is not set
# CONFIG_LAPB is not set
CONFIG_NET_DIVERT=y
# CONFIG_ECONET is not set
# CONFIG_WAN_ROUTER is not set

#
```

```
# QoS and/or fair queueing
#
CONFIG_NET_SCHED=y
CONFIG_NET_SCH_CLK_JIFFIES=y
# CONFIG_NET_SCH_CLK_GETTIMEOFDAY is not set
# CONFIG_NET_SCH_CLK_CPU is not set
```

```
#
# Queueing/Scheduling
#
CONFIG_NET_SCH_CBQ=m
CONFIG_NET_SCH_HTB=m
CONFIG_NET_SCH_HFSC=m
CONFIG_NET_SCH_ATM=m
CONFIG_NET_SCH_PRIO=m
CONFIG_NET_SCH_RED=m
CONFIG_NET_SCH_SFQ=m
CONFIG_NET_SCH_TEQL=m
CONFIG_NET_SCH_TBF=m
CONFIG_NET_SCH_GRED=m
CONFIG_NET_SCH_DSMARK=m
CONFIG_NET_SCH_NETEM=m
CONFIG_NET_SCH_INGRESS=m
```

```
#
# Classification
#
CONFIG_NET_CLS=y
CONFIG_NET_CLS_BASIC=m
CONFIG_NET_CLS_TCINDEX=m
CONFIG_NET_CLS_ROUTE4=m
CONFIG_NET_CLS_ROUTE=y
CONFIG_NET_CLS_FW=m
CONFIG_NET_CLS_U32=m
CONFIG_CLS_U32_PERF=y
CONFIG_CLS_U32_MARK=y
CONFIG_NET_CLS_RSVP=m
CONFIG_NET_CLS_RSVP6=m
CONFIG_NET_EMATCH=y
CONFIG_NET_EMATCH_STACK=32
CONFIG_NET_EMATCH_CMP=m
CONFIG_NET_EMATCH_NBYTE=m
CONFIG_NET_EMATCH_U32=m
CONFIG_NET_EMATCH_META=m
CONFIG_NET_EMATCH_TEXT=m
# CONFIG_NET_CLS_ACT is not set
CONFIG_NET_CLS_POLICE=y
CONFIG_NET_CLS_IND=y
CONFIG_NET_ESTIMATOR=y
```

```
#
```

```
# Network testing
#
# CONFIG_NET_PKTGEN is not set
# CONFIG_HAMRADIO is not set
# CONFIG_IRDA is not set
CONFIG_BT=m
CONFIG_BT_L2CAP=m
CONFIG_BT_SCO=m
CONFIG_BT_RFCOMM=m
CONFIG_BT_RFCOMM_TTY=y
CONFIG_BT_BNEP=m
CONFIG_BT_BNEP_MC_FILTER=y
CONFIG_BT_BNEP_PROTO_FILTER=y
CONFIG_BT_CMTP=m
CONFIG_BT_HIDP=m

#
# Bluetooth device drivers
#
CONFIG_BT_HCIUSB=m
CONFIG_BT_HCIUSB_SCO=y
CONFIG_BT_HCIUART=m
CONFIG_BT_HCIUART_H4=y
CONFIG_BT_HCIUART_BCSP=y
CONFIG_BT_HCIBCM203X=m
CONFIG_BT_HCIBPA10X=m
CONFIG_BT_HCIBFUSB=m
CONFIG_BT_HCIVHCI=m
CONFIG_IEEE80211=m
# CONFIG_IEEE80211_DEBUG is not set
CONFIG_IEEE80211_CRYPT_WEP=m
CONFIG_IEEE80211_CRYPT_CCMP=m
CONFIG_IEEE80211_CRYPT_TKIP=m

#
# Device Drivers
#

#
# Generic Driver Options
#
CONFIG_STANDALONE=y
CONFIG_PREVENT_FIRMWARE_BUILD=y
CONFIG_FW_LOADER=y
# CONFIG_DEBUG_DRIVER is not set

#
# Connector – unified userspace <-> kernelspace linker
#
# CONFIG_CONNECTOR is not set
```

```
#
# Memory Technology Devices (MTD)
#
CONFIG_MTD=m
# CONFIG_MTD_DEBUG is not set
CONFIG_MTD_CONCAT=m
CONFIG_MTD_PARTITIONS=y
CONFIG_MTD_REDBOOT_PARTS=m
CONFIG_MTD_REDBOOT_DIRECTORY_BLOCK=-1
# CONFIG_MTD_REDBOOT_PARTS_UNALLOCATED is not set
# CONFIG_MTD_REDBOOT_PARTS_READONLY is not set
CONFIG_MTD_CMDLINE_PARTS=y

#
# User Modules And Translation Layers
#
CONFIG_MTD_CHAR=m
CONFIG_MTD_BLOCK=m
CONFIG_MTD_BLOCK_RO=m
CONFIG_FTL=m
CONFIG_NFTL=m
CONFIG_NFTL_RW=y
# CONFIG_INFTL is not set
# CONFIG_RFD_FTL is not set

#
# RAM/ROM/Flash chip drivers
#
CONFIG_MTD_CFI=m
CONFIG_MTD_JEDECPROBE=m
CONFIG_MTD_GEN_PROBE=m
# CONFIG_MTD_CFI_ADV_OPTIONS is not set
CONFIG_MTD_MAP_BANK_WIDTH_1=y
CONFIG_MTD_MAP_BANK_WIDTH_2=y
CONFIG_MTD_MAP_BANK_WIDTH_4=y
# CONFIG_MTD_MAP_BANK_WIDTH_8 is not set
# CONFIG_MTD_MAP_BANK_WIDTH_16 is not set
# CONFIG_MTD_MAP_BANK_WIDTH_32 is not set
CONFIG_MTD_CFI_I1=y
CONFIG_MTD_CFI_I2=y
# CONFIG_MTD_CFI_I4 is not set
# CONFIG_MTD_CFI_I8 is not set
CONFIG_MTD_CFI_INTELEXT=m
CONFIG_MTD_CFI_AMDSTD=m
CONFIG_MTD_CFI_AMDSTD_RETRY=3
CONFIG_MTD_CFI_STAA=m
CONFIG_MTD_CFI_UTIL=m
CONFIG_MTD_RAM=m
CONFIG_MTD_ROM=m
CONFIG_MTD_ABSENT=m
# CONFIG_MTD_OBSOLETE_CHIPS is not set
```

```
#
# Mapping drivers for chip access
#
# CONFIG_MTD_COMPLEX_MAPPINGS is not set
# CONFIG_MTD_PHYSMAP is not set
# CONFIG_MTD_PNC2000 is not set
CONFIG_MTD_SC520CDP=m
CONFIG_MTD_NETSC520=m
CONFIG_MTD_TS5500=m
# CONFIG_MTD_AMD76XR0M is not set
# CONFIG_MTD_ICHXROM is not set
# CONFIG_MTD_SCB2_FLASH is not set
# CONFIG_MTD_NETtel is not set
# CONFIG_MTD_DILNETPC is not set
# CONFIG_MTD_L440GX is not set
CONFIG_MTD_PLATRAM=m

#
# Self-contained MTD device drivers
#
# CONFIG_MTD_PMC551 is not set
# CONFIG_MTD_SLRAM is not set
# CONFIG_MTD_PHRAM is not set
CONFIG_MTD_MTDDRAM=m
CONFIG_MTD_MTDDRAM_TOTAL_SIZE=4096
CONFIG_MTD_MTDDRAM_ERASE_SIZE=128
# CONFIG_MTD_BLKMTD is not set
CONFIG_MTD_BLOCK2MTD=m

#
# Disk-On-Chip Device Drivers
#
# CONFIG_MTD_DOC2000 is not set
# CONFIG_MTD_DOC2001 is not set
# CONFIG_MTD_DOC2001PLUS is not set

#
# NAND Flash Device Drivers
#
CONFIG_MTD_NAND=m
# CONFIG_MTD_NAND_VERIFY_WRITE is not set
CONFIG_MTD_NAND_IDS=m
# CONFIG_MTD_NAND_DISKONCHIP is not set
# CONFIG_MTD_NAND_NANDSIM is not set

#
# OneNAND Flash Device Drivers
#
# CONFIG_MTD_ONENAND is not set
```

```
#
# Parallel port support
#
CONFIG_PARPORT=m
CONFIG_PARPORT_PC=m
CONFIG_PARPORT_SERIAL=m
# CONFIG_PARPORT_PC_FIFO is not set
# CONFIG_PARPORT_PC_SUPERIO is not set
CONFIG_PARPORT_NOT_PC=y
# CONFIG_PARPORT_GSC is not set
CONFIG_PARPORT_1284=y

#
# Plug and Play support
#
CONFIG_PNP=y
# CONFIG_PNP_DEBUG is not set

#
# Protocols
#
# CONFIG_ISAPNP is not set
# CONFIG_PNPBIOS is not set
CONFIG_PNPACPI=y

#
# Block devices
#
CONFIG_BLK_DEV_FD=m
# CONFIG_BLK_DEV_XD is not set
# CONFIG_PARIDE is not set
CONFIG_BLK_CPQ_DA=m
CONFIG_BLK_CPQ_CISS_DA=m
CONFIG_CISS_SCSI_TAPE=y
CONFIG_BLK_DEV_DAC960=m
# CONFIG_BLK_DEV_UMEM is not set
# CONFIG_BLK_DEV_COW_COMMON is not set
CONFIG_BLK_DEV_LOOP=m
CONFIG_BLK_DEV_CRYPTOLOOP=m
CONFIG_BLK_DEV_NBD=m
CONFIG_BLK_DEV_SX8=m
# CONFIG_BLK_DEV_UB is not set
CONFIG_BLK_DEV_RAM=y
CONFIG_BLK_DEV_RAM_COUNT=16
CONFIG_BLK_DEV_RAM_SIZE=16384
CONFIG_BLK_DEV_INITRD=y
CONFIG_CDROM_PKTCDVD=y
CONFIG_CDROM_PKTCDVD_BUFFERS=8
# CONFIG_CDROM_PKTCDVD_WCACHE is not set
# CONFIG_ATA_OVER_ETH is not set
```

```
#
# ATA/ATAPI/MFM/RLL support
#
CONFIG_IDE=y
CONFIG_BLK_DEV_IDE=y

#
# Please see Documentation/ide.txt for help/info on IDE drives
#
# CONFIG_BLK_DEV_IDE_SATA is not set
# CONFIG_BLK_DEV_HD_IDE is not set
CONFIG_BLK_DEV_IDEDISK=y
CONFIG_IDEDISK_MULTI_MODE=y
CONFIG_BLK_DEV_IDECD=y
# CONFIG_BLK_DEV_IDETAPE is not set
CONFIG_BLK_DEV_IDEFLOPPY=y
CONFIG_BLK_DEV_IDESCSI=m
# CONFIG_IDE_TASK_IOCTL is not set

#
# IDE chipset support/bugfixes
#
CONFIG_IDE_GENERIC=y
# CONFIG_BLK_DEV_CMD640 is not set
CONFIG_BLK_DEV_IDEPNP=y
CONFIG_BLK_DEV_IDEPCI=y
CONFIG_IDEPCI_SHARE_IRQ=y
# CONFIG_BLK_DEV_OFFBOARD is not set
CONFIG_BLK_DEV_GENERIC=y
# CONFIG_BLK_DEV_OPTI621 is not set
CONFIG_BLK_DEV_RZ1000=y
CONFIG_BLK_DEV_IDEDMA_PCI=y
# CONFIG_BLK_DEV_IDEDMA_FORCED is not set
CONFIG_IDEDMA_PCI_AUTO=y
# CONFIG_IDEDMA_ONLYDISK is not set
CONFIG_BLK_DEV_AEC62XX=y
CONFIG_BLK_DEV_ALI15X3=y
# CONFIG_WDC_ALI15X3 is not set
CONFIG_BLK_DEV_AMD74XX=y
CONFIG_BLK_DEV_ATIIXP=y
CONFIG_BLK_DEV_CMD64X=y
CONFIG_BLK_DEV_TRIFLEX=y
CONFIG_BLK_DEV_CY82C693=y
CONFIG_BLK_DEV_CS5520=y
CONFIG_BLK_DEV_CS5530=y
# CONFIG_BLK_DEV_CS5535 is not set
CONFIG_BLK_DEV_HPT34X=y
# CONFIG_HPT34X_AUTODMA is not set
CONFIG_BLK_DEV_HPT366=y
# CONFIG_BLK_DEV_SC1200 is not set
CONFIG_BLK_DEV_PIIX=y
```

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

```
# CONFIG_BLK_DEV_IT821X is not set
# CONFIG_BLK_DEV_NS87415 is not set
CONFIG_BLK_DEV_PDC202XX_OLD=y
# CONFIG_PDC202XX_BURST is not set
CONFIG_BLK_DEV_PDC202XX_NEW=y
CONFIG_BLK_DEV_SVWKS=y
CONFIG_BLK_DEV_SIIMAGE=y
CONFIG_BLK_DEV_SIS5513=y
CONFIG_BLK_DEV_SLC90E66=y
# CONFIG_BLK_DEV_TRM290 is not set
CONFIG_BLK_DEV_VIA82CXXX=y
# CONFIG_IDE_ARM is not set
# CONFIG_IDE_CHIPSETS is not set
CONFIG_BLK_DEV_IDEDMA=y
# CONFIG_IDEDMA_IVB is not set
CONFIG_IDEDMA_AUTO=y
# CONFIG_BLK_DEV_HD is not set

#
# SCSI device support
#
# CONFIG_RAID_ATTRS is not set
CONFIG_SCSI=y
CONFIG_SCSI_PROC_FS=y

#
# SCSI support type (disk, tape, CD-ROM)
#
CONFIG_BLK_DEV_SD=m
CONFIG_CHR_DEV_ST=m
CONFIG_CHR_DEV_OSST=m
CONFIG_BLK_DEV_SR=m
CONFIG_BLK_DEV_SR_VENDOR=y
CONFIG_CHR_DEV_SG=m
# CONFIG_CHR_DEV_SCH is not set

#
# Some SCSI devices (e.g. CD jukebox) support multiple LUNs
#
# CONFIG_SCSI_MULTI_LUN is not set
CONFIG_SCSI_CONSTANTS=y
CONFIG_SCSI_LOGGING=y

#
# SCSI Transport Attributes
#
CONFIG_SCSI_SPI_ATTRS=y
CONFIG_SCSI_FC_ATTRS=m
# CONFIG_SCSI_ISCSI_ATTRS is not set
# CONFIG_SCSI_SAS_ATTRS is not set
```

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

```
#
# SCSI low-level drivers
#
# CONFIG_ISCSI_TCP is not set
CONFIG_BLK_DEV_3W_XXXX_RAID=m
CONFIG_SCSI_3W_9XXX=m
# CONFIG_SCSI_7000FASST is not set
CONFIG_SCSI_ACARD=m
CONFIG_SCSI_AHA152X=m
# CONFIG_SCSI_AHA1542 is not set
CONFIG_SCSI_AACRAID=m
CONFIG_SCSI_AIC7XXX=y
CONFIG_AIC7XXX_CMDS_PER_DEVICE=4
CONFIG_AIC7XXX_RESET_DELAY_MS=15000
# CONFIG_AIC7XXX_DEBUG_ENABLE is not set
CONFIG_AIC7XXX_DEBUG_MASK=0
# CONFIG_AIC7XXX_REG_PRETTY_PRINT is not set
CONFIG_SCSI_AIC7XXX_OLD=m
CONFIG_SCSI_AIC79XX=m
CONFIG_AIC79XX_CMDS_PER_DEVICE=4
CONFIG_AIC79XX_RESET_DELAY_MS=15000
# CONFIG_AIC79XX_ENABLE_RD_STRM is not set
# CONFIG_AIC79XX_DEBUG_ENABLE is not set
CONFIG_AIC79XX_DEBUG_MASK=0
# CONFIG_AIC79XX_REG_PRETTY_PRINT is not set
# CONFIG_SCSI_DPT_I2O is not set
# CONFIG_SCSI_IN2000 is not set
CONFIG_MEGARAID_NEWGEN=y
CONFIG_MEGARAID_MM=m
CONFIG_MEGARAID_MAILBOX=m
# CONFIG_MEGARAID_LEGACY is not set
# CONFIG_MEGARAID_SAS is not set
CONFIG_SCSI_SATA=m
CONFIG_SCSI_SATA_AHCI=m
CONFIG_SCSI_SATA_SVW=m
CONFIG_SCSI_ATA_PIIX=m
CONFIG_SCSI_SATA_MV=m
CONFIG_SCSI_SATA_NV=m
# CONFIG_SCSI_PDC_ADMA is not set
CONFIG_SCSI_SATA_QSTOR=m
CONFIG_SCSI_SATA_PROMISE=m
CONFIG_SCSI_SATA_SX4=m
CONFIG_SCSI_SATA_SIL=m
# CONFIG_SCSI_SATA_SIL24 is not set
CONFIG_SCSI_SATA_SIS=m
CONFIG_SCSI_SATA_ULI=m
CONFIG_SCSI_SATA_VIA=m
CONFIG_SCSI_SATA_VITESSE=m
CONFIG_SCSI_SATA_INTEL_COMBINED=y
# CONFIG_SCSI_BUSLOGIC is not set
# CONFIG_SCSI_DM3191D is not set
```

```
# CONFIG_SCSI_DTC3280 is not set
# CONFIG_SCSI_EATA is not set
CONFIG_SCSI_FUTURE_DOMAIN=m
CONFIG_SCSI_GDTH=m
# CONFIG_SCSI_GENERIC_NCR5380 is not set
# CONFIG_SCSI_GENERIC_NCR5380_MMIO is not set
CONFIG_SCSI_IPS=m
CONFIG_SCSI_INITIO=m
# CONFIG_SCSI_INIA100 is not set
CONFIG_SCSI_PPA=m
CONFIG_SCSI_IMM=m
# CONFIG_SCSI_IZIP_EPP16 is not set
# CONFIG_SCSI_IZIP_SLOW_CTR is not set
# CONFIG_SCSI_NCR53C406A is not set
CONFIG_SCSI_SYM53C8XX_2=m
CONFIG_SCSI_SYM53C8XX_DMA_ADDRESSING_MODE=1
CONFIG_SCSI_SYM53C8XX_DEFAULT_TAGS=16
CONFIG_SCSI_SYM53C8XX_MAX_TAGS=64
# CONFIG_SCSI_SYM53C8XX_IOMAPPED is not set
# CONFIG_SCSI_IPR is not set
# CONFIG_SCSI_PAS16 is not set
# CONFIG_SCSI_PSI240I is not set
# CONFIG_SCSI_QLOGIC_FAS is not set
# CONFIG_SCSI_QLOGIC_FC is not set
CONFIG_SCSI_QLOGIC_1280=m
# CONFIG_SCSI_QLA_FC is not set
CONFIG_SCSI_LPFC=m
# CONFIG_SCSI_SYM53C416 is not set
# CONFIG_SCSI_DC395x is not set
# CONFIG_SCSI_DC390T is not set
# CONFIG_SCSI_T128 is not set
# CONFIG_SCSI_U14_34F is not set
# CONFIG_SCSI_ULTRASTOR is not set
# CONFIG_SCSI_NSP32 is not set
# CONFIG_SCSI_DEBUG is not set

#
# Old CD-ROM drivers (not SCSI, not IDE)
#
# CONFIG_CD_NO_IDESCSI is not set

#
# Multi-device support (RAID and LVM)
#
CONFIG_MD=y
CONFIG_BLK_DEV_MD=y
CONFIG_MD_LINEAR=m
CONFIG_MD_RAID0=m
CONFIG_MD_RAID1=m
CONFIG_MD_RAID10=m
CONFIG_MD_RAID5=m
```

```
CONFIG_MD_RAID6=m
CONFIG_MD_MULTIPATH=m
CONFIG_MD_FAULTY=m
CONFIG_BLK_DEV_DM=m
CONFIG_DM_CRYPT=m
CONFIG_DM_SNAPSHOT=m
CONFIG_DM_MIRROR=m
CONFIG_DM_ZERO=m
CONFIG_DM_MULTIPATH=m
CONFIG_DM_MULTIPATH_EMCM=m

#
# Fusion MPT device support
#
CONFIG_FUSION=y
CONFIG_FUSION_SPI=y
CONFIG_FUSION_FC=m
# CONFIG_FUSION_SAS is not set
CONFIG_FUSION_MAX_SGE=128
CONFIG_FUSION_CTL=y
CONFIG_FUSION_LAN=m

#
# IEEE 1394 (FireWire) support
#
# CONFIG_IEEE1394 is not set

#
# I2O device support
#
CONFIG_I2O=m
CONFIG_I2O_LCT_NOTIFY_ON_CHANGES=y
CONFIG_I2O_EXT_ADAPTEC=y
CONFIG_I2O_EXT_ADAPTEC_DMA64=y
CONFIG_I2O_CONFIG=m
CONFIG_I2O_CONFIG_OLD_IOCTL=y
CONFIG_I2O_BUS=m
CONFIG_I2O_BLOCK=m
CONFIG_I2O_SCSI=m
CONFIG_I2O_PROC=m

#
# Network device support
#
CONFIG_NETDEVICES=y
CONFIG_DUMMY=m
CONFIG_BONDING=m
# CONFIG_EQUALIZER is not set
CONFIG_TUN=m
# CONFIG_NET_SB1000 is not set
```

```
#
# ARCnet devices
#
# CONFIG_ARCNET is not set

#
# PHY device support
#
# CONFIG_PHYLIB is not set

#
# Ethernet (10 or 100Mbit)
#
CONFIG_NET_ETHERNET=y
CONFIG_MII=m
CONFIG_HAPPYMEAL=m
CONFIG_SUNGEM=m
# CONFIG_CASSINI is not set
CONFIG_NET_VENDOR_3COM=y
# CONFIG_EL1 is not set
# CONFIG_EL2 is not set
# CONFIG_ELPLUS is not set
# CONFIG_EL16 is not set
# CONFIG_EL3 is not set
# CONFIG_3C515 is not set
CONFIG_VORTEX=m
CONFIG_TYPHOON=m
# CONFIG_LANCE is not set
CONFIG_NET_VENDOR_SMC=y
# CONFIG_WD80x3 is not set
# CONFIG_ULTRA is not set
CONFIG_SMC9194=m
CONFIG_NET_VENDOR_RACAL=y
# CONFIG_NI52 is not set
# CONFIG_NI65 is not set

#
# Tulip family network device support
#
CONFIG_NET_TULIP=y
CONFIG_DE2104X=m
CONFIG_TULIP=m
# CONFIG_TULIP_MWI is not set
CONFIG_TULIP_MMIO=y
# CONFIG_TULIP_NAPI is not set
CONFIG_DE4X5=m
CONFIG_WINBOND_840=m
CONFIG_DM9102=m
# CONFIG_ULI526X is not set
# CONFIG_AT1700 is not set
# CONFIG_DEPCA is not set
```

```
CONFIG_HP100=m
# CONFIG_NET_ISA is not set
CONFIG_NET_PCI=y
CONFIG_PCNET32=m
CONFIG_AMD8111_ETH=m
CONFIG_AMD8111E_NAPI=y
CONFIG_ADAPTEC_STARFIRE=m
CONFIG_ADAPTEC_STARFIRE_NAPI=y
# CONFIG_AC3200 is not set
CONFIG_APRICOT=m
CONFIG_B44=m
CONFIG_FORCEDETH=m
# CONFIG_CS89x0 is not set
# CONFIG_DGRS is not set
CONFIG_EEPRO100=m
CONFIG_E100=m
CONFIG_FEALNX=m
CONFIG_NATSEMI=m
CONFIG_NE2K_PCI=m
CONFIG_8139CP=m
CONFIG_8139TOO=m
CONFIG_8139TOO_PIO=y
# CONFIG_8139TOO_TUNE_TWISTER is not set
CONFIG_8139TOO_8129=y
# CONFIG_8139_OLD_RX_RESET is not set
CONFIG_SIS900=m
CONFIG_EPIC100=m
# CONFIG_SUNDANCE is not set
CONFIG_TLAN=m
CONFIG_VIA_RHINE=m
CONFIG_VIA_RHINE_MMIO=y
CONFIG_NET_POCKET=y
# CONFIG_ATP is not set
# CONFIG_DE600 is not set
# CONFIG_DE620 is not set

#
# Ethernet (1000 Mbit)
#
CONFIG_ACENIC=m
# CONFIG_ACENIC_OMIT_TIGON_I is not set
CONFIG_DL2K=m
CONFIG_E1000=m
CONFIG_E1000_NAPI=y
# CONFIG_E1000_DISABLE_PACKET_SPLIT is not set
CONFIG_NS83820=m
# CONFIG_HAMACHI is not set
# CONFIG_YELLOWFIN is not set
CONFIG_R8169=m
CONFIG_R8169_NAPI=y
CONFIG_R8169_VLAN=y
```

```
# CONFIG_SIS190 is not set
# CONFIG_SKGE is not set
# CONFIG_SKY2 is not set
CONFIG_SK98LIN=m
CONFIG_VIA_VELOCITY=m
CONFIG_TIGON3=m
# CONFIG_BNX2 is not set

#
# Ethernet (10000 Mbit)
#
# CONFIG_CHELSIO_T1 is not set
CONFIG_IXGB=m
CONFIG_IXGB_NAPI=y
CONFIG_S2IO=m
CONFIG_S2IO_NAPI=y

#
# Token Ring devices
#
CONFIG_TR=y
CONFIG_IBMTR=m
CONFIG_IBMOL=m
CONFIG_IBMLS=m
CONFIG_3C359=m
CONFIG_TMS380TR=m
CONFIG_TMSPCI=m
CONFIG_SKISA=m
CONFIG_PROTEON=m
CONFIG_ABYSS=m
CONFIG_SMCTR=m

#
# Wireless LAN (non-hamradio)
#
CONFIG_NET_RADIO=y

#
# Obsolete Wireless cards support (pre-802.11)
#
# CONFIG_STRIP is not set
# CONFIG_ARLAN is not set
CONFIG_WAVELAN=m

#
# Wireless 802.11b ISA/PCI cards support
#
CONFIG_IPW2100=m
CONFIG_IPW2100_MONITOR=y
# CONFIG_IPW2100_DEBUG is not set
CONFIG_IPW2200=m
```

```
# CONFIG_IPW2200_DEBUG is not set
CONFIG_AIRO=m
CONFIG_HERMES=m
CONFIG_PLX_HERMES=m
CONFIG_TMD_HERMES=m
CONFIG_NORTEL_HERMES=m
CONFIG_PCI_HERMES=m
CONFIG_ATMEL=m
CONFIG_PCI_ATMEL=m

#
# Prism GT/Duette 802.11(a/b/g) PCI/Cardbus support
#
CONFIG_PRISM54=m
CONFIG_HOSTAP=m
CONFIG_HOSTAP_FIRMWARE=y
# CONFIG_HOSTAP_FIRMWARE_NVRAM is not set
CONFIG_HOSTAP_PLX=m
CONFIG_HOSTAP_PCI=m
CONFIG_NET_WIRELESS=y

#
# Wan interfaces
#
# CONFIG_WAN is not set

#
# ATM drivers
#
# CONFIG_ATM_DUMMY is not set
CONFIG_ATM_TCP=m
CONFIG_ATM_LANAI=m
CONFIG_ATM_ENI=m
# CONFIG_ATM_ENI_DEBUG is not set
# CONFIG_ATM_ENI_TUNE_BURST is not set
CONFIG_ATM_FIRESTREAM=m
# CONFIG_ATM_ZATM is not set
CONFIG_ATM_NICSTAR=m
# CONFIG_ATM_NICSTAR_USE_SUNI is not set
# CONFIG_ATM_NICSTAR_USE_IDT77105 is not set
CONFIG_ATM_IDT77252=m
# CONFIG_ATM_IDT77252_DEBUG is not set
# CONFIG_ATM_IDT77252_RCV_ALL is not set
CONFIG_ATM_IDT77252_USE_SUNI=y
CONFIG_ATM_AMBASSADOR=m
# CONFIG_ATM_AMBASSADOR_DEBUG is not set
CONFIG_ATM_HORIZON=m
# CONFIG_ATM_HORIZON_DEBUG is not set
# CONFIG_ATM_IA is not set
CONFIG_ATM_FORE200E_MAYBE=m
# CONFIG_ATM_FORE200E_PCA is not set
```

```
CONFIG_ATM_HE=m
# CONFIG_ATM_HE_USE_SUNI is not set
CONFIG_FDDI=y
# CONFIG_DEFXX is not set
# CONFIG_SKFP is not set
# CONFIG_HIPPI is not set
# CONFIG_PLIP is not set
CONFIG_PPP=m
CONFIG_PPP_MULTILINK=y
CONFIG_PPP_FILTER=y
CONFIG_PPP_ASYNC=m
CONFIG_PPP_SYNC_TTY=m
CONFIG_PPP_DEFLATE=m
# CONFIG_PPP_BSDCOMP is not set
# CONFIG_PPP_MPPE is not set
CONFIG_PPPOE=m
CONFIG_PPPOATM=m
# CONFIG_SLIP is not set
CONFIG_NET_FC=y
# CONFIG_SHAPER is not set
CONFIG_NETCONSOLE=m
CONFIG_NETPOLL=y
# CONFIG_NETPOLL_RX is not set
# CONFIG_NETPOLL_TRAP is not set
CONFIG_NET_POLL_CONTROLLER=y

#
# ISDN subsystem
#
CONFIG_ISDN=m

#
# Old ISDN4Linux
#
CONFIG_ISDN_I4L=m
CONFIG_ISDN_PPP=y
CONFIG_ISDN_PPP_VJ=y
CONFIG_ISDN_MPP=y
CONFIG_IPPP_FILTER=y
# CONFIG_ISDN_PPP_BSDCOMP is not set
CONFIG_ISDN_AUDIO=y
CONFIG_ISDN_TTY_FAX=y

#
# ISDN feature submodules
#
CONFIG_ISDN_DIVERSION=m

#
# ISDN4Linux hardware drivers
#
```

```
#
# Passive cards
#
CONFIG_ISDN_DRV_HISAX=m

#
# D-channel protocol features
#
CONFIG_HISAX_EURO=y
CONFIG_DE_AOC=y
CONFIG_HISAX_NO_SENDCOMPLETE=y
CONFIG_HISAX_NO_LLC=y
CONFIG_HISAX_NO_KEYPAD=y
CONFIG_HISAX_1TR6=y
CONFIG_HISAX_NI1=y
CONFIG_HISAX_MAX_CARDS=8

#
# HiSax supported cards
#
CONFIG_HISAX_16_0=y
CONFIG_HISAX_16_3=y
CONFIG_HISAX_TELEPCI=y
CONFIG_HISAX_SOBOX=y
CONFIG_HISAX_AVM_A1=y
CONFIG_HISAX_FRITZPCI=y
CONFIG_HISAX_AVM_A1_PCMCIA=y
CONFIG_HISAX_ELSA=y
CONFIG_HISAX_IX1MICROR2=y
CONFIG_HISAX_DIEHLDIVA=y
CONFIG_HISAX_ASUSCOM=y
CONFIG_HISAX_TELEINT=y
CONFIG_HISAX_HFCS=y
CONFIG_HISAX_SEDLBAUER=y
CONFIG_HISAX_SPORTSTER=y
CONFIG_HISAX_MIC=y
CONFIG_HISAX_NETJET=y
CONFIG_HISAX_NETJET_U=y
CONFIG_HISAX_NICCY=y
CONFIG_HISAX_ISURF=y
CONFIG_HISAX_HSTSAPHIR=y
CONFIG_HISAX_BKM_A4T=y
CONFIG_HISAX_SCT_QUADRO=y
CONFIG_HISAX_GAZEL=y
CONFIG_HISAX_HFC_PCI=y
CONFIG_HISAX_W6692=y
CONFIG_HISAX_HFC_SX=y
CONFIG_HISAX_ENTERNOW_PCI=y
# CONFIG_HISAX_DEBUG is not set
```

```
#
# HiSax PCMCIA card service modules
#

#
# HiSax sub driver modules
#
CONFIG_HISAX_ST5481=m
CONFIG_HISAX_HFCUSB=m
CONFIG_HISAX_HFC4S8S=m
CONFIG_HISAX_FRITZ_PCIPNP=m
CONFIG_HISAX_HDLC=y

#
# Active cards
#
CONFIG_ISDN_DRV_ICN=m
CONFIG_ISDN_DRV_PCBIT=m
CONFIG_ISDN_DRV_SC=m
CONFIG_ISDN_DRV_ACT2000=m

#
# CAPI subsystem
#
CONFIG_ISDN_CAPI=m
CONFIG_ISDN_DRV_AVMB1_VERBOSE_REASON=y
CONFIG_ISDN_CAPI_MIDDLEWARE=y
CONFIG_ISDN_CAPI_CAPI20=m
CONFIG_ISDN_CAPI_CAPIFS_BOOL=y
CONFIG_ISDN_CAPI_CAPIFS=m
CONFIG_ISDN_CAPI_CAPIDRV=m

#
# CAPI hardware drivers
#

#
# Active AVM cards
#
CONFIG_CAPI_AVM=y
CONFIG_ISDN_DRV_AVMB1_B1ISA=m
CONFIG_ISDN_DRV_AVMB1_B1PCI=m
CONFIG_ISDN_DRV_AVMB1_B1PCIV4=y
CONFIG_ISDN_DRV_AVMB1_T1ISA=m
CONFIG_ISDN_DRV_AVMB1_B1PCMCIA=m
CONFIG_ISDN_DRV_AVMB1_T1PCI=m
CONFIG_ISDN_DRV_AVMB1_C4=m

#
# Active Eicon DIVA Server cards
#
```

```
CONFIG_CAPI_EICON=y
CONFIG_ISDN_DIVAS=m
CONFIG_ISDN_DIVAS_BRIPCI=y
CONFIG_ISDN_DIVAS_PRIPCI=y
CONFIG_ISDN_DIVAS_DIVACAPI=m
CONFIG_ISDN_DIVAS_USERIDI=m
CONFIG_ISDN_DIVAS_MAINT=m

#
# Telephony Support
#
# CONFIG_PHONE is not set

#
# Input device support
#
CONFIG_INPUT=y

#
# Userland interfaces
#
CONFIG_INPUT_MOUSEDEV=y
# CONFIG_INPUT_MOUSEDEV_PSAUX is not set
CONFIG_INPUT_MOUSEDEV_SCREEN_X=1024
CONFIG_INPUT_MOUSEDEV_SCREEN_Y=768
CONFIG_INPUT_JOYDEV=m
# CONFIG_INPUT_TSDEV is not set
CONFIG_INPUT_EVDEV=y
# CONFIG_INPUT_EVBUG is not set

#
# Input Device Drivers
#
CONFIG_INPUT_KEYBOARD=y
CONFIG_KEYBOARD_ATKBD=y
# CONFIG_KEYBOARD_SUNKBD is not set
# CONFIG_KEYBOARD_LKKBD is not set
# CONFIG_KEYBOARD_XTKBD is not set
# CONFIG_KEYBOARD_NEWTON is not set
CONFIG_INPUT_MOUSE=y
CONFIG_MOUSE_PS2=y
CONFIG_MOUSE_SERIAL=m
CONFIG_MOUSE_INPORT=m
CONFIG_MOUSE_ATIXL=y
CONFIG_MOUSE_LOGIBM=m
CONFIG_MOUSE_PC110PAD=m
CONFIG_MOUSE_VSXXXAA=m
CONFIG_INPUT_JOYSTICK=y
# CONFIG_JOYSTICK_ANALOG is not set
# CONFIG_JOYSTICK_A3D is not set
# CONFIG_JOYSTICK_ADI is not set
```

```
# CONFIG_JOYSTICK_COBRA is not set
# CONFIG_JOYSTICK_GF2K is not set
# CONFIG_JOYSTICK_GRIP is not set
# CONFIG_JOYSTICK_GRIP_MP is not set
# CONFIG_JOYSTICK_GUILLEMOT is not set
# CONFIG_JOYSTICK_INTERACT is not set
# CONFIG_JOYSTICK_SIDEWINDER is not set
# CONFIG_JOYSTICK_TMDC is not set
# CONFIG_JOYSTICK_IFORCE is not set
# CONFIG_JOYSTICK_WARRIOR is not set
# CONFIG_JOYSTICK_MAGELLAN is not set
# CONFIG_JOYSTICK_SPACEORB is not set
# CONFIG_JOYSTICK_SPACEBALL is not set
# CONFIG_JOYSTICK_STINGER is not set
CONFIG_JOYSTICK_TWIDJOY=m
# CONFIG_JOYSTICK_DB9 is not set
# CONFIG_JOYSTICK_GAMECON is not set
# CONFIG_JOYSTICK_TURBOGRAFX is not set
CONFIG_JOYSTICK_JOYDUMP=m
CONFIG_INPUT_TOUCHSCREEN=y
CONFIG_TOUCHSCREEN_GUNZE=m
CONFIG_TOUCHSCREEN_ELO=m
CONFIG_TOUCHSCREEN_MTOUCH=m
CONFIG_TOUCHSCREEN_MK712=m
CONFIG_INPUT_MISC=y
CONFIG_INPUT_PCSPKR=m
# CONFIG_INPUT_WISTRON_BTNS is not set
CONFIG_INPUT_UINPUT=m

#
# Hardware I/O ports
#
CONFIG_SERIO=y
CONFIG_SERIO_I8042=y
CONFIG_SERIO_SERPORT=y
# CONFIG_SERIO_CT82C710 is not set
# CONFIG_SERIO_PARKBD is not set
# CONFIG_SERIO_PCIPS2 is not set
CONFIG_SERIO_LIBPS2=y
# CONFIG_SERIO_RAW is not set
CONFIG_GAMEPORT=m
CONFIG_GAMEPORT_NS558=m
CONFIG_GAMEPORT_L4=m
CONFIG_GAMEPORT_EMU10K1=m
CONFIG_GAMEPORT_FM801=m

#
# Character devices
#
CONFIG_VT=y
CONFIG_VT_CONSOLE=y
```

```
CONFIG_HW_CONSOLE=y
CONFIG_SERIAL_NONSTANDARD=y
# CONFIG_COMPUTONE is not set
# CONFIG_ROCKETPORT is not set
# CONFIG_CYCLADES is not set
# CONFIG_DIGIEPCA is not set
# CONFIG_ESPSERIAL is not set
# CONFIG_MOXA_INTELLIO is not set
# CONFIG_MOXA_SMARTIO is not set
# CONFIG_ISI is not set
CONFIG_SYNCLINK=m
CONFIG_SYNCLINKMP=m
# CONFIG_SYNCLINK_GT is not set
CONFIG_N_HDLC=m
# CONFIG_SPECIALIX is not set
# CONFIG_SX is not set
CONFIG_STALDRV=y

#
# Serial drivers
#
CONFIG_SERIAL_8250=y
CONFIG_SERIAL_8250_CONSOLE=y
# CONFIG_SERIAL_8250_ACPI is not set
CONFIG_SERIAL_8250_NR_UARTS=4
CONFIG_SERIAL_8250_RUNTIME_UARTS=4
CONFIG_SERIAL_8250_EXTENDED=y
# CONFIG_SERIAL_8250_MANY_PORTS is not set
CONFIG_SERIAL_8250_SHARE_IRQ=y
CONFIG_SERIAL_8250_DETECT_IRQ=y
CONFIG_SERIAL_8250_RSA=y

#
# Non-8250 serial port support
#
CONFIG_SERIAL_CORE=y
CONFIG_SERIAL_CORE_CONSOLE=y
# CONFIG_SERIAL_JSM is not set
CONFIG_UNIX98_PTYS=y
# CONFIG_LEGACY_PTYS is not set
CONFIG_PRINTER=m
CONFIG_LP_CONSOLE=y
CONFIG_PPDEV=m
# CONFIG_TIPAR is not set

#
# IPMI
#
# CONFIG_IPMI_HANDLER is not set

#
```

```
# Watchdog Cards
#
CONFIG_WATCHDOG=y
# CONFIG_WATCHDOG_NOWAYOUT is not set

#
# Watchdog Device Drivers
#
CONFIG_SOFT_WATCHDOG=m
CONFIG_ACQUIRE_WDT=m
CONFIG_ADVANTECH_WDT=m
CONFIG_ALIM1535_WDT=m
CONFIG_ALIM7101_WDT=m
CONFIG_SC520_WDT=m
CONFIG_EUROTECH_WDT=m
CONFIG_IB700_WDT=m
CONFIG_IBMASR=m
CONFIG_WAFER_WDT=m
CONFIG_I6300ESB_WDT=m
CONFIG_I8XX_TCO=m
CONFIG_SC1200_WDT=m
# CONFIG_60XX_WDT is not set
CONFIG_SBC8360_WDT=m
CONFIG_CPU5_WDT=m
CONFIG_W83627HF_WDT=m
CONFIG_W83877F_WDT=m
CONFIG_W83977F_WDT=m
CONFIG_MACHZ_WDT=m
# CONFIG_SBC_EPX_C3_WATCHDOG is not set

#
# ISA-based Watchdog Cards
#
CONFIG_PCWATCHDOG=m
# CONFIG_MIXCOMWD is not set
CONFIG_WDT=m
# CONFIG_WDT_501 is not set

#
# PCI-based Watchdog Cards
#
CONFIG_PCIPCWATCHDOG=m
CONFIG_WDTPCI=m
CONFIG_WDT_501_PCI=y

#
# USB-based Watchdog Cards
#
CONFIG_USBPCWATCHDOG=m
CONFIG_HW_RANDOM=m
CONFIG_NVRAM=m
```

```
CONFIG_RTC=y
# CONFIG_RTC_HISTOGRAM is not set
CONFIG_BLOCKER=y
CONFIG_LPPTTEST=m
CONFIG_DTLK=m
# CONFIG_R3964 is not set
# CONFIG_APPLICOM is not set
CONFIG_SONYPI=m
```

```
#
# Ftape, the floppy tape device driver
#
```

```
CONFIG_AGP=y
CONFIG_AGP_ALI=y
CONFIG_AGP_ATI=y
CONFIG_AGP_AMD=y
CONFIG_AGP_AMD64=y
CONFIG_AGP_INTEL=y
CONFIG_AGP_NVIDIA=y
CONFIG_AGP_SIS=y
CONFIG_AGP_SWWORKS=y
CONFIG_AGP_VIA=y
CONFIG_AGP_EFFICEON=y
CONFIG_DRM=y
# CONFIG_DRM_TDFX is not set
CONFIG_DRM_R128=m
CONFIG_DRM_RADEON=m
CONFIG_DRM_I810=m
CONFIG_DRM_I830=m
CONFIG_DRM_I915=m
CONFIG_DRM_MGA=m
# CONFIG_DRM_SIS is not set
CONFIG_DRM_VIA=m
CONFIG_DRM_SAVAGE=m
# CONFIG_MWAVE is not set
# CONFIG_CS5535_GPIO is not set
CONFIG_RAW_DRIVER=y
CONFIG_MAX_RAW_DEVS=8192
# CONFIG_HPET is not set
CONFIG_HANGCHECK_TIMER=m
```

```
#
# TPM devices
#
# CONFIG_TCG_TPM is not set
# CONFIG_TELCLOCK is not set
CONFIG_ALLOC_RAYTHEON=m
CONFIG_RMEM=m
```

```
#
# I2C support
```

```
#
CONFIG_I2C=m
CONFIG_I2C_CHARDEV=m

#
# I2C Algorithms
#
CONFIG_I2C_ALGOBIT=m
CONFIG_I2C_ALGOPCF=m
CONFIG_I2C_ALGOPCA=m

#
# I2C Hardware Bus support
#
CONFIG_I2C_ALI1535=m
CONFIG_I2C_ALI1563=m
CONFIG_I2C_ALI15X3=m
CONFIG_I2C_AMD756=m
CONFIG_I2C_AMD756_S4882=m
CONFIG_I2C_AMD8111=m
CONFIG_I2C_I801=m
CONFIG_I2C_I810=m
CONFIG_I2C_PIIX4=m
CONFIG_I2C_ISA=m
CONFIG_I2C_NFORCE2=m
# CONFIG_I2C_PARPORT is not set
# CONFIG_I2C_PARPORT_LIGHT is not set
CONFIG_I2C_PROSAVAGE=m
CONFIG_I2C_SAVAGE4=m
# CONFIG_SCx200_ACB is not set
CONFIG_I2C_SIS5595=m
CONFIG_I2C_SIS630=m
CONFIG_I2C_SIS96X=m
CONFIG_I2C_STUB=m
CONFIG_I2C_VIA=m
CONFIG_I2C_VIAPRO=m
CONFIG_I2C_VOODOO3=m
# CONFIG_I2C_PCA_ISA is not set

#
# Miscellaneous I2C Chip support
#
CONFIG_SENSORS_DS1337=m
CONFIG_SENSORS_DS1374=m
CONFIG_SENSORS_EEPROM=m
CONFIG_SENSORS_PCF8574=m
CONFIG_SENSORS_PCA9539=m
CONFIG_SENSORS_PCF8591=m
CONFIG_SENSORS_RTC8564=m
CONFIG_SENSORS_MAX6875=m
# CONFIG_RTC_X1205_I2C is not set
```

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

```
# CONFIG_I2C_DEBUG_CORE is not set
# CONFIG_I2C_DEBUG_ALGO is not set
# CONFIG_I2C_DEBUG_BUS is not set
# CONFIG_I2C_DEBUG_CHIP is not set
```

```
#
# SPI support
#
# CONFIG_SPI is not set
# CONFIG_SPI_MASTER is not set
```

```
#
# Dallas's 1-wire bus
#
# CONFIG_W1 is not set
```

```
#
# Hardware Monitoring support
#
CONFIG_HWMON=y
CONFIG_HWMON_VID=m
CONFIG_SENSORS_ADM1021=m
CONFIG_SENSORS_ADM1025=m
CONFIG_SENSORS_ADM1026=m
CONFIG_SENSORS_ADM1031=m
CONFIG_SENSORS_ADM9240=m
CONFIG_SENSORS_ASB100=m
CONFIG_SENSORS_ATXP1=m
CONFIG_SENSORS_DS1621=m
# CONFIG_SENSORS_F71805F is not set
CONFIG_SENSORS_FSCHER=m
CONFIG_SENSORS_FSCPOS=m
CONFIG_SENSORS_GL518SM=m
CONFIG_SENSORS_GL520SM=m
CONFIG_SENSORS_IT87=m
CONFIG_SENSORS_LM63=m
CONFIG_SENSORS_LM75=m
CONFIG_SENSORS_LM77=m
CONFIG_SENSORS_LM78=m
CONFIG_SENSORS_LM80=m
CONFIG_SENSORS_LM83=m
CONFIG_SENSORS_LM85=m
CONFIG_SENSORS_LM87=m
CONFIG_SENSORS_LM90=m
CONFIG_SENSORS_LM92=m
CONFIG_SENSORS_MAX1619=m
CONFIG_SENSORS_PC87360=m
CONFIG_SENSORS_SIS5595=m
CONFIG_SENSORS_SMSC47M1=m
CONFIG_SENSORS_SMSC47B397=m
CONFIG_SENSORS_VIA686A=m
```

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

```
# CONFIG_SENSORS_VT8231 is not set
CONFIG_SENSORS_W83781D=m
CONFIG_SENSORS_W83792D=m
CONFIG_SENSORS_W83L785TS=m
CONFIG_SENSORS_W83627HF=m
CONFIG_SENSORS_W83627EHF=m
# CONFIG_SENSORS_HDAPS is not set
# CONFIG_HWMON_DEBUG_CHIP is not set

#
# Misc devices
#
CONFIG_IBM_ASM=m

#
# Multimedia Capabilities Port drivers
#

#
# Multimedia devices
#
CONFIG_VIDEO_DEV=m

#
# Video For Linux
#

#
# Video Adapters
#
# CONFIG_VIDEO_ADV_DEBUG is not set
# CONFIG_VIDEO_BT848 is not set
# CONFIG_VIDEO_PMS is not set
# CONFIG_VIDEO_BWQCAM is not set
# CONFIG_VIDEO_CQCAM is not set
# CONFIG_VIDEO_W9966 is not set
# CONFIG_VIDEO_CPIA is not set
# CONFIG_VIDEO_SAA5246A is not set
# CONFIG_VIDEO_SAA5249 is not set
# CONFIG_TUNER_3036 is not set
# CONFIG_VIDEO_STRADIS is not set
# CONFIG_VIDEO_ZORAN is not set
# CONFIG_VIDEO_MEYE is not set
# CONFIG_VIDEO_SAA7134 is not set
# CONFIG_VIDEO_MXB is not set
# CONFIG_VIDEO_DPC is not set
# CONFIG_VIDEO_HEXIUM_ORION is not set
# CONFIG_VIDEO_HEXIUM_GEMINI is not set
# CONFIG_VIDEO_CX88 is not set
# CONFIG_VIDEO_EM28XX is not set
CONFIG_VIDEO_OVCAMCHIP=m
```

```
# CONFIG_VIDEO_AUDIO_DECODER is not set
# CONFIG_VIDEO_DECODER is not set

#
# Radio Adapters
#
# CONFIG_RADIO_CADET is not set
# CONFIG_RADIO_RTRACK is not set
# CONFIG_RADIO_RTRACK2 is not set
# CONFIG_RADIO_AZTECH is not set
# CONFIG_RADIO_GEMTEK is not set
# CONFIG_RADIO_GEMTEK_PCI is not set
# CONFIG_RADIO_MAXIRADIO is not set
# CONFIG_RADIO_MAESTRO is not set
# CONFIG_RADIO_SF16FMI is not set
# CONFIG_RADIO_SF16FMR2 is not set
# CONFIG_RADIO_TERRATEC is not set
# CONFIG_RADIO_TRUST is not set
# CONFIG_RADIO_TYPHOON is not set
# CONFIG_RADIO_ZOLTRIX is not set

#
# Digital Video Broadcasting Devices
#
# CONFIG_DVB is not set

#
# Graphics support
#
CONFIG_FB=y
CONFIG_FB_CFB_FILLRECT=y
CONFIG_FB_CFB_COPYAREA=y
CONFIG_FB_CFB_IMAGEBLIT=y
# CONFIG_FB_MACMODES is not set
CONFIG_FB_MODE_HELPERS=y
# CONFIG_FB_TILEBLITTING is not set
CONFIG_FB_CIRRUS=m
# CONFIG_FB_PM2 is not set
# CONFIG_FB_CYBER2000 is not set
CONFIG_FB_ARC=m
# CONFIG_FB_ASILANT is not set
# CONFIG_FB_IMSTT is not set
CONFIG_FB_VGA16=m
CONFIG_FB_VESA=y
CONFIG_VIDEO_SELECT=y
# CONFIG_FB_HGA is not set
CONFIG_FB_S1D13XXX=m
CONFIG_FB_NVIDIA=m
CONFIG_FB_NVIDIA_I2C=y
CONFIG_FB_RIVA=m
# CONFIG_FB_RIVA_I2C is not set
```

```
# CONFIG_FB_RIVA_DEBUG is not set
CONFIG_FB_I810=m
CONFIG_FB_I810_GTF=y
CONFIG_FB_I810_I2C=y
CONFIG_FB_INTEL=m
# CONFIG_FB_INTEL_DEBUG is not set
# CONFIG_FB_MATROX is not set
# CONFIG_FB_RADEON_OLD is not set
# CONFIG_FB_RADEON is not set
# CONFIG_FB_ATY128 is not set
# CONFIG_FB_ATY is not set
CONFIG_FB_SAVAGE=m
CONFIG_FB_SAVAGE_I2C=y
CONFIG_FB_SAVAGE_ACCEL=y
# CONFIG_FB_SIS is not set
# CONFIG_FB_NEOMAGIC is not set
CONFIG_FB_KYRO=m
# CONFIG_FB_3DFX is not set
# CONFIG_FB_VOODOO1 is not set
CONFIG_FB_CYBLA=m
# CONFIG_FB_TRIDENT is not set
# CONFIG_FB_GEODE is not set
# CONFIG_FB_VIRTUAL is not set

#
# Console display driver support
#
CONFIG_VGA_CONSOLE=y
CONFIG_MDA_CONSOLE=m
CONFIG_DUMMY_CONSOLE=y
CONFIG_FRAMEBUFFER_CONSOLE=y
# CONFIG_FRAMEBUFFER_CONSOLE_ROTATION is not set
# CONFIG FONTS is not set
CONFIG_FONT_8x8=y
CONFIG_FONT_8x16=y

#
# Logo configuration
#
CONFIG_LOGO=y
# CONFIG_LOGO_LINUX_MONO is not set
# CONFIG_LOGO_LINUX_VGA16 is not set
CONFIG_LOGO_LINUX_CLUT224=y
# CONFIG_BACKLIGHT_LCD_SUPPORT is not set

#
# Sound
#
CONFIG_SOUND=m

#
```

```
# Advanced Linux Sound Architecture
#
CONFIG_SND=m
CONFIG_SND_TIMER=m
CONFIG_SND_PCM=m
CONFIG_SND_HWDEP=m
CONFIG_SND_RAWMIDI=m
CONFIG_SND_SEQUENCER=m
CONFIG_SND_SEQ_DUMMY=m
CONFIG_SND_OSSEMUL=y
CONFIG_SND_MIXER_OSS=m
CONFIG_SND_PCM_OSS=m
CONFIG_SND_SEQUENCER_OSS=y
CONFIG_SND_RTCTIMER=m
CONFIG_SND_SEQ_RTCTIMER_DEFAULT=y
# CONFIG_SND_DYNAMIC_MINORS is not set
CONFIG_SND_SUPPORT_OLD_API=y
# CONFIG_SND_VERBOSE_PRINTK is not set
# CONFIG_SND_DEBUG is not set

#
# Generic devices
#
CONFIG_SND_MPU401_UART=m
CONFIG_SND_OPL3_LIB=m
CONFIG_SND_VX_LIB=m
CONFIG_SND_AC97_CODEC=m
CONFIG_SND_AC97_BUS=m
CONFIG_SND_DUMMY=m
CONFIG_SND_VIRMIDI=m
CONFIG_SND_MTPAV=m
# CONFIG_SND_SERIAL_U16550 is not set
CONFIG_SND_MPU401=m

#
# ISA devices
#
# CONFIG_SND_AD1816A is not set
# CONFIG_SND_AD1848 is not set
# CONFIG_SND_ALS100 is not set
# CONFIG_SND_AZT2320 is not set
# CONFIG_SND_CMI8330 is not set
# CONFIG_SND_CS4231 is not set
# CONFIG_SND_CS4232 is not set
# CONFIG_SND_CS4236 is not set
# CONFIG_SND_DT019X is not set
# CONFIG_SND_ES968 is not set
# CONFIG_SND_ES1688 is not set
# CONFIG_SND_ES18XX is not set
# CONFIG_SND_GUSCLASSIC is not set
# CONFIG_SND_GUSEXTREME is not set
```

```
# CONFIG_SND_GUSMAX is not set
# CONFIG_SND_INTERWAVE is not set
# CONFIG_SND_INTERWAVE_STB is not set
# CONFIG_SND_OPL3SA2 is not set
# CONFIG_SND_OPTI92X_AD1848 is not set
# CONFIG_SND_OPTI92X_CS4231 is not set
# CONFIG_SND_OPTI93X is not set
# CONFIG_SND_SB8 is not set
# CONFIG_SND_SB16 is not set
# CONFIG_SND_SBAWE is not set
# CONFIG_SND_SGALAXY is not set
# CONFIG_SND_SSCAPE is not set
# CONFIG_SND_WAVEFRONT is not set

#
# PCI devices
#
CONFIG_SND_AD1889=m
CONFIG_SND_ALS4000=m
CONFIG_SND_ALI5451=m
CONFIG_SND_ATIIXP=m
CONFIG_SND_ATIIXP_MODEM=m
CONFIG_SND_AU8810=m
CONFIG_SND_AU8820=m
CONFIG_SND_AU8830=m
CONFIG_SND_AZT3328=m
CONFIG_SND_BT87X=m
# CONFIG_SND_BT87X_OVERCLOCK is not set
CONFIG_SND_CA0106=m
CONFIG_SND_CMIPCI=m
CONFIG_SND_CS4281=m
CONFIG_SND_CS46XX=m
CONFIG_SND_CS46XX_NEW_DSP=y
# CONFIG_SND_CS5535AUDIO is not set
CONFIG_SND_EMU10K1=m
CONFIG_SND_EMU10K1X=m
CONFIG_SND_ENS1370=m
CONFIG_SND_ENS1371=m
CONFIG_SND_ES1938=m
CONFIG_SND_ES1968=m
CONFIG_SND_FM801=m
CONFIG_SND_FM801_TEA575X=m
CONFIG_SND_HDA_INTEL=m
CONFIG_SND_HDSP=m
CONFIG_SND_HDSPM=m
CONFIG_SND_ICE1712=m
CONFIG_SND_ICE1724=m
CONFIG_SND_INTEL8X0=m
CONFIG_SND_INTEL8X0M=m
CONFIG_SND_KORG1212=m
CONFIG_SND_MAESTRO3=m
```

```
CONFIG_SND_MIXART=m
CONFIG_SND_NM256=m
# CONFIG_SND_PCXHR is not set
CONFIG_SND_RME32=m
CONFIG_SND_RME96=m
CONFIG_SND_RME9652=m
CONFIG_SND_SONICVIBES=m
CONFIG_SND_TRIDENT=m
CONFIG_SND_VIA82XX=m
CONFIG_SND_VIA82XX_MODEM=m
CONFIG_SND_VX222=m
CONFIG_SND_YMFPCI=m

#
# USB devices
#
CONFIG_SND_USB_AUDIO=m
CONFIG_SND_USB_USX2Y=m

#
# Open Sound System
#
# CONFIG_SOUND_PRIME is not set

#
# USB support
#
CONFIG_USB_ARCH_HAS_HCD=y
CONFIG_USB_ARCH_HAS_OHCI=y
CONFIG_USB=y
# CONFIG_USB_DEBUG is not set

#
# Miscellaneous USB options
#
CONFIG_USB_DEVICEFS=y
# CONFIG_USB_BANDWIDTH is not set
# CONFIG_USB_DYNAMIC_MINORS is not set
CONFIG_USB_SUSPEND=y
# CONFIG_USB_OTG is not set

#
# USB Host Controller Drivers
#
CONFIG_USB_EHCI_HCD=m
CONFIG_USB_EHCI_SPLIT_ISO=y
CONFIG_USB_EHCI_ROOT_HUB_TT=y
# CONFIG_USB_ISP116X_HCD is not set
CONFIG_USB_OHCI_HCD=m
# CONFIG_USB_OHCI_BIG_ENDIAN is not set
CONFIG_USB_OHCI_LITTLE_ENDIAN=y
```

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!

```
CONFIG_USB_UHCI_HCD=m
# CONFIG_USB_SL811_HCD is not set

#
# USB Device Class drivers
#
# CONFIG_OBSOLETE_OSS_USB_DRIVER is not set
CONFIG_USB_ACM=m
CONFIG_USB_PRINTER=m

#
# NOTE: USB_STORAGE enables SCSI, and 'SCSI disk support'
#

#
# may also be needed; see USB_STORAGE Help for more information
#
CONFIG_USB_STORAGE=m
# CONFIG_USB_STORAGE_DEBUG is not set
CONFIG_USB_STORAGE_DATAFAB=y
CONFIG_USB_STORAGE_FREECOM=y
CONFIG_USB_STORAGE_ISD200=y
CONFIG_USB_STORAGE_DPCM=y
CONFI
```

[BUG 2.6.16-rt18] BUG at kernel/rtmutex.c:639!